



City of Belle Isle
 Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
 Tel. 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

PERMIT CARD - PLEASE POST AT JOB SITE

THIS DOCUMENT BECOMES YOUR PERMIT WHEN PROPERLY VALIDATED

Per FBC 105.3.3: An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies." The issuance of this permit does not grant permission to violate any applicable City, Orange County, State of Florida and/or Federal codes and/or ordinances. Separate permits are required for Signs, Roofing, Electrical, Gas, Plumbing and Mechanical services. This permit becomes VOID if the work authorized is not commenced within 6 months, or is suspended or abandoned for a period of 6 months after commencement. **WORK SHALL BE CONSIDERED SUSPENDED IF AN APPROVED INSPECTION HAS NOT BEEN MADE WITHIN A 6 MONTH PERIOD. PERMISSION IS GRANTED TO DO THE FOLLOWING WORK ACCORDING TO THE CONDITIONS HEREON AND THE APPROVED PLANS AND SPECIFICATIONS, SUBJECT TO COMPLIANCE WITH THE ORDINANCES OF THE TOWN OF WINDERMERE, FLORIDA.**

<p>Scope of Work: FRONT DOOR: size-for-size</p> <p>Comments: None</p> <p>Project Information Address: 2411 Nela Avenue, Belle Isle, FL 32812 Parcel ID: 19-23-30-5888-03-210 Property Owner: Devorsky, Richard Phone Number: 407-857-7281 ***** Company Name: Lowes Home Centers, Inc. Contractor Name: Cafaro, Peter License Number: CGC1508417 Address: PO Box 781993, Orlando, FL 32878 Phone Number: 407-468-1010</p>	<p align="center">Permit Number: 2014-11-004</p> <p>Date of Application: <u>11/05/2013</u> Date Permit Issued: <u>11/05/2013</u></p> <p>WARNING TO OWNER: "YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT." ON THE JOB INSPECTION(S) MUST BE MADE BEFORE PROCEEDING WITH SUBSEQUENT WORK. THIS CARD MUST BE DISPLAYED OUTSIDE AND BE PROTECTED FROM THE WEATHER WHILE BEING VISIBLE FROM THE STREET UNTIL THE FINAL INSPECTIONS HAVE BEEN APPROVED.</p>
--	---

BUILDING FEATURES

<p>IMPACT FEES</p> <p>School \$</p> <p>ZONING FEES</p> <p>Zoning Fee \$</p> <p>UNIVERSAL ENG - BUILDING FEES</p> <p>Demo \$ Building \$ Fence \$ Driveway \$ Shed \$ Window(s) \$ Door(s) \$43.50 PrePower \$ Electrical Fee \$ Temp Pole \$ Plumbing Fee \$ Mechanical Fee \$ Gas Fee \$ Roofing \$ Boat Dock \$ Screen Encl \$ Swimming Pool \$</p> <p>SURCHARGE FEES</p> <p>Surcharge Fee \$2.00 Surcharge Fee \$2.00</p> <p>TOTAL FEES \$47.50</p> <p>Date Paid <u>11-5-13</u></p> <p>CC or Check # <u>via 9107</u></p> <p>Amount Paid <u>47.50</u></p> <p>The person accepting this permit shall conform to the terms of the application on file and construction shall conform to the requirements of the Florida Building Code (FS 553).</p>	<p align="center">BUILDING INSPECTOR USE ONLY</p> <p>IF APPLICABLE: Have Zoning Approval Conditions Been Met? YES NO Have Stormwater Approval Conditions Been Met? YES NO Silt fencing in place? YES NO Turbidity Barrier in place? YES NO</p> <p><input type="checkbox"/> BUILDING</p> <p>1st _____ (Footing/Foundation) Survey specific foundation plan must be onsite before slab pour. Approved Plan on Site? _____ 2nd _____ (Slab) 3rd _____ (Lintel) (Wall Reinforcing on Masonry Building) 4th _____ (Exterior Framing) (Roof/Wall Sheathing) 5th _____ (Framing) (To be made after Plumbing/ Mechanical/ Electrical Rough-Ins & Windows/Doors Installed) 6th _____ (Insulation to be Made After Roof Installed) 7th _____ (Drywall) 8th _____ (Sidewalk/Driveway) 9th _____ (Other) 10th _____ (Final - After MEP and Other Applicable Finals)</p> <p><input type="checkbox"/> ROOFING</p> <p>1st ROOFING Deck Nailing/Dry-in/Flashing _____ 2nd ROOFING Covering In-Progress _____ 3rd ROOFING Covering Final _____</p> <p><input type="checkbox"/> PLUMBING (Pool-Piping, Solar, Irrigation, Water Treatment Equip, Etc...) 1st _____ (Underground) 2nd _____ (Sewer) 3rd _____ (Rough-In/Tub Set) 4th _____ (Final)</p> <p>CHECK APPROPRIATE BOX</p> <p><input type="checkbox"/> GAS ___ Natural ___ LP <input type="checkbox"/> MECHANICAL <input type="checkbox"/> ELECTRICAL <input type="checkbox"/> LOW VOLTAGE</p> <p>1st _____ (Rough-In) 2nd _____ (Final)</p>
---	---

Inspection requests are to be emailed to BidScheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. Next-Day Inspection requests must be made by 1pm. Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed.



City of Belle Isle
 Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
 Tel 407-581-8161 * Fax 407-581-0313 * www.universalsengineering.com

Received
 11-5-13

Building Permit (Land Use) Application

DATE: 11/5/13 PERMIT # 2014-11-004
 PROJECT ADDRESS 2411 Nida Ave Belle Isle, FL 32809 32812
 PROPERTY OWNER Devonky Richard PHONE 407 857 7261 VALUE OF WORK (labor & material) \$ 1265.59

PLEASE LIST THE NATURE OF YOUR PROPOSED IMPROVEMENTS

Remove & Replace Size for Size Front Door

Please provide information, if applicable.

- Survey specific foundation plan required to show compliance with zoning setbacks
- BOAT DOCK: DEP Clearance Required with Application (Call 407-897-4100); please provide a copy of their report
- SEPTIC SYSTEM (RESIDENTIAL): - Provide verification of OC Health Dept approval for on-site septic tank system, per FAC Chap. 64E-6
- Homeowners will be required to have a contractor on record for homes that are rented and/or not homestead

Please Complete for the City of Belle Isle Zoning Review: Parcel Id Number: 19-23-30-5988-03-210

To obtain this information, please visit: <https://www.ocpafl.org/Searches/ParcelSearch.aspx>

SPECIAL CONDITIONS : STRUCTURES MAY NOT ENCR OACH INTO ANY EASEMENT OR REQUIRED SETBACK. Note, this Zoning Approval MAY or MAY NOT be in conflict with your Deed Restrictions. For New Single Family Residence, a Traffic Impact Fee and School Impact will be assessed.

Attached Survey SETS and Construction Plans 1 SETS

PLANNING & ZONING APPROVAL: DATE

PLEASE COMPLETE for Building Review

CONSTRUCTION TYPE R1AA Comm Res: Single Fam XX Multi Fam
 OCCUPANCY GROUP #UNITS #STORIES TOTAL SQ.FT.
 #BLDG. MAX. OCCUPANCY
 MAX. FLOOR LOAD LOW FLOOR ELEV.
 MIN. FLOOR ELEV. WELL SEPTIC
 WATER SERVICE

BUILDING REVIEWER DATE 29th
 NOTES 14.50

Per FSS 105.3.3:

An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies."

Republic Services is by legal contract the sole authorized provider of garbage, recycling, yard waste, and commercial garbage and construction debris collection and disposal services with the city limits of the City. Contractors, homeowners and commercial businesses may contact Republic Services at 407-293-8000 to setup accounts for Commercial, Construction Roll Off, or other services needed. Rates are fixed by contract and are available at City Hall or from Republic Services. The City enforces the contract through its code enforcement office. Failure to comply will result in a stop work order.

SEPARATE PERMITS ARE REQUIRED FOR ROOFING, ELECTRICAL, PLUMBING, GAS, MECHANICAL, SIGNS, POOLS, ENCLOSURES, ETC.

Wind Exposure Category: B C D

SPRINKLERS REQ'D	Y	N
IF Required - SUBMIT COPY OF PLANS FOR FIRE REVIEW		
ZONING	Y	N
CERT OF OCC	Y	N
TRAFFIC	Y	N
SCHOOL	Y	N
FIRE	Y	N
SWIMMING POOL	Y	N
SCREEN ENCLOSURE	Y	N
ROOFING	Y	N
BOAT DOCK	Y	N
BUILDING	Y	N
WINDOW(S)	Y	N
DOOR(S)	Y	N
FENCE	Y	N
SHED	Y	N
DRIVEWAY	Y	N
OTHER	Y	N
3% FL SURCHARGE		4 ⁰⁰
TOTAL		47.50
By Owner Form	Y	NA
Notice of Commencement	Y	NA
Power of Attorney	Y	NA
Contractor Packet Included?	Y	N
OTHER PERMITS REQUIRED:		
ELECTRICAL	Y	NA
PREPOWER	Y	NA
MECHANICAL	Y	NA
PLUMBING	Y	NA
ROOFING	Y	NA
GAS	Y	NA



City of Belle Isle
1800 Nela Avenue, Belle Isle, FL 32809
Tel 407-851-7730 • Fax 407-240-2222 • www.cityofbelleisle.org

Building Permit (Land Use) Application
To be completed as required by State Statute Section 713 and other applicable sections.

PERMIT # 2014-11-004

Owner's Name Devorsky, Richard
Owner's Address 2411 Nela Ave Belle Isle, FL 32809-6180

Fee Simple Trichoder's Name (if other than owner's) N/A

Address <u>2411 Nela Ave Belle Isle, FL</u>	City <u></u>	State <u></u>	Zip Code <u></u>
Contractor's Name <u>LOWE'S HOME CENTERS INC.</u>			
Contractor's Address <u>PO BOX 781993</u>			
City, State, ZIP <u>ORLANDO, FL 32878-1993</u>			
License # <u>CGC-538417</u>			
Contact Phone/Cell <u>NAN: 407 488-1010</u>			
Architect/Engineer's Name <u></u>			
Architect/Engineer's Address <u></u>			
City, State, ZIP <u></u>			
License # <u></u>			
Contact Phone/Cell <u></u>			

WARNING TO OWNER: Your failure to record a Notice of Commencement may result in your paying twice for improvements to your property. A notice of commencement must be recorded if job is \$2000(+) or if A/C Replacement \$7500(+) and posted on the job site before the first inspection. If you intend to obtain financing, consult with your lender or an attorney before recording your Notice of Commencement.

I hereby make Application for Permit as outlined above, and if same is granted I agree to conform to all Division of Building Safety Regulations (now Building Code) and City Ordinances (now Municipal Code) regulating same and in accordance with plans submitted. The issuance of this permit does not grant permission to violate any applicable City and/or Ordinance. Application is hereby made to obtain a permit to do the work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction. I understand that a separate permit must be secured for all other construction including ELECTRICAL, PLUMBING, GAS, SIGNS, POOLS, MECHANICAL, ETC.

OWNER'S AFFIDAVIT: I certify that all the foregoing information is accurate and that all work will be done in compliance with all applicable laws regulating construction and zoning.

Owner Signature Richard Devorsky
The foregoing instrument was acknowledged before me this 10/22/13

by Richard Devorsky who is personally known to me

and who produced Driver's License

as identification and who did not take an oath.

Notary as to Owner NAN HOLMES

Commission No. DD 938553

State of FL County of Orange

My Commission expires January 9, 2014

Notary Third Budget Notary Services

Contractor Signature

The foregoing instrument was acknowledged before me this 10/22/13

by PETER A CAFARO who is personally known to me

and who produced PERSONALLY KNOWN

as identification and who did not take an oath.

Notary as to Owner NAN HOLMES

Commission No. DD 938553

State of FL County of Orange

My Commission expires 1/9/2014

NAN HOLMES

MY COMMISSION # DD 938553

EXPIRES: January 9, 2014

Notary Third Budget Notary Services

Notary Seal: NAN HOLMES, Notary Public, State of Florida, Commission # DD 938553, Expires 1/9/2014, My Commission Expires 1/9/2014

Impervious Surface Ratio Worksheet

Development Zoned A-1 A-2 R-1-AAA R-1-AA R-1-A R-1 per

Section 50-74 Impervious Surface Ratio of the City Code

Total Lot Area (sqft) X 0.35 = Allowable Impervious Area (BASE).

Allowable Impervious Area (BASE) _____

Calculate the "proposed" impervious area on the lot. This includes the

sum of all areas that do not allow direct percolation of rainwater.

Examples include house, pool, deck, driveway, accessory building, etc

• House _____

• Driveway _____

• Walkway _____

• Accessory Buildings _____

• Pool & Spa _____

• Deck & Patio _____

• Other _____

Actual Impervious Area (AIA) _____

If AIA is less than BASE, subtract AIA from BASE to determine the

amount of impervious area that may be added without providing onsite

retention.

3

If AIA is greater than BASE, then onsite retention must be provided.

4

Assuming 2.5 inches of rainfall based on a 24hr. 10 year Rain Event (LRAD),

the formula is: (7.5 inches rainfall/12 inches pffoot) X (result from line 4)

cubic feet of storage volume needed

CITY OF BELLE ISLE
Permit Application Review Sheet

Permit Number	2014-11-004
Property Owner	Devorsky, Richard
Address	2411 Nela Ave
Nature of Improvement	Front door replacement
Received Application	11-5-13
Sent for Stormwater Review	N/A
Stormwater Approved	N/A
Sent for Zoning Review	N/A
Zoning Approved	
Applied for Variance	
Variance Approved	
Sent to BO for Review	
Building Official Approved	
Comments	
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	



Lowe's Home Centers Inc
Permit & License Administration
PO Box 781993
Orlando, FL 32878 - 1993
Bus. 407/832-8085
Fax. 407/393-9151

Limited Power of Attorney

Date: November, 5 2013

To: Building Department

From: Peter Anthony Cafaro III

I hereby name and appoint Nan Holmes, Mindy Holmes, Raymond Holmes and Jackie Caines, a permit service for Lowe's, to be my lawful attorney in fact to act for me and apply to

CITY OF BELLE ISLE for a FRONT DOOR permit for work to be performed at a location described as:


(Address of Job) 2411 Nela Ave Belle Isle, FL 32809

(Owner of Property) Richard Devorsky

And to sign my name and do all things necessary to this appointment.

Thank you for your assistance.

Sincerely,


Peter Anthony Cafaro III
State License Qualifier
CGC1508417
CCC1326824

State of Florida County of Orange

The forgoing instrument was acknowledged before me as Peter Anthony Cafaro III, who is personally known to me and who did not take an oath.

Sworn to and subscribed before me this 5 day of November 2013





No. public
My commission expires



City of Belle Isle
 Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
 Tel 407-581-8161 * Fax 407-581-0313 * www.universaleengineering.com

Product Approval Form

DATE: 11/5/13 PERMIT # _____
 PROJECT ADDRESS 2411 NELA AVE Belle Isle, FL 32809 32812

As required by Florida Statue 553.842 and Florida Administrative Code 9B-72m, please provide the information and approval numbers of the building components listed below if they will be utilized on the building or structure. FL Approved products are listed online at www.floridabuilding.org or can be obtained from the local product supplier. The following information must be turned in with permit application and available onsite for inspections:

1. This Product Approval Cover Sheet
2. Internet screen from FloridaBuilding.org showing PA#, approval and code edition stamped
3. Manufacturer's *Installation* details from FloridaBuilding.org and requirements for each product stamped

Product Type	Manufacturer	Model/Series	FL Product Approval #	Product Type	Manufacturer	Model/Series	FL Product Approval #			
EXTERIOR DOORS										
Swinging	MASONITE	FIBERGLASS	<u>FL 8228-R5</u>	Sliding	WALL PANELS					
Sliding				Soffits						
Sectional/Rollup				Storefront						
Other				Glass Block						
				Other	ROOFING PRODUCTS					
WINDOWS										
Single/Dbt Hung				Asphalt Shingles						
Horizontal Slider				Non Struct Metal						
Casement				Roofing Tiles						
Fixed				Single Ply Roof						
Mullion				Other						
Skylights										
Other										
STRUCTURAL COMPONENTS										
Wood Connectors					OTHER					
Wood Anchors										
Truss Plates										
Insulation Forms										
Lintels										
Other										

It is the applicant's responsibility to verify that specific products have been installed in accordance with their limitations and with the minimum required design pressures for the structure. Specific compliance will be verified during field inspections.

Applicant Signature *Ann Johnson* Date 11/5/13

FLORIDA DEPARTMENT OF
Business & Professional Regulation



Florida Department of
Business & Professional Regulation
License efficiently. Regulate fairly.

BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | FBC Staff | BCIS Site Map | Links | Search

Product Approval
USER: Public User

Product Approval Menu > [Product or Application Search](#) > [Application List](#) > [Application Detail](#)

OFFICE OF THE SECRETARY

FL # FL8228-R5
Application Type Affirmation
Code Version 2010
Application Status Approved
Comments
Archived

Product Manufacturer Address/Phone/Email

Masonite International
1955 Powis Road
West Chicago, IL 60185
(615) 441-4258
sschreiber@masonite.com

Authorized Signature

Steve Schreiber
sschreiber@masonite.com

Technical Representative Address/Phone/Email

Quality Assurance Representative Address/Phone/Email

Category Subcategory

Exterior Doors
Swinging Exterior Door Assemblies

Compliance Method

Certification Mark or Listing

Certification Agency Validated By

National Accreditation & Management Institute,
National Accreditation & Management Institute,

Referenced Standard and Year (of Standard)

Standard	Year
ASTM E1886	2002
ASTM E1996	2002
ASTM E330	2002
TAS 202	1994

Equivalence of Product Standards Certified By

I affirm that there are no changes in the new Florida Building Code which affect my product(s) and my product(s) are in compliance with the new Florida Building Code.

Documentation from approved Evaluation or Validation Entity Yes No N/A

Product Approval Method

Method 1 Option A

Date Submitted

02/06/2012

Date Validated

02/06/2012

Date Pending FBC Approval

Date Approved

02/13/2012

Summary of Products

FL #	Model, Number or Name	Description
8228.1	Fiberglass Side-Hinged Door Unit	6'-8" Opaque I/S and O/S Single Door
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: Yes		
Design Pressure: +85.0/-85.0		
Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 3'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FLO160-07 for additional information.		
8228.2	Fiberglass Side-Hinged Door Unit	8'-0" Opaque I/S and O/S Single Door
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: Yes		
Design Pressure: +70.0/-70.0		
Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 3'-0" x 8'-0" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FLO161-07 for additional information.		
8228.3	Fiberglass Side-Hinged Door Unit	6'-8" Opaque Inswing Single or Double Door w/or w/o Sidelites
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: Yes		
Design Pressure: +50.5/-50.5		
Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FLO160-07 for additional information.		
8228.4	Fiberglass Side-Hinged Door Unit	6'-8" Opaque Outswing Single or Double Door w/ or w/o Sidelites
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: Yes		
Design Pressure: +55.0/-50.5		
Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FLO160-07 for additional information.		
8228.5	Fiberglass Side-Hinged Door Unit	8'-0" Opaque Inswing Single or Double Door w/ or w/o
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: Yes		
Design Pressure: +85.0/-85.0		
Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FLO160-07 for additional information.		

<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50.5/-50.5 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FL0161-07 for additional information.</p>	<p>Sidelites Certification Agency Certificate FL8228_R5_C_CAC_NI006900.02.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0161Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes</p>
<p>8228.6 Fiberglass Side-Hinged Door Unit</p> <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55.0/-50.5 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. Hurricane protective system required in HVHZ, but not required in the Wind Borne Debris Region. See DWG-MA-FL0161-07 for additional information.</p>	<p>8'-0" Opaque Outswing Single or Double Door w/ or w/o Sidelites Certification Agency Certificate FL8228_R5_C_CAC_NI006900.02.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0161Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes</p>
<p>8228.7 Fiberglass Side-Hinged Door Unit</p> <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +52.0/-52.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ and the Wind Borne Debris Region. See DWG-MA-FL0162-07 for additional information.</p>	<p>6'-8" Glazed Inswing Single or Double Door w/ or w/o Sidelites Certification Agency Certificate FL8228_R5_C_CAC_NI006900.03.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0162Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_502A.pdf Created by Independent Third Party: Yes</p>
<p>8228.8 Fiberglass Side-Hinged Door Unit</p> <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +55.0/-55.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. Hurricane protective system required in HVHZ and the Wind Borne Debris Region. See DWG-MA-FL0162-07 for additional information.</p>	<p>6'-8" Glazed Outswing Single or Double Door w/ or w/o Sidelites Certification Agency Certificate FL8228_R5_C_CAC_NI006900.03.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0162Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_502A.pdf Created by Independent Third Party: Yes</p>
<p>8228.9 Fiberglass Side-Hinged Door Unit</p> <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +40.0/-45.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. Hurricane protective system required in HVHZ and the Wind Borne Debris Region. See DWG-MA-FL0163-07 for additional information.</p>	<p>8'-0" Glazed Inswing Single or Double Door w/ or w/o Sidelites Certification Agency Certificate FL8228_R5_C_CAC_NI006900.04.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0163Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes</p>

8228.10	Fiberglass Side-Hinged Door Unit	8'-0" Glazed Outswing Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +43.0/-47.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. Hurricane protective system required in HVHZ and the Wind Borne Debris Region. See DWG-MA-FL0163-07 for additional information.	Certification Agency Certificate FL8228_R5_C_CAC_NI006900.04.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0163Dx.pdf Verified By: National Accreditation & Management Institute, Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes	
8228.11	Fiberglass Side-Hinged Door Unit	6'-8" Impact Glazed Inswing Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +52.0/-52.0 Other: Evaluated for use in locations adhering to the Florida Building Code not including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7 do not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. See DWG-MA-FL0162-07 for additional information.	Certification Agency Certificate FL8228_R5_C_CAC_NI006900.05.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0162Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_502A.pdf Created by Independent Third Party: Yes	
8228.12	Fiberglass Side-Hinged Door Unit	6'-8" Impact Glazed Outswing Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55.0/-55.0 Other: Evaluated for use in locations adhering to the Florida Building Code not including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7 do not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. See DWG-MA-FL0162-07 for additional information.	Certification Agency Certificate FL8228_R5_C_CAC_NI006900.05.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0162Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_502A.pdf Created by Independent Third Party: Yes	
8228.13	Fiberglass Side-Hinged Door Unit	8'-0" Impact Glazed Inswing Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +40.0/-45.0 Other: Evaluated for use in locations adhering to the Florida Building Code not including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7 do not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. See DWG-MA-FL0163-07 for additional information.	Certification Agency Certificate FL8228_R5_C_CAC_NI006900.06.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0163Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes	
8228.14	Fiberglass Side-Hinged Door Unit	8'-0" Impact Glazed Outswing Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +43.0/-47.0 Other: Evaluated for use in locations adhering to the Florida Building Code not including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7 do not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. See DWG-MA-FL0163-07 for additional information.	Certification Agency Certificate FL8228_R5_C_CAC_NI006900.06.pdf Quality Assurance Contract Expiration Date 12/31/2014 Installation Instructions FL8228_R5_II_FL0163Dx.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8228_R5_AE_501A.pdf Created by Independent Third Party: Yes	



**SIDE-HINGED FIBERGLASS DOOR UNIT
6'-8" DOUBLE DOOR WITH / WITHOUT SIDELITES**

GENERAL NOTES

- EVALUATED FOR USE IN LOCATIONS ADHERING TO THE FLORIDA BUILDING CODE AND WHERE PRESSURE REQUIREMENTS AS DETERMINED BY ASCE 7, MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES, DOES NOT EXCEED THE DESIGN PRESSURES LISTED.
- WHEN INSTALLED IN THE HIGH VELOCITY HURRICANE ZONE (HVHZ), HURRICANE PROTECTIVE SYSTEM (SHUTTERS) IS REQUIRED.
- WHEN INSTALLED IN THE WIND-BORNE DEBRIS REGION, EXCLUDING THE HIGH VELOCITY HURRICANE ZONE (HVHZ), HURRICANE PROTECTIVE SYSTEM IS NOT REQUIRED ON OPAQUE PANELS OR PANELS WITH IMPACT GLASS, BUT IS REQUIRED ON PANELS WITH NON-IMPACT GLASS.
- POLYURETHANE CORE FLAME SPREAD INDEX OF 50 AND SMOKE DEVELOPED INDEX OF 60 PER ASTM E84. POLYSTYRENE CORE FLAME SPREAD INDEX OF 15 AND SMOKE DEVELOPED INDEX OF 115 PER ASTM E84.

PLASTICS TESTING OF FIBERGLASS FACING:


TEST DESCRIPTION	DESIGNATION	RESULT
SELF IGNITION TEMP	ASTM D1929	752 °F > 650 °F
RATE OF BURNING	ASTM D635	0.56 IN/MIN
SMOKE DENSITY	ASTM D2843	53.4%
TENSILE STRENGTH*	ASTM D638	3.2% D.F.F

PLASTICS TESTING OF LITE FRAME MATERIAL:

TEST DESCRIPTION	DESIGNATION	RESULT
SELF IGNITION TEMP	ASTM D1929	740 °F > 650 °F
RATE OF BURNING	ASTM D635	0.77 IN/MIN
SMOKE DENSITY	ASTM D2843	13.4%
TENSILE STRENGTH*	ASTM D638	-7.50% DIFF

* COMPARATIVE TENSILE STRENGTH AFTER WEATHERING 4500 HOURS XENON ARC METHOD 1

- IMPACT GLAZING LAMINATE MIAMI DADE BCCO NOA 09-0127.13




DOUBLE DOOR UNIT W/SIDELITES

Addendum to NAMI


Certification No.: N1006900-121
 Reviewed By: [Signature]
 Date Reviewed: 9/7/11




SINGLE DOOR UNIT




DOUBLE DOOR UNIT




SINGLE DOOR UNIT WITH SIDELITE



SINGLE DOOR UNIT WITH SIDELITE



SINGLE DOOR UNIT W/SIDELITES



DOUBLE DOOR UNIT W/SIDELITES

TABLE OF CONTENTS

SHEET #	DESCRIPTION
1	TYPICAL ELEVATIONS & GENERAL NOTES
2	ANCHORING LOCATIONS & DETAILS
3	ANCHORING LOCATIONS & DETAILS

CONFIG	MAX WIDTH	DESIGN PRESSURE RATING				WHERE WATER INFILTRATION PERFORMANCE IS REQUIRED TO BE 15% OF DESIGN PRESSURE					
		INSWING		OUTSWING		INSWING		OUTSWING		OUTSWING*	
		INSWING	OUTSWING	INSWING	OUTSWING	INSWING	OUTSWING	INSWING	OUTSWING	INSWING	OUTSWING
X	37.5"	+85.0 / -85.0	+85.0 / -85.0	+19.0 / -19.0	+70.0 / -70.0	+70.0 / -70.0	+70.0 / -70.0	+70.0 / -70.0	+70.0 / -70.0	+70.0 / -70.0	+70.0 / -70.0
XX	74"	+50.5 / -50.5	+55.0 / -50.5	+19.0 / -19.0	+40.0 / -40.0	+40.0 / -40.0	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5
OX or XO	75"	+50.5 / -50.5	+55.0 / -50.5	+19.0 / -19.0	+40.0 / -40.0	+40.0 / -40.0	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5
OXO	112.5"	+50.5 / -50.5	+55.0 / -50.5	+19.0 / -19.0	+40.0 / -40.0	+40.0 / -40.0	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5
OXXO	149"	+50.5 / -50.5	+55.0 / -50.5	+19.0 / -19.0	+40.0 / -40.0	+40.0 / -40.0	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5	+55.0 / -50.5

* High Dam Threshold Design

Kr 1 City



KURT BALTHAZOR
 FLORIDA P.E.
 #56533

MASONITE INTERNATIONAL CORP.
 1955 POWIS ROAD
 WEST CHICAGO, IL 60185

PRODUCT: EXTERIOR DOOR PRODUCT
 60-LITE 6'8" OPAQUE FIBERGLASS DOOR
 PART OR ASSEMBLY
 TYPICAL ELEVATIONS & GENERAL NOTES

NO.	DATE	REVISIONS
D	9/7/11	DETAIL CLARIFICATION
C	11/2/10	MISC UPDATES
B	1/2/08	HINGE SCREW LENGTH
A	4/9/07	UPDATED DP RATINGS

DATE: 1/5/07
 SCALE: N.T.S.
 DWG BY: SWS
 CHK BY:
 DRAWING NO.: 0WG-MA-FLG160-07
 SHEET 1 OF 3



Addendum to NAMI




Certification No: N1604900-121
 Reviewed By: [Signature]
 Date Reviewed: 10/23/11

MASONITE INTERNATIONAL CORP.
 1955 PCWIS ROAD
 WEST CHICAGO, IL 60185







PRODUCT: EXTERIOR DOOR PRODUCT
 6'-5" STRENGTH CHARGE
 DOUBLE DOOR UNIT
 PART OR ASSEMBLY: ANCHORING LOCATIONS
 & DETAILS



NO.	DATE	REVISIONS
D	9/7/11	DETAIL CLARIFICATION
C	1/2/10	MISC UPDATES
B	1/2/08	HINGE SCREW LENGTH
A	4/9/07	UPDATED DR. RATINGS
		BY

DATE: 1/5/07
 SCALE: N.T.S.
 DWG. BY: SKS
 CHK. BY:
 DRAWING NO:
 DWG-MA-FL01E3-C7
 SHEET 2 OF 3



ATTACH ASTRAGAL RETAINER BOLT STRIKE PLATE TO FRAME AS SHOWN.






ATTACHMENT DETAIL


- ANCHOR ANALYSIS FOR LOADING CONDITIONS PREPARED, SIGNED AND SEALED BY LUIS R. LOMAS, PE (FLORIDA #62514) WITH THE LOWEST (LEAST) FASTENER RATING FROM THE DIFFERENT FASTENERS BEING CONSIDERED FOR USE. JAMB, HEAD, AND THRESHOLD FASTENERS ANALYZED FOR THIS UNIT INCLUDE #10 WOOD SCREWS OR 3/16" TAPCONS. A PHYSICAL SHIM MUST BE PLACED IN SHIM SPACE AT EACH ANCHOR LOCATION. TAPCON EDGE DISTANCE MIN 2-5/8".
- MULLIONS TO BE 2 1/2" X 4-3/8" STRUCTURAL GRADE FJ PINE ON CONTINUOUS HEAD AND SILL UNITS. BACK TO BACK JAMB UNITS JOINED WITH 1" X 1/2" LONG CORRUGATED FASTENERS LOCATED 3" FROM EACH END AND MAXIMUM 7" O.C. OR #10 X 2" FLAT HEAD WOOD SCREWS LOCATED 6" FROM EACH END AND MAXIMUM 12" O.C.
- THE WOOD SCREW SINGLE SHEAR DESIGN VALUES COME FROM ANSI/AF&PA NDA FOR SOUTHERN PINE LUMBER AND ACHIEVEMENT OF 1-1/2" MINIMUM EMBEDMENT. THE TAPCON MUST ACHIEVE MINIMUM EMBEDMENT OF 1-1/4".
- WOOD BUCKS BY OTHERS MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO STRUCTURE.
- MINIMUM DESIGN VALUE STRENGTH OF ANCHORS 171 LBS.

HARDWARE SCHEDULE

- KWIKSFT SERIES 400 GRADE 3 CYLINDRICAL LATCH AND SERIES 980 GRADE 1 DEADLOCK HARDWARE TO BE INSTALLED AT 5-1/2" CENTERLINE.
- 4" X 4" FULL MORTISE BUTT HINGES.



TYPICAL WOOD BUCK ANCHOR INSTALLATION



TYPICAL MASONRY ANCHOR INSTALLATION

Addendum to NAMI
 Certification No: N1606909-121
 Reviewed By: [Signature]
 Date Reviewed: 10/22/11

MASONITE INTERNATIONAL CORP. 1955 POWIS ROAD WEST CHICAGO, IL 60185																													
PRODUCT: EXTERIOR DOOR PRODUCT 6"-8" FIBERGLASS OPaque DOUBLE DOOR UNIT	PART OR ASSEMBLY: ANCHORING LOCATIONS & DETAILS																												
<table border="1"> <thead> <tr> <th>NO.</th> <th>DATE</th> <th>REVISIONS</th> <th>BY</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>9/7/11</td> <td>DETAIL CLARIFICATION</td> <td>SWS</td> </tr> <tr> <td>C</td> <td>11/2/10</td> <td>MISC UPDATES</td> <td>SWS</td> </tr> <tr> <td>B</td> <td>1/2/08</td> <td>HINGE SCREW LENGTH</td> <td>SWS</td> </tr> <tr> <td>A</td> <td>4/9/07</td> <td>UPDATED D.P. RATINGS</td> <td>SWS</td> </tr> </tbody> </table>	NO.	DATE	REVISIONS	BY	D	9/7/11	DETAIL CLARIFICATION	SWS	C	11/2/10	MISC UPDATES	SWS	B	1/2/08	HINGE SCREW LENGTH	SWS	A	4/9/07	UPDATED D.P. RATINGS	SWS	<table border="1"> <thead> <tr> <th>NO.</th> <th>DATE</th> <th>REVISIONS</th> <th>BY</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	NO.	DATE	REVISIONS	BY				
NO.	DATE	REVISIONS	BY																										
D	9/7/11	DETAIL CLARIFICATION	SWS																										
C	11/2/10	MISC UPDATES	SWS																										
B	1/2/08	HINGE SCREW LENGTH	SWS																										
A	4/9/07	UPDATED D.P. RATINGS	SWS																										
NO.	DATE	REVISIONS	BY																										
DATE: 1/5/07	SCALE: N.T.S.																												
DWG. BY: SWS	CHK. BY:																												
DRAWING NO.: DWG-MA-FLO160-07																													
SHEET 3 OF 3																													

Back

Richard Devorsky
2411 Dela Ave.
Orlando, Fla. 32809
PH# 407-857-7281 after 12:30

FL # 8228

Front

STORE # 0670

- [Searches](#)
- [Sales Search](#)
- [Results](#)
- [Property Record Card](#)
- [My Favorites](#)

2411 Nela Ave < 19-23-30-5888-03-210 >

Name(s):
 Devorsky Richard
 Mailing Address On File
 2411 Nela Ave
 Belle Isle, FL 32809-6180
 Incorrect Mailing Address?

Physical Street Address
 2411 Nela Ave
 Postal City and Zipcode
 Orlando, FL 32809
 Property Use
 0130 - Sfr - Lake Front
 Municipality
 Belle Isle

- [Values, Exemptions and Taxes](#)
- [Property Features](#)
- [Sales Analysis](#)
- [Location Info](#)
- [M](#)

Property Description

NELA ISLE (ISLAND SECTION) 0/99 LOT 21 & WLY 25 FT LOT 20 BLK C

Total Land Area 20,009 sqft (+/-) | 0.46 acres (+/-) GIS Calculated Notice

Land

Land Use Code	Zoning	Land Units	Unit Price	Land Value
0130 - Sfr - Lake Front	R-1-AA	1 LOT(S)	\$290,000.00	\$290,000

Page 1 of 1 (1 total records)

Buildings

Important Information		Structure	
Model Code:	01 - Single Fam Residence	Actual Year Built:	1952
Type Code:	0101 - Single Family	Beds:	3
Building Value:	\$85,490	Baths:	2.5
Estimated New Cost:	\$136,653	Floors:	1

Page 1 of 1 (1 total records)

Extra Features

Description	Date Built	Units
PT1 - Patio 1	01/01/1990	1 Unit(s)
BC1 - Boat Cover 1	01/01/1990	1 Unit(s)
BD2 - Boat Dock 2	01/01/1990	1 Unit(s)
FPL1 - Basic Fireplace	01/01/1990	1 Unit(s)



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
03/15/2013

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Marsh USA Inc. 100 North Tryon Street, Suite 3200 Charlotte, NC 28202 Attn: For questions contact: insurancerequest@marsh.com		CONTRACT NAME LHC	
47095 -CASUA-ONLY-13-14 Licns FL LHC		INSURER(S) AFFORDING COVERAGE	
INSURED Lowe's Companies, Inc. and Subsidiaries 1000 Lowe's Blvd. (28117) PO Box 1000 Mooresville, NC 28115		INSURER A : National Union Fire Ins Co Pittsburgh PA 19445 INSURER B : New Hampshire Insurance Company 23841 INSURER C : Illinois National Ins Co 23817 INSURER D : Safety National Casualty Corp. 15105 INSURER E : Steadfast Insurance Company 26387 INSURER F :	

COVERAGES CERTIFICATE NUMBER: ATL-003098951-03 REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	AGGREGATE LIMIT PER POLICY	POLICY NUMBER	POLICY EFF. DATE (MM/DD/YYYY)	POLICY EXP. DATE (MM/DD/YYYY)	LIMITS
	GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY CLAIMS-MADE <input type="checkbox"/> OCCUR <input type="checkbox"/>		Self Insured - See Below			EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$
A	AUTOMOBILE LIABILITY ANY AUTO <input checked="" type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/>	GEN'L AGGREGATE LIMIT APPLIES PER: POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC <input type="checkbox"/>	CA5196308 (AOS) CA5196310 (MA) CA5196311 (VA)	04/01/2013 04/01/2013 04/01/2013	04/01/2014 04/01/2014 04/01/2014	COMBINED SINGLE LIMIT (Ea accident) \$ 5,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
E	UMBRELLA LIAB <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/>		IPR3792301-00	04/01/2011	04/01/2014	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ 5,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY		WC019368017 AOS, WC019368015 MN WC019368016 WI	04/01/2013 04/01/2013	04/01/2014 04/01/2014	X WC STATUS: OTHER E.L. EACH ACCIDENT \$ 2,000,000 E.L. DISEASE - EA EMPLOYEE \$ 2,000,000 E.L. DISEASE - POLICY LIMIT \$ 2,000,000
C	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/EMPLOYEE (Mandatory in WI EXCLUDED?) If yes, describe under DESCRIPTION OF OPERATIONS below		WC019368018 AK,AZ WC019368019 NH, VT	04/01/2013 04/01/2013	04/01/2014 04/01/2014	WC:StatEL-\$3mil; xs \$2mil SIR WC:StatEL-\$3mil; xs \$2mil SIR
A	Excess WC		XWC6636189 (AOS)	04/01/2013	04/01/2014	
A	Excess WC		XWC6636190 (FL)	04/01/2013	04/01/2014	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)
Insured is self insured for General Liability for the period of 4/01/2013 to 4/01/2014.

Lowe's Home Centers, Inc. is a named insured under the captioned policies. Florida General Contractor's License # CGC1508417, Peter Anthony Cañero, III, Certified General Contractor. Florida Contractor's License # C001326824, Peter Anthony Cañero, III, Certified Roofing Contractor.

CERTIFICATE HOLDER

City of Belle Isle
1600 Nola Avenue
Belle Isle, FL 32809

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE
of Marsh USA Inc.

Diana Bernley

Diana Bernley

ACORD 25 (2010/05)

The ACORD name and logo are registered marks of ACORD

© 1988-2010 ACORD CORPORATION. All rights reserved.



STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

**CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE**

(850) 487-1395

FL 32399-0783

**CAFARO, PETER ANTHONY III
LOWE'S HOME CENTERS INC
PO BOX 781993
ORLANDO**

FL 32878-1993



**STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION**

AC# 6157140

CGC1508417 06/08/12 118200449

**CERTIFIED GENERAL CONTRACTOR
CAFARO, PETER ANTHONY III
LOWE'S HOME CENTERS INC**

**IS CERTIFIED under the provisions of Ch. 489 FS
Expiration date: AUG 31, 2014 L12060800835**

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbeque restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!

DETACH HERE

AC# 6157140

THIS DOCUMENT HAS A COLORED BACKGROUND • MICROPRINTING • LINEMARK™ PATENTED PAPER

STATE OF FLORIDA

**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD**

SEQ# L12060800835

DATE	BATCH NUMBER	LICENSE NBR
06/08/2012	118200449	CGC1508417

**The GENERAL CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2014**

**CAFARO, PETER ANTHONY III
LOWE'S HOME CENTERS INC
4948 TELLSON PL
ORLANDO**

FL 32812

**RICK SCOTT
GOVERNOR**

**KEN LAWSON
SECRETARY**

DISPLAY AS REQUIRED BY LAW