

Scope of Work:

The person accepting this permit shall

application on file and construction shall conform to the requirements of

the Florida Building Code (FS 553).

conform to the terms of the

REROOF: 41sq, asphalt shingles

City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811 Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

PERMIT CARD – PLEASE POST AT JOB SITE

THIS DOCUMENT BECOMES YOUR PERMIT WHEN PROPERLY VALIDATED

Permit Number: 2014-06-022

Date of Application: 06/11/2014

Per FBC 105.3.3: An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies." The issuance of this permit does not grant permission to violate any applicable City, Orange County, State of Florida and/or Federal codes and/or ordinances. Separate permits are required for Signs, Roofing, Electrical, Gas, Plumbing and Mechanical services. This permit becomes VOID if the work authorized is not commenced within 6 months, or is suspended or abandoned for a period of 6 months after commencement. WORK SHALL BE CONSIDERED SUSPENDED IF AN APPROVED INSPECTION HAS NOT BEEN MADE WITHIN A 6 MONTH PERIOD. PERMISSION IS GRANTED TO DO THE FOLLOWING WORK ACCORDING TO THE CONDITIONS HEREON AND THE APPROVED PLANS AND SPECIFICATIONS, SUBJECT TO COMPLIANCE WITH THE ORDINANCES OF THE CITY OF BELLE ISLE, FLORIDA.

Comments: None			Date Permit Issued: 06/11/2014	
Parcel ID: 18-23-30-4386-1 Property Owner: Morris, Hedy Phone Number: None	*********	NOTICE OF COM PAYING TWICE PROPERTY. IF Y CONSULT WITH BEFORE RECO	NER: "YOUR FAILURE TO RECORD A MENCEMENT MAY RESULT IN YOU FOR IMPROVEMENTS TO YOUR OU INTEND TO OBTAIN FINANCING, YOUR LENDER OR AN ATTORNEY DRDING YOUR NOTICE OF	
Contractor Name: Mellick, Ken License Number: CCC057165	ad, Orlando, FL 32810	COMMENCEMENT." ON THE JOB INSPECTION(S) MUST BE MADE BEFORE PROCEEDING WITH SUBSEQUENT WORK. THIS CARD MUST BE DISPLAYED OUTSIDE AND BE PROTECTED FROM THE WEATHER WHILE BEING VISIBLE FROM THE STREET UNTIL THE FINAL INSPECTIONS HAVE BEEN APPROVED.		
	BUILDING FEAT	URES		
IMPACT FEES	E	BUILDING INSPECTOR	USE ONLY	
School \$ Traffic \$	IF APPLICABLE:	s Been Met? YES NO	Have Stormwater Approval Conditions	
ZONING FEES Zoning Fee \$30.00		ng in place? YES NO	Turbidity Barrier in place? YES NO	
UNIVERSAL ENG - BUILDING FE	BUILDING	(Footing/	Foundation)	
Cert of Occ \$ Demo \$	Survey specific foundation pla		e slab pour. Approved Plan on Site?	
Building \$ Fence \$ Driveway \$			all Reinforcing on Masonry Building)	
Shed \$ Window(s) \$	4 th		Framing)(Roof/Wall Sheathing)	
Building \$ Fence \$ Driveway \$ Shed \$ Window(s) \$ Door(s) \$ PrePower \$ Electrical \$	5 th (Framing) (To be made after Plumbing/ Mechanical/ Electrical Rough-Ins & Windows/Doors Installed)			
Temp Pole \$ Plumbing \$ Mechanical \$ Gas \$	6 th	(Insulation	n to be Made After Roof Installed)	
	7 th	(Drywall)		
Roofing \$85.00 Boat Dock \$ Screen Encl \$	8 th (Sidewalk/Driveway)			
Swimming Pool \$ Sign \$	9 th			
SURCHARGE FEES	10 th	(Final – A	fter MEP and Other Applicable Finals)	
Surcharge Fee \$2.00 Surcharge Fee \$2.00	☐ ROOFING 1 ST ROOFING Deck Nailing/Dry-in/F	Flashing		
TOTAL FEES \$119.00	2 nd ROOFING Covering In-Progress			
Date Paid 6-12-14 PLUMBING (Pool-Piping, Solar, Irrigation, Water Treatment Equip, Etc)				
CC or Check # 14340	1 st (Unde	erground) 2 nd	(Sewer)	
Amount Paid (Rough-In/Tub Set) 4 th			(Final)	

Inspection requests are to be emailed to BIDscheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. Next-Day Inspection requests must be made by 1pm. Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed.

☐ MECHANICAL ☐ ELECTRICAL

(Rough-In)

☐ LOW VOLTAGE

(Final)

CHECK APPROPRIATE BOX

GAS __Natural ___LP



City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811

Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

APPLICATION FOR ROOFING PERMIT

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

	PERMIT NUMBER 1017-06-022				
PLEASE PRINT. The undersigned hereby applies for a permit to make installations as	indicated below:				
Project Address 50/2 Gran Lac aue					
Property Owner HEdy Morris					
Property Owner's Mailing Address 5012 Gran Lac Ave					
State # Zip Code 328/2 Parcel Id Number: 18-23-3	30-4386-03-880				
REQUIRED! To obtain this information, please	e visit http://www.ocpafl.org/Searches/ParcelSearch.aspx				
Class of Building: Old New Type of Building: Residential Community	mercial Other				
REQUIRED! Florida Product Approval Screen Printout from www.floridabuilding.org sl	nowing the Code Version				
REQUIRED! Florida Product Approval Installation Instructions from www.floridabuilding	ng.org (not the manufacturer instructions)				
REQUIRED! Copies of your General Liability & Worker's Comp Insurance Certificate &	State and Local Licenses				
Please indicate the nature of work by completing the information below:					
Roof Square Footage: 4/ 59 Number of Stories: 2	Job Valuation: $\frac{12}{3000000}$				
Type: Asphalt Shingles ☑ Metal ☐ Modified Bitumen ☐ Other					
I hereby certify that the above is true and correct to the best of my knowledge and make Application for Permit as outlined above, and if same is granted I agree to conform to all Florida Building Code Regulations and City Ordinances regulating same and in accordance with plans submitted. The issuance of this permit does not grant permission to violate any applicable Town and/or State of Florida codes and/or ordinances. By signing below, I recognize Republic Services is by legal contract the sole authorized provider of garbage, recycling, yard waste, and commercial garbage and construction debris collection and disposal services with the city limits of the City. Contractors, homeowners and commercial businesses may contact Republic Services at 407-293-8000 to setup accounts for Commercial, Construction Roll Off, or other services needed. Rates are fixed by contract and are available at City Hall or from Republic Services. The City enforces the contract through its code enforcement office. Failure to comply will result in a stop work order.					
LICENSE HOLDER SIGNATURE KM // LICENSE # LECO57/65					
LICENSE HOLDER NAME RENT MELLICE COMPANY NAME Universal Roof = Contrac					
Street Address 5655 Carden Rd.	107 905 7110				
	Phone Number 407-295-7403				
Email Address Loon & Universal Com	Zoning Fee \$ 30°				
	Permit Fee \$ \$5				
Building Official: Date 6-12-14	Review Fee \$n\alpha				
	3% Florida Surcharge \$				
Verified Contractor's Licenses & Insurance are on file Date Date	Total Permit Fee \$ 119				

NOTE: The Building Permit Number is required if the Roof Installation is associated with any construction or alteration where a Building Permit Building Permit Number _ has been issued.

Comm# FF122033

Personally Known

Type of ID Produced_

Form Revised: September 26, 2011

DURABLE POWER OF ATTORNEY (GENERAL)

KNOW ALL MEN BY THESE PRESENTS, that I, HEDY MORRIS, hereby make, constitute and appoint my husband, PETER J. MORRIS, and daughter, ANNE M. MORRIS, either one acting alone, or if neither of them is able and willing to act, then ROBERT D. MORRIS, my true and lawful attorney to act in, manage and conduct all my affairs, and for my use and benefit and as my act and deed, to do and execute and to concur with persons jointly interested with myself therein in the doing or executing of, all or any of the following acts and deeds:

This Durable Power of Attorney shall not be affected by my subsequent disability or incapacity; it being my desire that this authority be exercisable notwithstanding my subsequent disability or incapacity. This power of attorney is not contingent on my incapacity.

To buy, receive, lease, accept or otherwise acquire; to sell, convey, mortgage, pledge, quitclaim, or otherwise dispose of or encumber; to contract or agree for the acquisition, disposal or encumbrance of: any property whatsoever and wheresoever situated (be it real, personal, mixed, taugible or intangible) or any custody, possession, right or interest therein or pertaining thereto, upon such terms as my said afterney shall think proper.

FURTHER, to take hold, possess, invest, store, deposit, lease or let or otherwise manage any or all of my real, personal, mixed, tangible or intangible property which I now own or shall at any time hereafter acquire, including any interest therein or pertaining thereto; to eject, remove or relieve tenants or otherwise persons from and recover possession of, the aforementioned property by all lawful means and maintain, protect, preserve, insure, remove, store, transport, repair, modify or improve such property or any part thereof.

FURTHER, to do and transact all and every kind of business of whatever kind or nature, including the receipt, collection, payment, compromise, settlement and adjustment of all accounts, legacics, bequests, interests dividends, annuities, claims, demands, promissory notes, debts, taxes and obligations which are now, or hereafter may be, due, owing, or payable by me or to me, including IRA's, pension and other tax-deferred plans.

FURTHER, to make, endorse, accept, receive, sign, execute, and deliver, deeds, assignments, agreements certificates, checks, notes, bonds, receipts, releases and other written instruments of whatever kind or nature, a may be necessary, convenient or proper in the exercise of the powers herein contained or as my said attorney may may be necessary, convenient or proper in the exercise of the powers herein contained or as my said attorney may may have, or may hereafter have, or investments in, or withdrawals from, any account or holding which I may have, or may hereafter have, or be entitled to, in any bank, trust or investment institution, including credit unions, savings, and loan associations, and similar institutions; to access any safe deposit box therein; and to exercise any right or option or privilege pertaining thereto and to open or establish accounts, holdings or interest of whatever kind or nature with any such institution, in my name or in my said attorney's name or in both our name jointly, with or without right of survivorship; to access any safe deposit box in my name at any such institution.

FURTHER, to buy, sell and trade in securities of any nature, of every kind and nature, and for suc purpose to maintain and operate margin accounts with brokers, and to pledge any securities held or purchase by said attorney with such brokers as security for loans and advances made to said attorney.

FURTHER to institute, prosecute, defend, compromise, arbitrate and dispose of, legal, or administrativ actions, suits, attachments, or other such proceedings, or otherwise engage in litigation in connection with the exercise of the powers herein contained.

FURTHER, to borrow on my behalf any sum(s) of money on such terms and with such security as he c she may think fit, for that purpose to execute all promissory notes, bonds, mortgages and other implements whic may be necessary or proper.



POWER OF ATTORNEY

I hereby name and appoint <u>Joan Mellick</u>
Of <u>Universal Roofing</u> to be my lawful attorney in fact
To act for me and apply to the City of Belle Isle
Building Department for a <u>re roof</u> permit for work to
Be performed at a location described as:
Section: 18 Township: 23 Range: 30 Lot: 4386 Block: 03 - 880
Subdivision: 2 Ake Conway Estate
Subdivision. Sold Communication of Sold Communication (Address of job) Hedy Worn's
(Address of job) Hody Waxn 5
(Owner of property and address)
And to sign my name and do all things necessary to this appointment.
Ken Mellick Miller
(Signature of Certified Contractor)
The foregoing instrument was acknowledged before me this 6 - 10 - 14 ByKen Mellick
Who is personally know to me and who did not take an oath.
State of Florida County of Orange
Commission#: EE870187
Carry Hay
(Notary) ASHLEY GROW NOTARY PUBLIC STATE OF FLORIDA Comm# FF122033 Expires 1/30/2017

FURTHER, to engage, employ and dismiss in my name, agents, counsel, and employees, and to appoint and remove at pleasure any substitute for, or agent under them in respect to any of the matters or things herein mentioned, or in which I may have an interest.

FURTHER, to act as my attorney or proxy in respect to any stocks, shares, bonds, investments, rights or interest I now have or may be in possession of hereafter; to engage and dismiss agents, counsel, and employees, to appoint and remove at pleasure any substitute for, or agent of, my said attorney in respect to all of the matters or things herein mentioned upon such terms as my attorney shall think fit.

FURTHER, to act as my attorney in fact of proxy in respect to any policy of insurance on my life or of any other type and in such capacity to exercise any rights, privileges or options which I may have thereunder or pertaining thereto, excluding however, the right to change beneficiaries and the right to make a cash surrender of the policy or policies, as distinguished from a surrender of the policy for loan conversion or other such purposes as may be provided therein.

FURTHER, to employ contract with, or terminate physicians, nurses, other health care or housekeeping services personnel or agencies, nursing homes, hospitals, sanitariums, adult congregate living arrangements, etc., for my care; to sign instructions and consents on my behalf as requested or required by any physician, hospital, home care or housekeeping agency, sanitarium, etc., to have full and complete access to all my medical records. and to establish a qualified income trust if needed to qualify for Medicaid.

GIVING AND GRANTING unto my said attorney full power and authority to do and perform all and every act, deed, matter and thing whatsoever in and about my estate, property and affairs as fully and effectually to all intents and purposes as I might or could do in my own proper person if personally present, the above specially enumerated powers herein granted and not in limitation or definition thereof; and hereby ratifying all that my said attorney shall lawfully do or cause to be done by virtue of these presents.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this day of _, 2010, at Orlando, Orange County, Florida.

Printed Name of

Printed Name of Witness

5012 Gran Lac Avenue

Orlando, Florida 32812

STATE OF FLORIDA COUNTY OF ORANGE

I hereby certify that on this day, before me, an officer duly authorized in the State and County aforesaid to take acknowledgments, personally appeared HEDY MORRIS, who has produced a Florida Driver's License/ID as identification or is personally known to me, known to me to be the person who executed the aforesaid Power of Attorney and first being duly sworn acknowledged that she executed the foregoing instrument as a free and voluntary act and deed for the uses and purposes set forth therein.





Other

Applicant Signature

City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811 Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

Product Approval Form

ATE: 16-10	-14				PERMIT #		
DJECT ADDRESS	5013 0	oran La	c ave		_, Belle Isle, FL	3280932812	
nponents listed below hined from the local p 1. This Produc 2. Internet scre	rif they will be utilize product supplier. The st Approval Cove een from Florida	ed on the building he following inforn er Sheet Building.org sh	or structure. FL anation must be tu	72m, please provide Approved products ar med in with permit ap pproval and code org and requirement	e listed online at <u>ww</u> plication and availabl edition stamped	w.floridabuildir e onsite for inspec	ng.org or can b
Product Type	<u>Manufacturer</u>	Model/Series	FL Product	Product Type	Manufacturer	Model/Series	FL Product
1.72	EXTERIOR I) NOOPS	Approval #		WALL PAN	 NEIS	Approval #
Swinging	EXTENION	JOONS		Sliding			ž
Sliding	 			Soffits			
Sectional/Rollup	 		-	Storefront			
Other	<u> </u>			Glass Block		<u> </u>	
				Other			i
	WINDO	WS				COLUMN TOWNS TO SECOND TOWNS	
Single/Dbl-Hung				Asphalt Shingles	Certainteed	Land MArk	*FL444.0
Horizontal Slider			~ .	Non Struct Metal			8
Casement				Roofing Tiles			The state of the s
Fixed				Single Ply Roof			
Mullion				Other			Ų.
Skylights 🍦							ii V
Other				a a			ijk ijk
	STRUCTURAL CO	MPONENTS			OTHER		
Wood Connectors							
Wood Anchors							AT .
Truss Plates							
Insulation Forms							i.
Lintels				No. 1	1	1	15

It is the applicant's responsibility to verify that specific products have been installed in accordance with their limitations and with the minimum required design pressures for the structure. Specific compliance will be verified during field inspections.





BCIS Home Log In User Registration Hot Topics Submit Surcharge Stats & Facts Publications FBC Staff BCIS Site Map Links 5

Professional



Product Approval Manu > Product or Application Search > Application List > Application Detail

Application Type Code Version

Application Status Comments Archived

FL5444-R4

Revision 2010

Approved

Product Manufacturer

Address/Phone/Email

CertainTeed Corporation-Roofing

PO Box 1100

1400 Union Meeting Rd Blue Bell, PA 19422

(215) 274-2350

Steven.T.Lawrey@saint-gobain.com

Authorized Signature

Steven Lawrey

Steven.T.Lawrey@saint-gobain.com

Technical Representative

Address/Phone/Email

R. Allan Snyder

PO Box 1100

1400 Union Meeting Road

Blue Bell, PA 19422

Allan.R.Snyder@saint-gobain.com

Quality Assurance Representative

Address/Phone/Email

Category

Subcategory

Roofing

Asphalt Shingles

Compliance Method

Evaluation Report from a Florida Registered Architect or a Licensec

Florida Professional Engineer

Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed

the Evaluation Report

Florida License

Quality Assurance Entity

Quality Assurance Contract Expiration Date

Validated By

Robert Nieminen

PE-59166

Underwriters Laboratories Inc.

06/09/2013

John W. Knezevich, PE

ASTM D7158, Class H

Validation Checklist - Hardcopy Received

Certificate of Independence

FL5444_R4_COI_Trinity_ERO CI - Nieminen.pdf

Referenced Standard and Year (of Standard)

Standard ASTM D3161, Class F **ASTM D3462**

2006 2007 2007

Year

Equivalence of Product Standards

Certified By

Product Approval Method

Method 1 Option D

12/14/2011 Date Submitted 12/14/2011 Date Validated 12/21/2011 Date Pending FBC Approval 01/31/2012 Date Approved

Summary	of	Products	;
---------	----	----------	---

FL#	Model, Number or Name	Description	
5444.1	CertainTeed Asphalt Roofing	3-tab, laminated, architectural and 4-tab asphalt roof	
	Shingles	shingles	
Limits of Use Approved for use in HVHZ: No		Installation Instructions	
		FL5444 R4 II er120611FINAL CERTAINTEED ASJAG	
	se outside HVHZ: Yes	Shingle_FL5444-R4.pdf	
Impact Resistant: N/A		Verified By: Robert Nieminen, PE PE-59166	
Design Pressure: N/A		Created by Independent Third Party: Yes	
		Evaluation Reports	
	The second secon	FL5444 R4 AE er120611FINAL CERTAINTEED ASONS	
		Shingle FL5444-R4.pdf	
		Created by Independent Third Party: Yes	

Next

Contact Us:: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2010 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refu

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.48 *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Dep with an email address if they have one. The emails provided may be used for official communication with the licensee. However email address public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made avail the public. To determine if you are a licensee under Chapter 455, F.S., please click heres/lease-under-chapter-455, F.S., please click heres/lease-under-chapter-ch

Product Approval Accepts:







TRINITY ERD

EXTERIOR RESEARCH & DESIGN, LLC. Certificate of Authorization #9503 353 CHRISTIAN STREET, UNIT #13

> OXFORD, CT 06478 PHONE: (203) 262-9245

FAX: (203) 262-9243

EVALUATION REPORT

CertainTeed Corporation 1400 Union Meeting Road Blue Bell, PA 19422

Evaluation Report 3532.09.05-R4

FL5444-R4

Date of Issuance: 09/22/2005

Revision 4: 12/06/2011

SCOPE:

This Evaluation Report is issued under Rule 9N-3 and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code and Florida Building Code, Residential Volume. The products described herein have been designed to comply with the 2010 Florida Building Code.

DESCRIPTION: CertainTeed Asphalt Roofing Shingles.

LABELING: Each unit shall bear labeling in accordance with the requirements of the Accredited Quality Assurance Agency noted herein.

CONTINUED COMPLIANCE: This Evaluation Report is valid until such time as the named product(s) changes, the referenced Quality Assurance documentation changes, or provisions of the Code that relate to the product change. Acceptance of this Evaluation Report by the named client constitutes agreement to notify Robert Nieminen, P.E. if the product changes or the referenced Quality Assurance documentation changes. Trinity|ERD requires a complete review of this Evaluation Report relative to updated Code requirements with each Code Cycle.

ADVERTISEMENT: The Evaluation Report number preceded by the words "Trinity|ERD Evaluated" may be displayed in advertising literature. If any portion of the Evaluation Report is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire Evaluation Report shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This Evaluation Report consists of pages 1 through 10.

Prepared by:

Robert J.M. Nieminen, P.E.

Florida Registration No. 59166, Florida DCA ANE1983

The facsimile seal appearing was authorized by Robert Nieminen, P.E. on 12/06/2011 This does not serve as an electronically signed document. Signed, sealed hardcopies have been transmitted to the Product Approval Administrator and to the named client

CERTIFICATION OF INDEPENDENCE:

Trinity|ERD does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or

Trinity[ERD is not owned, operated or controlled by any company manufacturing or distributing products it evaluates. distributing products it evaluates.

Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which


Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

INSTALLATION: 6.

- Roof deck, slope, underlayment and fasteners shall comply with FBC 1507.2 / R905.2 and the 6.1 shingle manufacturer's minimum requirements.
- Underlayment shall be acceptable to CertainTeed Corporation and shall hold current Florida 6.1.1 Statewide Product Approval, or be Locally Approved per Rule 9N-3, per FBC Sections 1507.2.3, 1507.2.4 or R905.2.3.
- Installation of asphalt shingles shall comply with the manufacturer's current published 6.2 instructions, using minimum four (4) nails per shingle in accordance with FBC 1507.2.7 or Section R905.2.6 and the minimum requirements herein.
- Fasteners shall be in accordance with manufacturer's published requirements, but not less 6.2.1 than FBC 1507.2.6 or R905.2.5. Staples are not permitted.
- Where the roof slope exceeds 21 units vertical in 12 units horizontal, use the "Steep Slope" 6.2.2 directions.
- CertainTeed asphalt shingles are acceptable for use in reroof (tear-off) or recover applications, 6.3 subject to the limitations set forth in FBC Section 1510 and CertainTeed published installation instructions.

CT20™, XT™ 25, and XT™ 30: 6.3.1

IOW AND STANDARD SLOPE



METRIC




Figure 11-3: Use four nails for every full shingle.

STEEP SLOPE

lise four nails and six spots of aspiralt cooling cements for every unit shingle (Figure 11-1). Asphalt rooting cement meeting ASIM D 586 Type II is suggested.





Figure 11-4: Use four nails and six spots of asphalt coment on sleep slopes *CALTION: Excessive use of rooting cement can cause shingles to blister.

6.3.1.1 Hip & Ridge: Cut Shingles



(English dimensions shown).




Figure 11-25. Installation of caps along the bips and ridges.

Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant, in accordance with manufacturer's instructions.

ROOFING SYSTEMS EVALUATION:

1. SCOPE:

Product Category:

Roofing

Sub-Category:

Asphalt Shingles

CertainTeed Asphalt Roofing Shingles, as produced by CertainTeed Compliance Statement: Corporation, have demonstrated compliance with the following sections of the Florida Building Code and Florida Building Code, Residential Volume through testing in accordance with the following Standards. Compliance is subject to the Installation Requirements and Limitations / Conditions of Use set forth herein.

STANDARDS: 2.

			W
<u>Section</u> 1507.2.5, R905.2.4	Property Physical Properties	<u>Standard</u> ASTM D3462	<u>Year</u> 2007
1507.2.7.1, R905.2.6.1	Wind Resistance	ASTM D3161, Class F	2006
1507.2.7.1, R905.2.6.1	Wind Resistance	ASTM D7158, Class H	2007

REFERENCES: 3.

Entity UL (TST 1740)	Examination ASTM D3161 ASTM D3161 ASTM D3161 ASTM D3161	Reference 94NK9632 99NK26506 03CA12702 03CA12702	Date 05/15/1998 11/23/1999 05/27/2003 06/16/2003
UL (TST 1740)	ASTM D3161 ASTM D3462 ASTM D7158 ASTM D3161 & D3462 ASTM D3161	03NK29847 04CA11329 04CA32986 05NK07049 05NK16778 05CA16778 05NK22800 R684 05NK08037 09CA28873 10CA41303 10CA41303 10CA41303	10/03/2003 05/24/2004 12/03/2004 04/15/2005 05/12/2005 05/12/2005 05/22/2005 06/22/2005 06/22/2005 06/28/2006 07/23/2009 10/07/2010 10/08/2010 10/27/2010 11/11/2010 Exp. 06/09/2013
UL (QUA 1743)	Quality Control	Service Commindue	

Revision 4: 12/06/2011 Page 2 of 10

4. PRODUCT DESCRIPTION:

- 4.1 CT20™, XT™ 25 and XT™ 30 are fiberglass reinforced, 3-tab asphalt roof shingles.
- 4.2 Carriage House Shangle®, Centennial Slate™, Grand Manor Shangle®, Landmark™, Landmark™ Pro (formerly Landmark™ Plus), Landmark™ Premium, Landmark™ TL and Landmark™ Solaris are fiberglass reinforced, laminated asphalt roof shingles.
- 4.3 Presidential Shake[™] and Presidential Shake TL[™] are fiberglass reinforced, architectural asphalt roof shingles.
- 4.4 Hatteras™ and Highland Slate™ are fiberglass reinforced, 4-tab asphalt roof shingles.
- 4.5 Presidential Accessory, Accessory for Hatteras, Shangle Ridge™, Shadow Ridge™ and Cedar Crest™ are fiberglass reinforced accessory shingles for hip and ridge installation.
- 4.6 Any of the above listed shingles may be produced in AR (algae resistant) versions.

5. LIMITATIONS:

- 5.1 This Evaluation Report is not for use in the HVHZ
- Fire Classification is not part of this Evaluation Report; refer to current Approved Roofing Materials Directory for fire ratings of this product.
- 5.3 Wind Classification:
- 5.3.1 All shingles noted herein are Classified in accordance with FBC Tables 1507.2.7.1 and R905.2.6.1 to ASTM D3161, Class F and/or ASTM D7158, Class H, indicating the shingles are acceptable for us in all wind zones up to $V_{asd} = 150$ mph ($V_{ult} = 194$ mph). Refer to Section 6 for installation requirements to meet this wind rating.
- Presidential Accessory, Accessory for Hatteras, Shangle Ridge, Shadow Ridge and Cedar Crest hip & ridge shingles have been evaluated in accordance with ASTM D3161, Class F when BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant, applied as specified in manufacturer's application instructions, indicating the shingles are acceptable for us in all wind zones up to $V_{asd} = 150$ mph ($V_{ult} = 194$ mph).
- 5.3.3 Classification by ASTM D7158 applies to exposure category B or C and a building height of 60 feet or less. Calculations by a qualified design professional are required for conditions outside these limitations. Contact the shingle manufacturer for data specific to each shingle.
- All products in the roof assembly shall have quality assurance audits in accordance with the Florida Building Code and F.A.C. Rule 9N-3.

6.3.2 Carriage House Shangle®, Centennial Slate™ and Grand Manor Shangle®:

LOW AND STANDARD SLOPE

I so five mails for every full Shangle.




Figure 17- v. Use five waits for every full Grand Manor Shangle. Carriage House Shangle, or Centennial Mate

STEEP SLOPE

Use seven mails and three spots of asphalt roofing cement for every full Grand Manor Shangle. Use five units and three spots of asphalt roofing cement for every full Carriage House Shangle and Cemennal Slate. Apply asphalt roofing cement 17 (25 mm) from edge of shingle (Figure 17-5). Asphalt roofing cement meeting WFM D4586 Type II is suggested.




Figure 17-5: When installing triand. Mamer Shangles on sweep slopes use seven mals and three spots of asphali confing cement

6.3.2.1 Hip & Ridge: Shangle® Ridge




Figure 17-19: Instantation of statistics
on bips and ridges.


Figure 17-18: Shangle* Ridge.

Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant in accordance with manufacturer's instructions.

6.3.3 <u>Landmark™, Landmark™ Pro (formerly Landmark™ Plus), Landmark™ Premium,</u> Landmark™ TL and Landmark™ Solaris:

LOW AND STANDARD SLOPE


METRIC DIMENSIONS



STEEP SLOPE

Use six nails and four spots of asphalt roofing cement for every full laminated shingle. See below, Asphalt roofing cement should meet ASTM D4586 Type II. Apply 1° spots of asphalt roofing cement unde each corner and at about 12° to 13° in from each edge.

METRIC DIMENSIONS



6.3.3.1 Hip & Ridge, Option 1: Shadow Ridge™





Figure 13-16: Shadow Ridge accessory shingles detach vasily from three-piece units to make 72 individual cap pieces.



LANDMARK TL






Figure 13-1 Use fater mails for every full sharely

LANDMARK TL



bigure 15-5 for sex mails and four spins of asphalt mofing commut on steep stopes.







Figure 13-20: Use laying notches to center shingles on hips and ridges, and to locate the correct exposure.


Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant in accordance with manufacturer's instructions.

6.3.3.2 Hip & Ridge, Option 2: Cedar Crest™

Use two fasteners per shingle. For the starter shingle, place fastener 1-inch from each side edge and about 2-inch up from the starter shingle's exposed butt edge. For each full Cedar Crest shingle, please fasteners 8-5/8-inch up from its exposed butt edge and 1-inch from each side edge.



Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant to hand-seal Cedar Crest shingles. Apply NP 1 or PL adhesive from the middle of the shingle's raised overlay on the top piece and extending approximately 4-inch along the sides of the headlap along a line ¾ to 1-inch from each side of the shingle's headlap. Immediately align and apply the overlying shingle, gently pressing tab sides into the adhesive, and install nails. To secure the other side, apply a 1-inch diameter spot of NP 1 or PL adhesive between the shingle layers.



Presidential Shake™ and Presidential Shake TL™: 6.3.4

LOW AND STANDARD SLOPE:

For low and standard slopes, use five nails for each full Presidential shingle as shown below.




Figure 16-6: Fastering Presidential and Presidential 71 Shake simples on low and standard slopes.

STEEP SLOPE:

For steep slopes, use time mails for each full Presidential shingle and apply 1" diameter spots of asphalt rooting cement maler each slaingle tab. After applying 5 mails in between the mathing guide lines, apply a mails 1" above tab culous making certain tabs of overlying simple cover mils.




Figure 16-7: Fastening Presidential and Presidential VI. Stake spingles on steep slopes.

Hip & Ridge, Option 1: Presidential Accessory 6.3.4.1

PRESIDENTIAL ACCESSORY

Presidential accessory shingles can be used for covering hips and ridges. Apply shingles up to the ridge (expose no more than 7" from the bottom edge of the "tooth." Fasten each accessory with two fasteners. The fasteners must be 13/4" long or longer, so they penetrate either 3/4" into the deck or completely through the deck. Presidential accessory comes in two different sizes: Accessory produced in Birmingham, AL is 12" x 12"; Portland, OR produces $9^{7/8}$ " x $13^{1/4}$ " accessory.

Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant in accordance with manufacturer's instructions.

Hip & Ridge, Option 2: Refer to instructions herein for Cedar Crest™ hip and ridge shingles. 6.3.4.2

Hatteras™: 6.3.5

LOW, STANDARD AND STEEP SLOPE:





Figure 15-3 Lustening Hallerus Shingles on Line and Standard Slopes

For low and standard slopes, use five mills for each full Hatteras shingle as shown above




System as Hallord's Shangles on Mee a Staffe

For steep slopes, two five units and eight spots of asplinder cooling coment for each full statters, sharge as shown above. Apply 1 (25mm) diameter spots of roofing cement (AS: M D 4586 Figs. J suggested) under each tab corner Press shingle mis place; do not express central

CAUTION: Too much cooling contration, cause shingles to blister

6.3.5.1 Hip & Ridge, Option 1: Accessory for Hatteras



Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL®

Polyurethane Roof & Flashing Sealant in accordance with manufacturer's instructions.

6.3.5.2 Hip & Ridge, Option 2: Cut Hatteras Shingles




Figure 15-20: Cut Hatteras sbingles to make cover cap.

Figure 15-21: Installation of caps along hips and ridges.

Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant in accordance with manufacturer's instructions.

Exterior Research and Design, LLC. Certificate of Authorization #9503

Evaluation Report 3532.09.05-R4 FL5444-R4 Revision 4: 12/06/2011 Page 9 of 10

10. QUALITY ASSURANCE ENTITY:

Underwriters Laboratories - QUA1743; (414) 248-6409; karen.buchmann@us.ul.com

- END OF EVALUATION REPORT -