



City of Belle Isle
Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

PERMIT CARD – PLEASE POST AT JOB SITE

THIS DOCUMENT BECOMES YOUR PERMIT WHEN PROPERLY VALIDATED

Per FBC 105.3.3: An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies." The issuance of this permit does not grant permission to violate any applicable City, Orange County, State of Florida and/or Federal codes and/or ordinances. Separate permits are required for Signs, Roofing, Electrical, Gas, Plumbing and Mechanical services. This permit becomes VOID if the work authorized is not commenced within 6 months, or is suspended or abandoned for a period of 6 months after commencement. **WORK SHALL BE CONSIDERED SUSPENDED IF AN APPROVED INSPECTION HAS NOT BEEN MADE WITHIN A 6 MONTH PERIOD.** PERMISSION IS GRANTED TO DO THE FOLLOWING WORK ACCORDING TO THE CONDITIONS HEREON AND THE APPROVED PLANS AND SPECIFICATIONS, SUBJECT TO COMPLIANCE WITH THE ORDINANCES OF THE CITY OF BELLE ISLE, FLORIDA.

Scope of Work: ROOF – NEW for outdoor pavilion	Permit Number: 2016-04-005
comments: Pavilion Bldg permit 2016-12-042	Date of Application: 04/05/2016
Project Information	
Address: 7145 Lake Drive, Belle Isle, FL 32809	Date Permit Issued: 04/06/2016
Parcel ID: 25-23-29-5884-16-090	
Property Owner: Depauls, Donald	
Phone Number: 321 277 1225	

Company Name: Crew Pro Inc	WARNING TO OWNER: "YOUR FAILURE TO RECORD A
Contractor Name: Culbreth, Darryl.	NOTICE OF COMMENCEMENT MAY RESULT IN YOU
License Number: CCC1327169	PAYING TWICE FOR IMPROVEMENTS TO YOUR
Address: 6619 John Alden Hwy, Orlando, FL 32818	PROPERTY. IF YOU INTEND TO OBTAIN FINANCING,
Phone Number: 407-692 0765	CONSULT WITH YOUR LENDER OR AN ATTORNEY
BEFORE RECORDING YOUR NOTICE OF	
COMMENCEMENT." ON THE JOB INSPECTION(S) MUST	
BE MADE BEFORE PROCEEDING WITH SUBSEQUENT	
WORK. THIS CARD MUST BE DISPLAYED OUTSIDE AND	
BE PROTECTED FROM THE WEATHER WHILE BEING	
VISIBLE FROM THE STREET UNTIL THE FINAL	
INSPECTIONS HAVE BEEN APPROVED.	

BUILDING FEATURES

IMPACT FEES	BUILDING INSPECTOR USE ONLY
School \$	
Traffic \$	
ZONING FEES	
Zoning Fee \$none - NEW	IF APPLICABLE: Have Zoning Approval Conditions Been Met? YES NO Have Stormwater Approval Conditions
UNIVERSAL ENG - BUILDING FEES	
Cert of Occ \$	Been Met? YES NO Silt fencing in place? YES NO Turbidity Barrier in place? YES NO
Demo \$	<input type="checkbox"/> BUILDING
Building \$	1 st <u>Survey specific foundation plan must be onsite before slab pour. Approved Plan on Site?</u> _____
Fence \$	2 nd <u>(Footing/Foundation)</u>
Driveway \$	3 rd <u>(Slab)</u>
Shed \$	4 th <u>(Lintel)(Wall Reinforcing on Masonry Building)</u>
Window(s) \$	5 th <u>(Exterior Framing)(Roof/Wall Sheathing)</u>
Door(s) \$	6 th <u>(Framing) (To be made after Plumbing/ Mechanical/ Electrical Rough-Ins & Windows/Doors Installed)</u>
PrePower \$	7 th <u>(Insulation to be Made After Roof Installed)</u>
Electrical \$	8 th <u>(Drywall)</u>
Temp Pole \$	9 th <u>(Sidewalk/Driveway)</u>
Plumbing \$	10 th <u>(Other)</u>
Mechanical \$	
Gas \$	
Roofing \$45.00	
Boat Dock \$	<input type="checkbox"/> ROOFING
Screen Encl \$	1 st ROOFING Deck Nailing/Dry-in/Flashing _____
Swimming Pool \$	2 nd ROOFING Covering In-Progress _____
Sign \$	3 rd ROOFING Covering Final _____
SURCHARGE FEES	
Surcharge Fee \$2.00	<input type="checkbox"/> PLUMBING (Pool-Piping, Solar, Irrigation, Water Treatment Equip, Etc...)
Surcharge Fee \$2.00	<input type="checkbox"/> 1 st <u>(Underground)</u> 2 nd <u>(Sewer)</u>
TOTAL FEES \$49.00	
Date Paid <u>4-8-16</u>	3 rd <u>(Rough-In/Tub Set)</u> 4 th <u>(Final)</u>
CC or Check # <u>VISA 7546</u>	
Amount Paid <u>49.00</u>	
The person accepting this permit shall conform to the terms of the application on file and construction shall conform to the requirements of the Florida Building Code (FS 553).	
CHECK APPROPRIATE BOX	
<input type="checkbox"/> GAS <u>Natural</u> <u>LP</u> <input type="checkbox"/> MECHANICAL <input type="checkbox"/> ELECTRICAL <input type="checkbox"/> LOW VOLTAGE	
1 st <u>(Rough-In)</u> 2 nd <u>(Final)</u>	

Inspection requests are to be emailed to BIDScheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. Next-Day inspection requests must be made by 4pm. Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed.

For a copy of your permit, or to check inspection results, please visit <https://universalengineering.sharefile.com>

login ID = cobi@universalengineering.com

password = universal13



APR 05 2016

City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

APPLICATION FOR ROOFING PERMIT

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

DATE OF APPLICATION: 4-5-16ROOF PERMIT NUMBER 2016-04-005

PLEASE PRINT. The undersigned hereby applies for a permit to make installations as indicated below.

Project Address 7145 LAKE DRIVE, Belle Isle, FL 32809 32812Property Owner DONALD A DEPAULIS Phone 407-733-2067Property Owner's Mailing Address 7145 LAKE DRIVE City BELLE ISLEState FL Zip Code 32812 Parcel Id Number: 25-23-29-5884-16-090REQUIREMENT To obtain this information, please visit <http://www.ocpeli.org/Searches/ParcelSearch.aspx>Class of Building: Old New Type of Building: Residential Commercial Other
Type of Work: New Roof ReRoof

- **REQUIRED!** Florida Product Approval Screen Printout from www.floridabuilding.org showing the Code Version
- **REQUIRED!** Florida Product Approval Installation Instructions from www.floridabuilding.org (not the manufacturer instructions)
- **REQUIRED!** Copies of your General Liability & Worker's Comp Insurance Certificate & State and Local Licenses

Please indicate the nature of work by completing the information below:

Roof Square Footage: 400 Number of Stories: 1 Job Valuation: \$ 1600 ✓
Type: Asphalt Shingles Metal Modified Bitumen Other: FOR NEW PAVILLION

I hereby certify that the above is true and correct to the best of my knowledge and make Application for Permit as outlined above, and if same is granted I agree to conform to all Florida Building Code Regulations and City Ordinances regulating same and in accordance with plans submitted. The issuance of this permit does not grant permission to violate any applicable Town and/or State of Florida codes and/or ordinances. By signing below, I recognize Republic Services is by legal contract the sole authorized provider of garbage, recycling, yard waste, and commercial garbage and construction debris collection and disposal services with the city limits of the City. Contractors, homeowners and commercial businesses may contact Republic Services at 407-293-8000 to setup accounts for Commercial, Construction Roll Off, or other services needed. Rates are fixed by contract and are available at City Hall or from Republic Services. The City enforces the contract through its code enforcement office. Failure to comply will result in a stop work order.

LICENSE HOLDER SIGNATURE Daryl Culbreth LICENSE # CCC 1327169LICENSE HOLDER NAME DARCYL CULBRETH COMPANY NAME CREW PRO INCStreet Address 6617 JOHN ALDEN WAYCity ORLANDO State FL Zip Code 32818 Phone Number 407-692-0765Email Address crewcontractors@yahoo.comBuilding Official: Scott BaDate 4-7-16Verified Contractor's Licenses & Insurance are on file 50MDate 4-6-16

Zoning Fee	\$ <u>0 (new)</u>
Permit Fee	\$ <u>30.-</u>
Review Fee	\$ <u>15.-</u>
3% Florida Surcharge	\$ <u>4.-</u>
Total Permit Fee	\$ <u>49.00</u>

NOTE: The Building Permit Number is required if the Roof Installation is associated with any construction or alteration where a Building Permit has been issued. 1ST IC

Building Permit Number 2016-04-005

25
30
15
45

Scanned by CamScanner

WD 6618V



City of Belle Isle
Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

Product Approval Form

DATE: 4-5-16

PERMIT # _____

PROJECT ADDRESS 7145 LAKE DRIVE

, Belle Isle, FL 32809 32812

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72m, please provide the information and approval numbers of the building components listed below if they will be utilized on the building or structure. FL Approved products are listed online at www.floridabuilding.org or can be obtained from the local product supplier. The following information must be turned in with permit application and available onsite for inspections:

1. This Product Approval Cover Sheet
2. Internet screen from FloridaBuilding.org showing PA#, approval and code edition stamped
3. Manufacturer's installation details from FloridaBuilding.org and requirements for each product stamped

Product Type	Manufacturer	Model/Series	FL Product Approval #	Product Type	Manufacturer	Model/Series	FL Product Approval #
EXTERIOR DOORS							
Swinging				Sliding			
Sliding				Soffits			
Sectional/Rollup				Storefront			
Other				Glass Block			
WINDOWS							
Single/Dbl Hung				Asphalt Shingles	<u>ATLAS</u>	<u>ARCH.</u>	<u>FL16305-R4</u>
Horizontal Slider				Non Struct Metal			
Casement				Roofing Tiles			
Fixed				Single Ply Roof	<u>UD</u>		
Mullion				Underlayment	<u>UNITED ROOFING</u>	<u>GATOR SKIN</u>	<u>FL 17824</u>
Skylights				Other			
Other				STRUCTURAL COMPONENTS			
Wood Connectors				OTHER			
Wood Anchors							
Truss Plates							
Insulation Forms							
Lintels							
Other							

It is the applicant's responsibility to verify that specific products have been installed in accordance with their limitations and with the minimum required design pressures for the structure. Specific compliance will be verified during field inspections.

Applicant Signature *S. S. Cuth*

Date 4-5-16

Scanned by CamScanner



FLORIDA DEPARTMENT OF
Business & Professional Regulation

Florida Department of
Business & Professional Regulation

BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | FBC Staff | BCIS Site Map | Links | Search |  

Product Approval
USER: Public User

Product Approval Menu > Product or Application Search > Application List > Application Detail

OFFICE OF THE SECRETARY

FL # FL16305-R4
Application Type Revision
Code Version 2014
Application Status Approved

Comments
Archived

Product Manufacturer Atlas Roofing Corporation
Address/Phone/Email 2000 RiverEdge Parkway
Suite 800
Atlanta, GA 30328
(770) 946-4571
mcollins@atlasroofing.com

Authorized Signature Meldrin Collins
mcollins@atlasroofing.com

Technical Representative
Address/Phone/Email

Quality Assurance Representative
Address/Phone/Email

Category Roofing
Subcategory Asphalt Shingles

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer
Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report Zachary R. Priest
Florida License PE-74021
Quality Assurance Entity UL LLC
Quality Assurance Contract Expiration Date 12/31/2020
Validated By Locke Bowden
✓ Validation Checklist - Hardcopy Received

Certificate of Independence [FL16305_R4_COI_ATL13002.4_2014_FBC_Product_Evaluation_Shingles.pdf](#)

Referenced Standard and Year (of Standard)

Standard	Year
ASTM D 3161	2009
ASTM D 3462	2009
ASTM D 7158	2008
TAS 100	1995
TAS 107	1995

https://floridabuilding.org/pr/pr_app_dtl.aspx?param=wGEVXQwtDquJBMjgU1j3N1TGPI... 4/5/2016

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted	06/28/2015
Date Validated	06/29/2015
Date Pending FBC Approval	07/05/2015
Date Approved	08/19/2015

Summary of Products

FL #	Model, Number or Name	Description
16305.1	Atlas Shingles	Fiberglass reinforced laminated asphalt shingles
Limits of Use		Installation Instructions
Approved for use in HVHZ: Yes		FL16305_R4_II_ATL13002.4_2014_FBC_Product_Evaluation_Shingles.pdf
Approved for use outside HVHZ: Yes		Verified By: Zachary R. Priest 74021
Impact Resistant: N/A		Created by Independent Third Party: Yes
Design Pressure: N/A		Evaluation Reports
Other: See evaluation report for limits of use		FL16305_R4_AE_ATL13002.4_2014_FBC_Product_Evaluation_Shingles.pdf
		Created by Independent Third Party: Yes

[Back](#)[Next](#)[Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824](#)The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395.

*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



EVALUATION REPORT

FLORIDA BUILDING CODE 5TH EDITION (2014)

Manufacturer: ATLAS ROOFING CORPORATION
2000 Riveredge Parkway, Suite 800
Atlanta, GA 30328
(770) 612-6267

Issued June 29, 2015

Manufacturing Plants: Hampton, GA
Meridian, MS
Dangerfield, TX
Ardmore, OK

Quality Assurance: UL LLC (QUA9625)



SCOPE

Category: Roofing
Subcategory: Asphalt Shingles
Code Sections: 1507.2.5, 1507.2.7.1, 1523.6.5.1
Properties: Physical properties, Wind Resistance, Wind Driven Rain

REFERENCES

<u>Entity</u>	<u>Report No.</u>	<u>Standard</u>	<u>Year</u>
PRI Construction Materials Technologies (TST5878)	ATL-079-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-083-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-086-02-01 Rev 1	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-104-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-106-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-106-02-01 Rev 1	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-107-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-107-02-01.1	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-109-02-01	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-116-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-118-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-119-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-123-02-01	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-125-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-127-02-01 Rev 1	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-132-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-133-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-135-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-136-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-137-02-01 Rev 1	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-138-02-01 Rev 1	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-143-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-144-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-151-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-162-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-167-02-01	ASTM D 3161	2009
PRI Construction Materials Technologies (TST5878)	ATL-168-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-169-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-170-02-01	ASTM D 3462	2009
ATL13002.4	FL 16305-R4		

Page 1 of 9

This evaluation report is provided for State of Florida product approval under Rule 61G20-3. The manufacturer shall notify CREEK Technical Services, LLC of any product changes or quality assurance changes throughout the duration for which this report is valid. This evaluation report does not express nor imply warranty, installation, recommended use, or other product attributes that are not specifically addressed herein.

PRI Construction Materials Technologies (TST5878)	ATL-171-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-172-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-174-02-01	ASTM D 3462	2009
PRI Construction Materials Technologies (TST5878)	ATL-179-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-184-02-01	ASTM D 3161	2009
		TAS 107	1995
PRI Construction Materials Technologies (TST5878)	ATL-185-02-01	ASTM D 7158	2008d
PRI Construction Materials Technologies (TST5878)	ATL-186-02-01	TAS 100	1995
PRI Construction Materials Technologies (TST5878)	ATL-187-02-01	ASTM D 3462	2009


PRODUCT DESCRIPTION

GlassMaster® 30 (Ardmore & Hampton)	ASTM D 3161, Class F fiberglass reinforced, 3-tab asphalt shingle with a dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
Tough-Master® 20 (Ardmore & Hampton)	ASTM D 3161, Class F fiberglass reinforced, 3-tab asphalt shingle with a dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
Pro-Cut® Hip & Ridge (Ardmore & Hampton)	ASTM D 3161, Class F fiberglass reinforced, hip and ridge asphalt shingle with a dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
Pro-Cut® Starter Strip (Hampton)	ASTM D 3161, Class F fiberglass reinforced, starter asphalt shingle with a dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
ProLAM™ Architectural (Hampton & Meridian)	ASTM D 3161, Class F & ASTM D 7158, Class H fiberglass reinforced, laminated architectural asphalt shingle with a dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
Pinnacle® Pristine, Pinnacle® Pristine Lifetime w/Scotchgard (Dangerfield, Hampton & Meridian)	ASTM D 3161, Class F & ASTM D 7158, Class H fiberglass reinforced, laminated architectural asphalt shingle with two, dashed, thermally-activated, self-sealing sealant stripes that complies with ASTM D 3462.
StormMaster® Shake (Dangerfield)	ASTM D 3161, Class F & ASTM D 7158, Class H fiberglass reinforced, laminated architectural modified asphalt shingle with two, dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.
StormMaster® Slate (Ardmore)	ASTM D 3161, Class F & ASTM D 7158, Class H fiberglass reinforced, laminated architectural modified asphalt shingle with two, dashed, thermally-activated, self-sealing sealant stripe that complies with ASTM D 3462.


INSTALLATION

GlassMaster® 30 & Tough-Master® 20

Basic Wind Speed (V_{ult}):	Max. 194 mph
Basic Wind Speed (V_{asd}):	Max. 150 mph
Deck (HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
Underlayment:	In accordance with FBC requirements.
Min. slope:	2:12 and in accordance with FBC requirements. Contact the Atlas Roofing Corporation when installing at slope greater than 21:12.
Installation (HVHZ):	Installed with 5-inch exposure in accordance with RAS 115 and manufacturer's published installation instructions. Shingles shall be attached using "6 Nail Pattern" detailed below.
Installation (Non-HVHZ):	Installed with 5-inch exposure in accordance with FBC requirements and manufacturer's published installation instructions. Shingles shall be attached using either "4 Nail Pattern" or "6 Nail Pattern" detailed below.




**Figure 1. GlassMaster® 30 & Tough-Master® 20
4 Nail Pattern (Non-HVHZ only)**




**Figure 2. GlassMaster® 30 & Tough-Master® 20
6 Nail Pattern**

ProLAM™ Architectural	Basic Wind Speed (V_{ult}): Basic Wind Speed (V_{asd}): Deck (HVHZ):	Max. 194 mph Max. 150 mph In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
	Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
	Underlayment: Min. slope:	In accordance with FBC requirements. 2:12 and in accordance with FBC requirements. Contact the Atlas Roofing Corporation when installing at slope greater than 21:12.
	Installation (HVHZ):	Installed with 6 in. exposure in accordance with RAS 115 and manufacturer's published installation instructions. Shingles shall be attached using "6 Nail Pattern" detailed below.
	Installation (Non-HVHZ):	Installed with 6 in. exposure in accordance with FBC requirements and manufacturer's published installation instructions. Shingles shall be attached using either "4 Nail Pattern" or "6 Nail Pattern" detailed below.



**Figure 3. ProLAM™ Architectural Shingle
4 Nail Pattern (non-HVHZ only)**



**Figure 4. Pro-LAM™ Architectural Shingle
6 Nail Pattern**

Pinnacle® Pristine & StormMaster® Shake	Basic Wind Speed (V_{ult}):	Max. 194 mph
	Basic Wind Speed (V_{asd}):	Max. 150 mph
	Deck (HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
	Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
	Underlayment:	In accordance with FBC requirements.
	Min. slope:	2:12 and in accordance with FBC requirements. Contact the Atlas Roofing Corporation when installing at slope greater than 2:12.
	Installation (HVHZ):	Installed with 6 in. exposure in accordance with RAS 115 and manufacturer's published installation instructions. Shingles shall be attached using "6 Nail Pattern" detailed below.
	Installation (Non-HVHZ):	Installed with 6 in. exposure in accordance with FBC requirements and manufacturer's published installation instructions. Shingles shall be attached using either "4 Nail Pattern" or "6 Nail Pattern" detailed below.




Figure 5. Pinnacle® Pristine and StormMaster® Shake 4 Nail Pattern (Non-HVHZ only)




Figure 6. Pinnacle® Pristine and StormMaster® Shake 6 Nail Pattern

StormMaster® Slate	Basic Wind Speed (V_{ult}): Basic Wind Speed (V_{asd}): Deck (HVHZ):	Max. 194 mph Max. 150 mph In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
	Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
	Underlayment: Min. slope:	In accordance with FBC requirements. 2:12 and in accordance with FBC requirements. Contact the Atlas Roofing Corporation when installing at slope greater than 21:12.
	Installation (HVHZ):	Installed with 8.5 in. exposure in accordance with RAS 115 and manufacturer's published installation instructions. Shingles shall be attached using "6 Nail Pattern" detailed below.
	Installation (Non-HVHZ):	Installed with 8.5 in. exposure in accordance with FBC requirements and manufacturer's published installation instructions. Shingles shall be attached using either "4 Nail Pattern" or "6 Nail Pattern" detailed below.




Figure 7. StormMaster® Slate
4 Nail Pattern




Figure 8. StormMaster® Slate
6 Nail Pattern

Pro-Cut® Starter Strip	Basic Wind Speed (V_{ult}): Basic Wind Speed (V_{asd}): Deck (HVHZ):	Max. 194 mph Max. 150 mph In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
	Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
	Underlayment: Min. slope:	In accordance with FBC requirements. 2:12 and in accordance with FBC requirements. Contact the Atlas Roofing Corporation when installing at slope greater than 21:12.
	Installation (HVHZ):	Installed in accordance with RAS 115 and manufacturer's published installation instructions. Shingles shall be attached as shown below.
	Installation (Non-HVHZ):	Installed in accordance with FBC requirements and manufacturer's published installation instructions. Shingles shall be attached as shown below.




Figure 9. Pro-Cut® Starter Strip

Pro-Cut® Hip & Ridge	Basic Wind Speed (V_{ult}): Basic Wind Speed (V_{asd}): Deck (HVHZ):	Max. 194 mph Max. 150 mph In accordance with FBC requirements; Solidly sheathed min. 19/32 in. plywood or wood plank for new construction; Min. 15/32 in. plywood existing construction.
	Deck (Non-HVHZ):	In accordance with FBC requirements; Solidly sheathed min. 15/32 in. plywood or wood plank for new construction; Min. 7/16 in. OSB existing construction.
	Underlayment: Min. slope: Installation (HVHZ and non-HVHZ):	In accordance with FBC requirements. 2:12 and in accordance with FBC requirements. Installed with 5-5/8 inch exposure in accordance with RAS 115 (HVHZ only) and manufacturer's published installation instructions. The direction of the exposed end shall be away from the prevailing wind.




Figure 10. Pro-Cut® Hip & Ridge

LIMITATIONS

- 1) Fire Classification is not within the scope of this evaluation.
- 2) The roof deck and the roof deck attachment shall be designed by others to meet the minimum design loads established for components and cladding and in accordance with FBC requirements.
- 3) The mean roof height shall be restricted to a maximum 33 ft in the HVHZ.
- 4) Classification to ASTM D 7158 applies to exposure B & C with a building mean roof height of 33-ft or less.
- 5) Deck substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the deck shall be checked for protrusion and corrected prior to underlayment application.
- 6) Shingles shall be installed starting at the eave in horizontal layers such that the laps shed water from the deck.
- 7) Installation of the evaluated products shall comply with this report, the FBC, and the manufacturer's published application instructions. Where discrepancies exist between these sources, the more restrictive and code compliant detail shall prevail.
- 8) All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

The products evaluated herein by Zachary R. Priest, P.E. have demonstrated compliance with the Florida Building Code 5th Edition (2014) as evidenced in the referenced documents submitted by the named manufacturer.



Digital signature by Zachary R. Priest

2015.06.2
 9 12:55:48
 -04'00'

Zachary R. Priest, P.E.
 Florida Registration No. 74021
 Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT

FLORIDA DEPARTMENT OF
Business & Professional Regulation

Florida Department of Business & Professional Regulation   

BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | FBC Staff | BCIS Site Map | Links | Search

Product Approval
USER: Public User

Product Approval Menu > Product or Application Search > Application List > Application Detail

FL # **FL17824**
Application Type **New**
Code Version **2014**
Application Status **Approved**

Comments
Archived

Product Manufacturer **United Roofing**
Address/Phone/Email **Finches Ferry Road
Eutaw, AL 35462
(813) 248-2101 Ext 227
dportfolio@gardner-gibson.com**

Authorized Signature **DON PORTFOLIO**
Address/Phone/Email **dportfolio@gardner-gibson.com**

Technical Representative
Address/Phone/Email

Quality Assurance Representative
Address/Phone/Email

Category **Roofing**
Subcategory **Underlays**

Compliance Method
Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer
✓ Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report **Zachary R. Priest**
Florida License **PE-74021**
Quality Assurance Entity **UL LLC**
Quality Assurance Contract Expiration Date **12/31/2020**
Validated By **Locke Bowden**
✓ Validation Checklist - Hardcopy Received

Certificate of Independence [FL17824_R0_COI_GGI15001_2014_FBC_Underlays_Gator_Skin.pdf](#)

Referenced Standard and Year (of Standard)

Equivalence of Product Standards
Certified By

Sections from the Code
1507.2.3
1507.2.8



https://floridabuilding.org/pr/pr_app_dtl.aspx?param=wGEVXQwtDqt2ZOX6B2Y1UIXeIy... 4/5/2016

1507.4.5.1
 1507.4.5.2
 1507.5.3
 1507.5.3.2
 1507.7.3
 1507.7.3.2
 1507.8.3
 1507.8.3.2
 1507.9.3
 1507.9.3.2
 1507.9.5
 1518.4
 T1507.8

Product Approval Method Method 2 Option B

Date Submitted	06/26/2015
Date Validated	06/26/2015
Date Pending FBC Approval	07/05/2015
Date Approved	08/20/2015

Summary of Products

FL #	Model, Number or Name	Description
17824.1	Gator Skin	Steep-slope roofing underlayment used as alternate to ASTM D 226, Type I and II and ASTM D 4869, Type II and IV.
Limits of Use		
Approved for use in HVHZ: Yes		
Approved for use outside HVHZ: Yes		
Impact Resistant: N/A		
Design Pressure: N/A		
Other: See evaluation report for limits of use.		
Installation Instructions		
FL17824 R0 II GGI15001 2014 FBC Underlays Gator Skin.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes		
Evaluation Reports		
FL17824 R0 AE GGI15001 2014 FBC Underlays Gator Skin.pdf Created by Independent Third Party: Yes		

[Back](#)

[Next](#)

[Contact Us](#) :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395.
 *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:





EVALUATION REPORT

FLORIDA BUILDING CODE 5TH EDITION (2014)

Manufacturer: UNITED ROOFING MANUFACTURING CO., INC.
P.O. BOX 30
Eutaw, AL 35462
(205) 372-3394
<http://www.unitedroofing.com/>

Issued June 26, 2015

Distribution: Eutaw, AL

Quality Assurance: UL LLC (QUA9625)

SCOPE

Category: Roofing
Subcategory: Underlays
Code Sections: 1507.2.3, 1507.2.8, 1507.4.5.1, 1507.4.5.2, 1507.5.3, 1507.5.3.2, 1507.7.3, 1507.7.3.2, 1507.8.3, 1507.8.3.2, T1507.8, 1507.9.3, 1507.9.3.2, 1507.9.5, 1518.4
Properties: Physical properties

REFERENCES

Entity	Report No.	Standard	Year
PRI Construction Materials Technologies (TST5878)	GGI-132-02-01	ASTM D 226 ASTM D 4869	2006 2005e1

PRODUCT DESCRIPTION

Gator Skin A mechanically attached, woven polypropylene underlayment used as an alternative to ASTM D 226, Type I and Type II and ASTM D 4869 Type II or Type IV, roofing underlays

APPLICATION INSTRUCTIONS

Deck Type: The roof deck shall be constructed of closely fitted, solid sheathing for new or existing construction. Sheathing shall be installed in accordance with FBC requirements. Roof decks shall have no more than $\frac{1}{8}$ " gap at abutting joints. Minimum 19/32" plywood for new construction or minimum 15/32" plywood for existing construction in the HVHZ only.

Min. slope: Min. 2:12 and in accordance with the FBC; For slopes less than 4:12, the underlayment must be half-lapped over the underlying course.

Attachment (Non-HVHZ): Underlayment shall be attached in accordance with the FBC requirements and in accordance with the manufacturer's installation instructions. The underlayment is installed starting at the eave, with the length of the roll parallel to the eave with the printed side facing up. All head laps shall be installed to shed water from the deck and side laps shall be staggered between successive courses.

Attachment (HVHZ): Underlayment shall be attached in accordance with RAS 115, RAS 130, or RAS 133 and in accordance with the manufacturer's installation instructions. The underlayment is installed starting at the eave, with the length of the roll parallel to the eave with the printed side facing up. All head laps shall be installed to shed water from the deck and side laps shall be staggered between successive courses.

Allowable roof coverings: Asphalt shingles, metal roof panels and shingles, slate shingles, wood shakes and shingles

GGI15001

FL17824

Page 1 of 2

This evaluation report is provided for State of Florida product approval under Rule 61G20-3. The manufacturer shall notify CREEK Technical Services, LLC of any product changes or quality assurance changes throughout the duration for which this report is valid. This evaluation report does not express nor imply warranty, installation, recommended use, or other product attributes that are not specifically addressed herein.

LIMITATIONS

- 1) Fire Classification is not within the scope of this evaluation.
- 2) Wind uplift resistance is not within the scope of this evaluation.
- 3) Installation of the evaluated product shall comply with this report, the FBC, and the manufacturer's published application instructions. Where discrepancies exist between these sources, the more restrictive and FBC compliant installation detail shall prevail.
- 4) Deck substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the deck shall be checked for protrusion and corrected prior to underlayment application.
- 5) The underlayment may be used as described in other current FBC product approval documents.
- 6) Roof coverings shall not be adhered directly to the underlayment. Roof coverings shall be mechanically fastened through the underlayment to the roof deck.
- 7) The underlayment shall be exposed on the roof deck for a maximum 30 days unless otherwise stated.
- 8) All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

The products evaluated herein by Zachary R. Priest, P.E. have demonstrated compliance with the Florida Building Code 5th Edition (2014) as evidenced in the referenced documents submitted by the named manufacturer.



 2015.06.26
07:52:30 -04'00'

Zachary R. Priest, P.E.
Florida Registration No. 74021
Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

CULBRETH, DARRYL
CREWPRO, INC
6617 JOHN ALDEN WAY
ORLANDO FL 32818

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbecue restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

CCC1327169

ISSUED: 08/17/2014

CERTIFIED ROOFING CONTRACTOR
CULBRETH, DARRYL
CREWPRO, INC

IS CERTIFIED under the provisions of Ch.489 FS.
Expiration date - AUG 31, 2016 L1408170002495

DETACH HERE

RICK SCOTT, GOVERNOR

KEN LAWSON, SECRETARY

STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

LICENSE NUMBER	
CCC1327169	

The ROOFING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2016



CULBRETH, DARRYL
CREWPRO, INC
6617 JOHN ALDEN WAY
ORLANDO FL 32818



ISSUED: 08/17/2014

DISPLAY AS REQUIRED BY LAW

SEQ # L1408170002495

Scanned by CamScanner

CERTIFICATE OF LIABILITY INSURANCE

Date
4/5/2016

Producer: Plymouth Insurance Agency
2739 U.S. Highway 19 N.
Holiday, FL 34691
(727) 938-5562

This Certificate is issued as a matter of information only and confers no rights upon the Certificate Holder. This Certificate does not amend, extend or alter the coverage afforded by the policies below.

Insured: South East Personnel Leasing, Inc. & Subsidiaries
2739 U.S. Highway 19 N.
Holiday, FL 34691

Insurers Affording Coverage

NAIC #

Insurer A: Lion Insurance Company
Insurer B:
Insurer C:
Insurer D:
Insurer E:

Coverages

The policies of insurance listed below have been issued to the insured named above for the policy period indicated. Notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate may be issued or may pertain, the insurance afforded by the policies described herein is subject to all the terms, exclusions, and conditions of such policies. Aggregate limits shown may have been reduced by paid claims.

INSR LTR	ADDL INSRD	Type of Insurance	Policy Number	Policy Effective Date (MM/DD/YY)	Policy Expiration Date (MM/DD/YY)	Limits		
		GENERAL LIABILITY <input type="checkbox"/> Commercial General Liability <input checked="" type="checkbox"/> Claims Made <input type="checkbox"/> Occur General aggregate limit applies per: <input type="checkbox"/> Policy <input type="checkbox"/> Project <input type="checkbox"/> LOC				Each Occurrence	\$	
						Damage to rented premises (EA occurrence)	\$	
						Med Exp	\$	
						Personal Adv Injury	\$	
						General Aggregate	\$	
						Products - Comp/Op Agg	\$	
		AUTOMOBILE LIABILITY <input type="checkbox"/> Any Auto <input type="checkbox"/> All Owned Autos <input type="checkbox"/> Scheduled Autos <input type="checkbox"/> Hired Autos <input type="checkbox"/> Non-Owned Autos				Combined Single Limit (EA Accident)	\$	
						Bodily Injury (Per Person)	\$	
						Bodily Injury (Per Accident)	\$	
						Property Damage (Per Accident)	\$	
		EXCESS/UMBRELLA LIABILITY <input type="checkbox"/> Occur <input type="checkbox"/> Claims Made <input type="checkbox"/> Deductible				Each Occurrence		
						Aggregate		
A	Workers Compensation and Employers' Liability Any proprietor/partner/executive officer/member excluded? NO If Yes, describe under special provisions below.	WC 71949	01/01/2016	01/01/2017	<input checked="" type="checkbox"/> WC Statutory Limits <input type="checkbox"/> OTH-ER			
						E.L. Each Accident	\$1,000,000	
						E.L. Disease - Ea Employee	\$1,000,000	
						E.L. Disease - Policy Limits	\$1,000,000	
Other		Lion Insurance Company is A.M. Best Company rated A- (Excellent). AMB # 12616						

Descriptions of Operations/Locations/Vehicles/Exclusions added by Endorsement/Special Provisions:

Client ID: 93-67-509

Coverage only applies to active employee(s) of South East Personnel Leasing, Inc. & Subsidiaries that are leased to the following "Client Company":

Crew Pro Roofing Inc dba Crew Pro Inc

Coverage only applies to injuries incurred by South East Personnel Leasing, Inc. & Subsidiaries active employee(s), while working in: FL.

Coverage does not apply to statutory employee(s) or independent contractor(s) of the Client Company or any other entity.

A list of the active employee(s) leased to the Client Company can be obtained by faxing a request to (727) 937-2138 or by calling (727) 938-5562.

Project Name:

ISSUE 04-05-16 (TLD)

Begin Date 6/4/2015

CERTIFICATE HOLDER	CANCELLATION
CITY OF BELLE ISLES BUILDING DEPARTMENT 1600 NELA AVE BELLE ISLES, FL 32809	Should any of the above described policies be cancelled before the expiration date thereof, the issuing insurer will endeavor to mail 30 days written notice to the certificate holder named to the left, but failure to do so shall impose no obligation or liability of any kind upon the insurer, its agents or representatives. <i>John L. Jones</i>



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
4/5/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERs NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER LRA Insurance 498 S Lake Destiny Dr Orlando FL 32810	CONTACT NAME: Nikki Biallas	
	PHONE (A/C, No. Ext): (407) 838-3445	FAX (A/C, No.): (407) 838-3460
INSURED Crew Pro, Inc 1615 White Avenue Orlando FL 32806	E-MAIL ADDRESS: nbiallas@lrainsurance.com	
	INSURER(S) AFFORDING COVERAGE	NAIC #
	INSURER A American Builders Insurance Co	25496
	INSURER B :	
	INSURER C :	
	INSURER D :	
INSURER E :		
INSURER F :		

COVERAGEs

CERTIFICATE NUMBER: 15/16

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR		GLP 0178056 01	8/19/2015	8/19/2016	EACH OCCURRENCE \$ 1,000,000
	DAMAGE TO RENTED PREMISES (EA occurrence) \$ 100,000					
	MED EXP (Any one person) \$ 5,000					
	PERSONAL & ADV INJURY \$ 1,000,000					
GEN'L AGGREGATE LIMIT APPLIES PER POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER \$	GENERAL AGGREGATE \$ 2,000,000					
AUTOMOBILE LIABILITY ANY AUTO ALL OWNED AUTOS HIRED AUTOS	SCHEDULED AUTOS NON-OWNED AUTOS				PRODUCTS - COMP/OP AGG \$ 2,000,000	
UMBRELLA LIAB	OCCUR				COMBINED SINGLE LIMIT (EA accident) \$	
EXCESS LIAB	CLAIMS-MADE				BODILY INJURY (Per person) \$	
DED	RETENTION \$				BODILY INJURY (Per accident) \$	
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	<input type="checkbox"/> Y/N	N/A			PROPERTY DAMAGE (Per accident) \$	
					EACH OCCURRENCE \$	
					AGGREGATE \$	
					PER STATUTE \$	
					OTHER \$	
					E L EACH ACCIDENT \$	
					E L DISEASE - EA EMPLOYEE \$	
					E L DISEASE - POLICY LIMIT \$	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Belle Isle
1600 Nela Avenue
Belle Isles, FL 32809

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

M Delaney/MEGHAN

Michelle S. Delaney

Scott Randolph, Tax Collector

Local Business Tax Receipt

Orange County, Florida

This local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other lawful authorities. This receipt is valid from October 1 through September 30 of receipt year. Delinquent penalty is added October 1.

2014

EXPIRES 9/30/2015

1801-0613980

1801	CERT BUILDING CONTR	\$30.00	1 EMPLOYEE	1806	CERT ROOFING CONTR	\$30.00	1 EMPLOYEE
5000	BUSINESS OFFICE	\$30.00	1 EMPLOYEE	1805	CERTIFIED COMM POOL/	\$30.00	1 EMPLOYEE
1803	CERTIFIED PLUMBING C	\$30.00	1 EMPLOYEE				

TOTAL TAX	\$150.00
PREVIOUSLY PAID	\$150.00
TOTAL DUE	\$0.00

6439 JOHN ALDEN WAY (MOBILE)
U - ORLANDO, 32818

PAID: \$150.00 2503-00592971 8/27/2014



CULBRETH DARRYL

CREWPRO INC
CULBRETH DARRYL
6439 JOHN ALDEN WAY
ORLANDO FL 32818

This receipt is official when validated by the Tax Collector.

Scanned by CamScanner