



City of Belle Isle Job Site Card **Roof PERMIT** 2019-04-037

PERMIT MUST BE POSTED ON SITE - A permit expires in 6 months if approved inspections are not recorded /scheduled within that time frame. You are responsible for scheduling and keeping track of all your inspections -

Permit Number: 2019- 04-037

Issue Date: 04/11/2019

Site Address: 2704 Nela Ave 32809

Parcel #: 19-23-30-5892-00-220

Class: Residential **Subdivision:**

Description of Work: Roof Square Footage: 4539 ASPHALT SHINGLES with **underlayment**

Number of Stories: 2

Issued: Proguard Restoration LLC

Business Phone: 407 330-7663

Name: Dean, Debra A

Contractor License CCC130234

Payment Date & Method: 4 / 16 / 2019 Picked up or sent by _____ Emailed

Visa Master Card Amex Discover Check / Money Order # 81038

Schedule Inspections via Email at: BD scheduling@universalengineering.com

SCHEDULE INSPECTIONS BY 3:00 PM CUT OFF TIME

Inspection Results Will Be Sent Out the Following Business Day

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

ROOF	INSPECTOR	DATE	COMMENTS
NEW ROOFS ONLY Code 700 Deck Nailing, Dry-In, Flashing			This inspection only applies for a brand new roof only!
Both new & re-roof Code 710 In - Progress			This inspection consists of all underlayment/black paper coverage and only 25% shingle coverage.
Both new & re-roof Code 720 Final			After the In Progress has been passed, then the entire roof is covered with shingles.

Inspection requests are to be emailed to BD scheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. **Next-Day Inspection requests must be made by 3:00 p.m.** Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed. **OSHA Approved Access to the Roof must be made Available to the Inspector.**



City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

RECEIVED APR 11 2019

APPLICATION FOR ROOFING PERMIT

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

DATE OF APPLICATION: 04-10-19

ROOF PERMIT NUMBER

2019-04037

PLEASE PRINT. The undersigned hereby applies for a permit to make installations as indicated below:

Project Address 2704 Nela Ave

Belle Isle, FL 32809 32812

Property Owner Kirk Leff

Phone PENDING 407-340-3693

Property Owner's Mailing Address 2704 Nela Ave

City Belle Isle

State FL Zip Code 32809

Parcel Id Number: 19-23-30-5892-00-220

REQUIRED! To obtain this information, please visit <http://www.ocpafl.org/Searches/ParcelSearch.aspx>

Class of Building: Old New Type of Building: Residential Commercial Other
Type of Work: New Roof ReRoof

REQUIRED! Florida Product Approval Form – NOTE: installation instructions must be posted on-site before your first inspection!!

13417

Please indicate the nature of work by completing the information below:

Roof Square Footage: 4539

Number of Stories: 2

Job Valuation: \$ 28060.00

715

Type: Asphalt Shingles Metal Modified Bitumen Other: _____

I hereby certify that the above is true and correct to the best of my knowledge and make Application for Permit as outlined above, and if same is granted I agree to conform to all Florida Building Code Regulations and City Ordinances regulating same and in accordance with plans submitted. The issuance of this permit does not grant permission to violate any applicable Town and/or State of Florida codes and/or ordinances. By signing below, I recognize Republic Services is by legal contract the sole authorized provider of garbage, recycling, yard waste, and commercial garbage and construction debris collection and disposal services with the city limits of the City. Contractors, homeowners and commercial businesses may contact Republic Services at 407-293-8000 to setup accounts for Commercial, Construction Roll Off, or other services needed. Rates are fixed by contract and are available at City Hall or from Republic Services. The City enforces the contract through its code enforcement office. Failure to comply will result in a stop work order.

LICENSE HOLDER SIGNATURE Debra A Dean

LICENSE # CCC1330234

LICENSE HOLDER NAME Debra A Dean

COMPANY NAME Proguard Restoration, LLC

Street Address 3601 Celery Ave.

City Sanford

State FL

Zip Code 32771

Phone Number 407-330-7663

Email Address Barbara@proguardrestoration.com

Zoning Fee \$ 50.00

Building Fee \$ 165.00 ✓

Review Fee \$ -

1% BCAIB Fee \$ 2.00

1.5% DCA Fee \$ 2.48

Total Permit Fee \$ 199.48

Building Official: _____

Date 4-11-19

Verified Contractor's Licenses & Insurance on file

Date 4/11/19

NOTE: The Building Permit Number is required if the Roof Installation is associated with any construction or alteration where a Building Permit has been issued.

30
25
140
165

151K 25
28x5 140
165

PAID
4-16-19
Max 81038

Permit Number: 2019-04-037
 Folio/Parcel ID #: 19-23-50-5892-00-220
 Prepared by: Proguard Restoration
641 Monroe Rd
Sanford, FL 32771
 Return to: Proguard Restoration
641 Monroe Rd
Sanford, FL 32771

DOC # 20190215108
 04/09/2019 11:11 AM Page 1 of 2
 Rec Fee: \$18.50
 Deed Doc Tax: \$0.00
 Mortgage Doc Tax: \$0.00
 Intangible Tax: \$0.00
 Phil Diamond, Comptroller
 Orange County, FL
 Ret To: SIMPLIFILE LC

NOTICE OF COMMENCEMENT

State of Florida, County of _____
 The undersigned hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. **Description of property** (legal description of the property, and street address if available)
Nela Isle Annex 2/74 Lot 22 & Land To 86.4 FT contour Line
2. **General description of improvement**
RE-ROOF
3. **Owner information or Lessee information if the Lessee contracted for the improvement**
 Name Kirk Jeff
 Address 2704 Nela Ave Belle Isle, FL 32809
 Interest in Property _____
 Name and address of fee simple titleholder (if different from Owner listed above)
 Name _____
 Address _____
4. **Contractor**
 Name Proguard Restoration
 Address 641 Monroe Rd, Sanford, FL 32771 Telephone Number 407-330-7663
5. **Surety** (if applicable, a copy of the payment bond is attached)
 Name NA Telephone Number _____
 Address _____ Amount of Bond \$ _____
6. **Lender**
 Name NA Telephone Number _____
 Address _____
7. **Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by §713.13(1)(a)7, Florida Statutes.**
 Name NA Telephone Number _____
 Address _____
8. **In addition to himself or herself, Owner designates the following to receive a copy of the Lienor's Notice as provided in §713.13(1)(b), Florida Statutes.**
 Name NA Telephone Number _____
 Address _____
9. **Expiration date of notice of commencement** (the expiration date will be 1 year from the date of recording unless a different date is specified) _____

WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.

Signature of Owner or Lessee, or Owner's or Lessee's Authorized Officer/Director/Partner/Manager _____ Signatory's Title/Office _____


The foregoing instrument was acknowledged before me this 08 day of 04/19 by Kirk Jeff
month/year name of person

as _____ for Kirk Jeff
Type of authority, e.g., officer, trustee, attorney in fact Name of party on behalf of whom instrument was executed

Barbara Lester
 Signature of Notary Public - State of Florida

Barbara Lester
 Print, type, or stamp commissioned name of Notary Public

Personally Known OR Produced ID _____
 Type of ID Produced _____



Property Record - 19-23-30-5892-00-220

Orange County Property Appraiser •
<http://www.ocpafl.org>

Property Summary as of 04/10/2019

Property Name

2704 Nela Ave

Names

Denny Cynthia B

Municipality

BI - Belle Isle

Property Use

0103 - Single Fam Class III

Mailing Address

2704 Nela Ave
Belle Isle, FL 32809-6173

Physical Address

2704 Nela Ave
Orlando, FL 32809



QR Code For Mobile Phone




2704 NELA AVE, ORLANDO, FL 32809 2/27/2019 8:17 AM



302319589200220 09/04/2013



302319589200220 09/29/2006





City of Belle Isle
 Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
 Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

Product Approval Form

DATE: 4-10-19

PERMIT # 2019-04-037

PROJECT ADDRESS 2704 Ndcw Ave., Belle Isle, Belle Isle, FL X 32809 32812

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72m, please provide the information and approval numbers of the building components listed below if they will be utilized on the building or structure. FL Approved products are listed online at www.floridabuilding.org or can be obtained from the local product supplier. The following information must be turned in with permit application and available onsite for inspections:

• **NOTE: The installation instructions must be posted on-site before your first inspection!!**

Product Type	Manufacturer	Model/Series	FL Product Approval #	Product Type	Manufacturer	Model/Series	FL Product Approval #
EXTERIOR DOORS				WALL PANELS			
Swinging				Sliding			
Sliding				Soffits			
Sectional/Rollup				Storefront			
Other				Glass Block			
				Other			
WINDOWS				ROOFING PRODUCTS			
Single/Dbf Hung				Asphalt Shingles	<u>Owens Corning</u>	<u>Duration</u>	<u>FL10674-R13</u>
Horizontal Slider				Non Struct Metal			
Casement				Roofing Tiles			
Fixed				Single Ply Roof			
Mullion				Underlayment	<u>Owens</u>	<u>Phinc</u>	<u>FL9771-R11</u>
Skylights				Other			
Other							
STRUCTURAL COMPONENTS				OTHER			
Wood Connectors							
Wood Anchors							
Truss Plates							
Insulation Forms							
Lintels							
Other							

It is the applicant's responsibility to verify that specific products have been installed in accordance with their limitations and with the minimum required design pressures for the structure. Specific compliance will be verified during field inspections.

Applicant Signature Debra A. Dean

Date 4.10.19



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL10674-R13								
Application Type	Revision								
Code Version	2017								
Application Status	Approved								
Comments	Archived								
Product Manufacturer	Owens Corning								
Address/Phone/Email	One Owens Corning Parkway Toledo, OH 43659 (740) 404-7829 greg.keeler@owenscorning.com								
Authorized Signature	Greg Keeler greg.keeler@owenscorning.com								
Technical Representative	Mel Sancrant								
Address/Phone/Email	1 Owens Corning PKWY Toledo, OH 43659 (419) 376-8360 mel.sancrant@owenscomig.com								
Quality Assurance Representative									
Address/Phone/Email									
Category	Roofing								
Subcategory	Asphalt Shingles								
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received								
Florida Engineer or Architect Name who developed the Evaluation Report	Robert J.M. Nieminen								
Florida License	PE-59166								
Quality Assurance Entity	UL LLC								
Quality Assurance Contract Expiration Date	05/16/2020								
Validated By	John W. Knezevich, PE ✓ Validation Checklist - Hardcopy Received								
Certificate of Independence	FL10674_R13_COI_2017_01_COI_Nieminen.pdf								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ASTM D3161</td> <td>2016</td> </tr> <tr> <td>ASTM D3462</td> <td>2010</td> </tr> <tr> <td>ASTM D7158</td> <td>2011</td> </tr> </tbody> </table>	Standard	Year	ASTM D3161	2016	ASTM D3462	2010	ASTM D7158	2011
Standard	Year								
ASTM D3161	2016								
ASTM D3462	2010								
ASTM D7158	2011								
Equivalence of Product Standards Certified By									
Sections from the Code									

Product Approval Method

Method 1 Option D

Date Submitted

10/10/2017

Date Validated

10/11/2017

Date Pending FBC Approval

10/15/2017

Date Approved

12/12/2017

Summary of Products

FL #	Model, Number or Name	Description
10674.1	Owens Corning Asphalt Roofing Shingles and Starters	3-tab, 4-tab, 5-tab, laminated, starter and hip & ridge shingles
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Refer to ER, Section 5.		Installation Instructions FL10674 R13 II 2017 10 FINAL ER OC ASPHALT SHINGLES FL10674-R13.pdf Verified By: Robert J. M. Nieminen PE - 59166 Created by Independent Third Party: Yes Evaluation Reports FL10674 R13 AE 2017 10 FINAL ER OC ASPHALT SHINGLES FL10674-R13.pdf Created by Independent Third Party: Yes

[Back](#)

[Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).



Credit Card
Safe





EXTERIOR RESEARCH & DESIGN, LLC.

Certificate of Authorization #9503

353 CHRISTIAN STREET, UNIT #13

OXFORD, CT 06478

(203) 262-9245

EVALUATION REPORT

Owens Corning

One Owens Corning Parkway

Toledo, OH 43659

(740) 404-7829

Evaluation Report O37940.02.12-R8

FL10674-R13

Date of Issuance: 02/06/2012

Revision 8: 10/09/2017

SCOPE:

This Evaluation Report is issued under **Rule 61G20-3** and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code and Florida Building Code, Residential Volume. The products described herein have been evaluated for compliance with the **6th Edition (2017) Florida Building Code** sections noted herein.

DESCRIPTION: Owens Corning Asphalt Roof Shingles

LABELING: Labeling shall be in accordance with the requirements the Accredited Quality Assurance Agency noted herein and **FBC 1507.2.7.1 / R905.2.6.1**.

CONTINUED COMPLIANCE: This Evaluation Report is valid until such time as the named product(s) changes, the referenced Quality Assurance documentation changes, or provisions of the Code that relate to the product change. Acceptance of this Evaluation Report by the named client constitutes agreement to notify Robert Nieminen, P.E. if the product changes or the referenced Quality Assurance documentation changes. Trinity|ERD requires a complete review of this Evaluation Report relative to updated Code requirements with each Code Cycle.

ADVERTISEMENT: The Evaluation Report number preceded by the words "Trinity|ERD Evaluated" may be displayed in advertising literature. If any portion of the Evaluation Report is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire Evaluation Report shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This Evaluation Report consists of pages 1 through 8.

Prepared by:

Robert J.M. Nieminen, P.E.

Florida Registration No. 59166, Florida DCA ANE1983



The facsimile seal appearing was authorized by Robert Nieminen, P.E. on 10/09/2017. This does not serve as an electronically signed document.

CERTIFICATION OF INDEPENDENCE:

1. Trinity|ERD does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or distributing products it evaluates.
2. Trinity|ERD is not owned, operated or controlled by any company manufacturing or distributing products it evaluates.
3. Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which the evaluation reports are being issued.
4. Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.
5. This is a building code evaluation. Neither Trinity|ERD nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.

ROOFING SYSTEMS EVALUATION:

1. SCOPE:

Product Category: Roofing
Sub-Category: Asphalt Shingles

Compliance Statement: Owens Corning Asphalt Roof Shingles, as produced by Owens Corning, have demonstrated compliance with the following sections of the 6th Edition (2017) Florida Building Code and Florida Building Code, Residential Volume through testing in accordance with the following Standards. Compliance is subject to the Installation Requirements and Limitations / Conditions of Use set forth herein.

2. STANDARDS:

<u>Section</u>	<u>Property</u>	<u>Standard</u>	<u>Year</u>
1507.2.5, R905.2.4	Physical Properties	ASTM D3462	2010
1507.2.7.1, R905.2.6.1	Wind Resistance	ASTM D3161	2016
1507.2.7.1, R905.2.6.1	Wind Resistance	ASTM D7158	2011

3. REFERENCES:

<u>Entity</u>	<u>Examination</u>	<u>Reference</u>	<u>Date</u>
UL LLC (CER9626)	Physicals & Wind Resistance	File R2453, Vol. 3	02/15/2007
UL LLC (CER9626)	Physicals & Wind Resistance	20120516-R2453	05/16/2012
UL LLC (TST9628)	Physical Properties	06CA20263	04/18/2006
UL LLC (TST9628)	Wind Resistance	11CA34308	02/18/2012
UL LLC (TST9628)	Physicals & Wind Resistance	4786093137	02/01/2014
UL LLC (TST9628)	Wind Resistance	4786126532	02/10/2014
UL LLC (TST9628)	Physical Properties	Classification letter	02/13/2014
UL LLC (TST9628)	Physical Properties	Classification letter	10/02/2015
Miami-Dade (CER1592)	FBC HVHZ Compliance	Various NOAs	Various
UL LLC (QUA9625)	Quality Control	Service Confirmation	Exp. 05/16/2020

4. PRODUCT DESCRIPTION:

4.1 Asphalt Shingles:

- 4.1.1 Classic[®] and Supreme[®] are fiberglass reinforced, 3-tab asphalt roof shingles.
- 4.1.2 Berkshire[®] are fiberglass reinforced, 4-tab asphalt roof shingles.
- 4.1.3 Devonshire[™] are fiberglass reinforced, 5-tab asphalt roof shingles.
- 4.1.4 Duration[®], TruDefinition[®] Duration[®], Duration[®] Premium Cool, TruDefinition[®] Duration[®] Designer Color Collection, TruDefinition[®] Oakridge[®], Oakridge[®] and WeatherGuard[®] HP are fiberglass reinforced, laminated asphalt roof shingles.

4.2 Hip & Ridge Shingles:

- 4.2.1 Berkshire[®] Hip & Ridge Shingles, High Ridge, WeatherGuard[®] HP Hip & Ridge Shingles, ProEdge Hip & Ridge Shingles and DuraRidge[™] Hip & Ridge Shingles are fiberglass reinforced, hip and ridge asphalt roof shingles.

4.3 Accessory Starter Strips:

- 4.3.1 Starter Strip Shingle, Starter Strip Plus and Starter Shingle Roll are starter strips for asphalt roof shingles.

5. LIMITATIONS:

- 5.1 This is a building code evaluation. Neither Trinity|ERD nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.
- 5.2 This Evaluation Report is not for use in FBC HVHZ jurisdictions.
- 5.3 Fire Classification is not part of this Evaluation Report; refer to current Approved Roofing Materials Directory for fire ratings of this product.

5.4 Wind Classification:

- 5.4.1 All Owens Corning asphalt shingles noted herein are Classified in accordance with FBC Tables 1507.2.7.1 and R905.2.6.1 to ASTM D3161, Class F and/or ASTM D7158, Class H, indicating the shingles are acceptable for use in all wind zones up to $V_{asd} = 150$ mph ($V_{uit} = 194$ mph). Refer to Section 6 for installation requirements to meet this wind rating.
- 5.4.2 All Owens Corning hip & ridge shingles, Starter Strip Shingle and Starter Strip Plus noted herein are Classified in accordance with FBC Tables 1507.2.7.1 and R905.2.6.1 to ASTM D3161, Class F, indicating the shingles are acceptable for use in all wind zones up to $V_{asd} = 150$ mph ($V_{uit} = 194$ mph). Refer to Section 6 for installation requirements to meet this wind rating.
- 5.4.3 Classification by ASTM D7158 applies to exposure category B or C, as defined in FBC 1609.4.3, and a mean roof height of 60 feet or less. Calculations by a qualified design professional are required for conditions outside these limitations. Contact the shingle manufacturer for data specific to each shingle.
- 5.4.4 Refer to Owens Corning published information on wind resistance and installation limitations.
- 5.5 All products in the roof assembly shall have quality assurance audit in accordance with F.A.C. Rule 61G20-3.

6. INSTALLATION:

6.1 Underlayment:



- 6.1.1 Underlayment shall be acceptable to Owens Corning and shall hold current Florida Statewide Product Approval, or be Locally Approved per Rule 61G20-3, per FBC 1507.2.3, 1507.2.4 or R905.2.3.

6.2 Asphalt Shingles:



- 6.2.1 Installation of asphalt shingles shall comply with the Owens Corning current published instructions, using minimum four (4) nails per shingle in accordance with FBC 1507.2.7 or R905.2.6, with the following exceptions:
 - Berkshire shingles require minimum five (5) nails per shingle.
 - WeatherGuard HP shingles require minimum six (6) nails per shingle.
 - Devonshire™ shingles require minimum six (6) nails per shingle.
 - Starter Strip Shingle and Starter Strip Plus require minimum five (5) nails per strip.

Refer to Owens Corning published information on wind resistance and installation limitations.


- 6.2.2 Fasteners shall be in accordance with the manufacturer’s published requirements, but not less than FBC 1507.2.6 or R905.2.5. Staples are not permitted.
- 6.2.4 Where the roof slope exceeds 21 units vertical in 12 units horizontal, special methods of fastening are required. See figures below for details.
- 6.2.5 Minimum Nailing – Starter Strip Shingle and Starter Strip Plus:




6.2.6 Minimum Nailing – Classic® & Supreme:




6.2.7 Minimum Nailing – Berkshire®:



Standard Fastening Pattern




6-Nail Fastening Pattern




Mansard or Steep Slope Fastening Pattern

6.2.8 Minimum Nailing – Devonshire™:




Standard 6-Nail Fastening Pattern




Mansard or Steep Slope Fastening Pattern


6.2.9 Minimum Nailing – Duration®, TruDefinition® Duration, Duration® Premium Cool & TruDefinition® Duration® Designer Color Collection:



Standard Fastening Pattern




6-Nail Fastening Pattern




Mansard or Steep Slope Fastening Pattern


6.2.1 Minimum Nailing – TruDefinition® Oakridge®, Oakridge®:



Standard Fastening Pattern




6-Nail Fastening Pattern





Mansard or Steep Slope Fastening Pattern

6.2.1 Minimum Nailing – WeatherGuard® HP:





6.3 Hip & Ridge Shingles:


- 6.3.1 Installation of **Berkshire[®] Hip and Ridge Shingles, High Ridge, WeatherGuard[®] HP Hip and Ridge Shingles and ProEdge Hip & Ridge Shingles** shall comply with the **Owens Corning** current published instructions, using four (4) nails per shingle. Installation of **DuraRidge™ Hip & Ridge Shingles** shall comply with the **Owens Corning** current published instructions, using two (2) nails per shingle. Refer to **Owens Corning** published information on wind resistance and installation limitations, including the use of hand-sealing for wind warranties.
- 6.3.2 Fasteners shall be in accordance with the manufacturer's published requirements, but not less than **FBC 1507.2.6 or R905.2.5**. Staples are not permitted.
- 6.3.3 **Minimum Nailing – Berkshire[®] Hip & Ridge and High Ridge:**



6.3.4 Minimum Nailing – WeatherGuard[®] HP Hip and Ridge:




6.3.5 Minimum Nailing - ProEdge Hip & Ridge Shingles:



6.3.6 Minimum Nailing – DuraRidge™ Hip & Ridge Shingles:

Note: The drawings below pertain to minimum, as-tested attachment requirements. Refer to Owens Corning published installation instructions for their minimum requirements.



7. LABELING:

- 7.1 Labeling shall be in accordance with the requirements the Accredited Quality Assurance Agency noted herein.
- 7.2 Asphalt shingle wrappers shall indicate compliance with one of the required classifications detailed in **FBC Table 1507.2.7.1 / R905.2.6.1**.

8. BUILDING PERMIT REQUIREMENTS:

As required by the Building Official or Authority Having Jurisdiction in order to properly evaluate the installation of this product.

9. MANUFACTURING PLANTS:

Contact the named QA entity for information on which plants produce products covered by Florida Rule 9N-3 QA requirements.

10. QUALITY ASSURANCE ENTITY:

UL LLC- QUA9625 ; (631) 546-2458; Kanchi.Agrawala-Dokania@ul.com

- END OF EVALUATION REPORT -



[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [Contact Us](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 Application Detail

OFFICE OF THE SECRETARY

FL #	FL9777-R11												
Application Type	Revision												
Code Version	2017												
Application Status	Approved												
Comments													
Archived	<input type="checkbox"/>												
Product Manufacturer	Owens Corning												
Address/Phone/Email	One Owens Corning Parkway Toledo, OH 43659 (740) 404-7829 greg.keeler@owenscorning.com												
Authorized Signature	Greg Keeler greg.keeler@owenscorning.com												
Technical Representative													
Address/Phone/Email													
Quality Assurance Representative													
Address/Phone/Email													
Category	Roofing												
Subcategory	Underlayments												
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received												
Florida Engineer or Architect Name who developed the Evaluation Report	Zachary R. Priest												
Florida License	PE-74021												
Quality Assurance Entity	UL LLC												
Quality Assurance Contract Expiration Date	12/31/2020												
Validated By	Locke Bowden P.E. <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received												
Certificate of Independence	FL9777 R11 COI OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf												
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ASTM D 1970</td> <td>2015</td> </tr> <tr> <td>ASTM D 226</td> <td>2009</td> </tr> <tr> <td>ASTM G 155</td> <td>2005</td> </tr> <tr> <td>TAS 103</td> <td>1995</td> </tr> <tr> <td>UL 1897</td> <td>2012</td> </tr> </tbody> </table>	Standard	Year	ASTM D 1970	2015	ASTM D 226	2009	ASTM G 155	2005	TAS 103	1995	UL 1897	2012
Standard	Year												
ASTM D 1970	2015												
ASTM D 226	2009												
ASTM G 155	2005												
TAS 103	1995												
UL 1897	2012												
Equivalence of Product Standards Certified By													
Sections from the Code													

Product Approval Method

Method 1 Option D

Date Submitted 10/11/2017
 Date Validated 10/11/2017
 Date Pending FBC Approval 10/17/2017
 Date Approved 12/12/2017

Summary of Products

FL #	Model, Number or Name	Description
9777.1	Weatherlock G	Weatherproofing Underlayment
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Created by Independent Third Party: Yes
9777.2	WeatherLock G (High Tear)	Weatherproofing Underlayment
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Created by Independent Third Party: Yes
9777.3	Weatherlock MAT	Waterproofing Underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: No Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8b 2017 FBC Evaluation Report Weatherlock HVHZ.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8b 2017 FBC Evaluation Report Weatherlock HVHZ.pdf Created by Independent Third Party: Yes
9777.4	Weatherlock MAT	Waterproofing Underlayment
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Created by Independent Third Party: Yes
9777.5	WeatherLock Metal	Weatherproofing Underlayment
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Created by Independent Third Party: Yes
9777.6	WeatherLock Metal	Weatherproofing Underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: No Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8b 2017 FBC Evaluation Report Weatherlock HVHZ.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AE OCR14002.8b 2017 FBC Evaluation Report Weatherlock HVHZ.pdf Created by Independent Third Party: Yes

9777.7	WeatherLock Specialty Tile & Metal	Weatherproofing Underlayment
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +0/-142.5 Other: See evaluation report for limits of use.		Installation Instructions FL9777 R11 II OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL9777 R11 AF OCR14002.8a 2017 FBC Evaluation Report Weatherlock Non-HVHZ.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824](#)

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please [click here](#).

Product Approval Accepts:



Credit Card
Safe





EVALUATION REPORT

FLORIDA BUILDING CODE, 6TH EDITION (2017)

Manufacturer: OWENS CORNING ROOFING AND ASPHALT LLC *Issued October 11, 2017*
 1 Owens Corning Parkway
 Toledo, OH 43657
 (800) 438-7465
www.owenscorning.com

Manufacturing Location: Brentwood, NH
 Houston, TX

Quality Assurance: UL LLC (QUA9625)

SCOPE

Category: Roofing
Subcategory: Underlayments
Code Sections: 1504.3.1, 1507.1.1
Properties: Physical properties

REFERENCES

<u>Entity</u>	<u>Report No.</u>	<u>Standard</u>	<u>Year</u>
PRI Construction Materials Technologies (TST5878)	NEI-039-02-01	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	NEI-042-02-01REV2	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	NEI-045-02-01	TAS 103	1995
PRI Construction Materials Technologies (TST5878)	NEI-045-02-01	ASTM G 155	2005a
PRI Construction Materials Technologies (TST5878)	NEI-053-02-01	TAS 103	1995
PRI Construction Materials Technologies (TST5878)	NEI-053-02-01	ASTM G 155	2005a
PRI Construction Materials Technologies (TST5878)	NEI-093-02-02	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	OCF-213-02-01	ASTM D 1623	2009
PRI Construction Materials Technologies (TST5878)	OCF-237-02-01	UL 1897	2012
PRI Construction Materials Technologies (TST5878)	OCF-252-02-01	ASTM D 4798	2001
PRI Construction Materials Technologies (TST5878)	OCF-252-02-01	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	OCF-253-02-02	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	OCF-272-02-01	TAS 103	1995
PRI Construction Materials Technologies (TST5878)	OCF-296-02-02	ICC-ES AC 188 ¹	2012
		ICC-ES AC 48	2012
PRI Construction Materials Technologies (TST5878)	OCF-297-02-01.1	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	OCF-318-02-01	ASTM D 1970	2015
PRI Construction Materials Technologies (TST5878)	OCF-320-02-01	TAS 103	1995
PRI Construction Materials Technologies (TST5878)	OCF-320-02-01	ASTM G 155	2005a
PRI Construction Materials Technologies (TST5878)	OCF-321-02-01	ASTM D 1623	2009
PRI Construction Materials Technologies (TST5878)	OCF-322-02-01	UL 1897	2012
PRI Construction Materials Technologies (TST5878)	OCF-355-02-01	UL 1897	2012

¹Determined to be equivalent to ASTM D 226-09, Type I and II

PRODUCT DESCRIPTION AND LIMITS OF USE

WeatherLock® G
(Brentwood, NH)

WeatherLock® G is an ASTM D 1970 self-adhesive underlayment constructed from SBS modified asphalt, a fiberglass mat reinforcement and surfaced with granules. The product is supplied in 2-sq. rolls with nominal dimensions of 3-ft x 66.7-ft.

WeatherLock® G is permitted to be used as prescribed in FBC Section 1507.1.1 for mechanically attached roofing coverings. Exposure on the roof deck shall be limited to a maximum 30 days.

WeatherLock® Mat
(Brentwood, NH or
Houston, TX)

WeatherLock® Mat is an ASTM D 1970 self-adhesive underlayment constructed from SBS modified asphalt with a fiberglass mat reinforcement. The product is supplied in 1-sq. rolls with nominal dimensions of 3-ft x 33.3-ft and 2 sq. rolls with nominal dimensions of 3-ft x 66.7-ft.

WeatherLock® Mat is permitted to be used as prescribed in FBC Section 1507.1.1 for mechanically attached roof coverings. Exposure on the roof deck shall be limited to a maximum 30 days.

WeatherLock® Metal
(Brentwood, NH)

WeatherLock® Metal is an ASTM D 1970 self-adhesive underlayment constructed from SBS modified asphalt with a fiberglass mat reinforcement and plastic film surface. The product is supplied in 2.0 sq. rolls with nominal dimensions of 3-ft x 66.7-ft.

WeatherLock® Metal is permitted to be used as prescribed in FBC Section 1507.1.1 for mechanically attached roof coverings. Exposure on the roof deck shall be limited to a maximum 90 days.

**WeatherLock®
Specialty Tile & Metal**
(Brentwood, NH or
Houston, TX)

WeatherLock® Specialty Tile & Metal is an ASTM D 1970 self-adhesive underlayment constructed from SBS modified asphalt and surfaced with a non-woven polyester fabric. The product is supplied in 2.14 sq. rolls with nominal dimensions of 3-ft x 71.3-ft.

WeatherLock® Specialty Tile & Metal is permitted to be used as prescribed in FBC Section 1507.1.1. WeatherLock® Specialty Tile & Metal is permitted to be used with adhered clay or concrete tile roofing using either ICP Adhesives Polyset AH-160 (ICP Adhesives and Sealants, Inc.) or TILE BOND™ Roof Tile Adhesive (The Dow Chemical Company). Exposure on the roof deck shall be limited to a maximum 90 days.

The maximum roof slope shall be 6:12 when used with clay or concrete tile installations without battens. Tile shall be stored on battens for roof slopes greater than 6:12. Tiles shall not be stacked greater 10 tiles per stack.

**WeatherLock® G (High
Tear)**
(Houston, TX)

WeatherLock® G (High Tear) is a self-adhered, underlayment used as an alternative to ASTM D 226, Type I or Type II roofing felt and ASTM D 1970 self-adhering polymer modified bitumen underlayment. The underlayment is composed of SBS modified asphalt with a fiberglass mat internal reinforcement and is surfaced with granules. The product is supplied with a nominal thickness of 50 mils in 1.95-sq rolls with nominal dimensions of 3-ft x 65-ft.

WeatherLock® G (High Tear) is permitted to be used as prescribed in FBC Section 1507.1.1 for mechanically attached roof coverings. Exposure on the roof deck shall be limited to a maximum 30 days.

PRODUCT APPLICATION

Min. Roof Slope: 2:12 in accordance with the FBC

Application: *All underlayments shall be installed in accordance with the FBC.*

Deck substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the deck shall be checked for protrusion and corrected prior to underlayment application. Prior to beginning installation, the underlayment shall be unrolled and allowed to relax for a minimum of 3-5 minutes.

The underlayment shall be installed with the release backer removed and pressed firmly into place to ensure complete contact with the deck. The underlayment shall be installed with the roll length parallel to the eave, starting at the eave, and with minimum 3" side laps and minimum 6" end laps staggered min. 6-ft. from preceding course. Additionally, if applying WeatherLock® Specialty Tile & Metal, end laps shall be primed with ASTM D 41 primer or sealed with asphalt roof cement a minimum of 3-4 inches across the width of the lap.

It is permissible to back nail the underlayment 12-inches on-center as needed (nails shall be installed perpendicular to deck with the nail heads flush to the top surface of the underlayment). Additionally, WeatherLock® Specialty Tile & Metal shall be back nailed when installed on roof slopes greater than 3:12.

Min. Application Temperature: 40°F; *Contact the manufacturer when installing at temperatures below the minimum application temperature.*

WIND RESISTANCE

The *Maximum Design Pressures* shown below were calculated using a 2:1 margin of safety per FBC Section 1504.9.

Underlayment System No.1 – WeatherLock Specialty Tile & Metal Only

Roof Deck: Min. 15/32-inch CDX plywood attached to wood supports spaced a maximum 24" o.c.

Underlayment: **WeatherLock® Specialty Tile & Metal** shall be applied in accordance with manufacturer's installation instructions to the fastened deck and backnailed along the selvaige with minimum 12ga., 1-1/4-inch galvanized ring shank roofing nails through *optionally primed*, 32ga. x 1-5/8-inch Ø tin caps spaced 12" o.c. The applied underlayment shall be rolled with a minimum 75lb steel roller immediately following application.

Maximum Design Pressure: -142.5 psf

GENERAL LIMITATIONS

- 1) This evaluation report is not use in the HVHZ.
- 2) Fire Classification is not within the scope of this evaluation.
- 3) Installation of the evaluated product shall comply with this report, the FBC, and the manufacturer's published application instructions. Where discrepancies exist between these sources, the more restrictive and FBC compliant installation detail shall prevail.
- 4) The roof deck shall be constructed of closely fitted plywood sheathing for new or existing construction.
- 5) The space under the deck area shall be properly ventilated in accordance with the FBC requirements.
- 6) All side lap seams shall be installed to shed water from the deck.
- 7) The underlayment may be used as described in other current FBC product approval documents.
- 8) Design wind load pressures shall be determined for components and cladding in accordance with FBC 1609.
- 9) The roof deck shall be designed by others in accordance with FBC requirements to resist the design wind load pressures for components and cladding.
- 10) *Maximum Design Pressures* for a given underlayment shall meet or exceed the design wind loads determined for the roof assembly.
- 11) All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

The products evaluated herein by Zachary R. Priest, P.E. have demonstrated compliance with the Florida Building Code 6th Edition (2017) as evidenced in the referenced documents submitted by the named manufacturer.




Digitally signed by Zachary R. Priest

2017.10.11

09:06:29

-04'00'

Zachary R. Priest, P.E.
Florida Registration No. 74021
Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT

RICK SCOTT, GOVERNOR

JONATHAN ZACHEM, SECRETARY



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

THE ROOFING CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

DEAN, DEBRA A

PROGUARD RESTORATION, INC.
3601 CELERY AVE.
SANFORD, FL 32771

LICENSE NUMBER: CCC1330234

EXPIRATION DATE: AUGUST 31, 2020

Always verify licenses online at MyFloridaLicense.com



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



SEMINOLE COUNTY BUSINESS TAX RECEIPT

JOEL M. GREENBERG, SEMINOLE COUNTY TAX COLLECTOR

PO BOX 630 | SANFORD, FL 32772 | 407-665-1000

WWW.SEMINOLECOUNTY.TAX

VALID THROUGH 09/30/19

PROGUARD RESTORATION INC
3601 CELERY AVE
SANFORD, FL 32771

Account #:191943

DEBRA A DEAN (OFFICER)
RANDY BRYANT (OFFICER)

REGULATED
License # - CCC1330234
Qualifier- DEBRA A DEAN

Receipt #: 10272018100112597

Amount Paid: \$ 45.00

Date Paid: 10/01/2018

BUSINESS OWNER, PLEASE NOTE THE FOLLOWING:

◦ **DISPLAY THE ABOVE RECEIPT PROMINENTLY:** This Business Tax Receipt shall be displayed conspicuously at the place of business in such a manner that it can be open to the view of the public and subject to inspection by all duly authorized officers of the County. Upon failure to do so the business shall be subject to the payment of another business tax for the same business or profession.

◦ **RENEW THIS TAX BEFORE IT EXPIRES:** Pursuant to Florida Statutes, all Business Tax Receipts shall be issued by the Tax Collector beginning July 1st of each year, and it shall expire on September 30th of the succeeding year. Those Business Tax Receipts issued as renewal accounts beginning October 1st shall be delinquent and subject to a delinquency penalty of 10% for the month of October, plus an additional 5% penalty for each month of delinquency thereafter until paid; provided that the total penalty shall not exceed 25% of the business tax for the delinquent establishment (Florida Statute [FS] 205.053 [1]).

A 25% penalty shall be imposed on any individual engaged in any new business or profession without first obtaining a Seminole County Business Tax receipt ([FS] 205.053 [2]).

This Business Tax Receipt is only a receipt for business taxes paid. It does not permit the taxpayer to violate any existing regulatory or zoning laws of the state, county, or municipality, nor does it exempt the taxpayer from any other required licenses, registrations, certifications, or permits. Business Tax requirements are subject to legislative change.

◦ **REPORT ALL CHANGES:** The holder of this Business Tax Receipt is required to report a change in the following: Ownership, Business Location, Mailing Address, or any other information that would alter the status of the current year's information. This includes, but is not limited to, the loss of or a change in a State or Regulatory License which was used to qualify for the business identified on the current County Business Tax Receipt. If you have any changes to report, contact the Business Tax Department at 407-665-7636.

PROGUARD RESTORATION INC
3601 CELERY AVE
SANFORD, FL 32771



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
7/25/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER SIHLE INSURANCE GROUP, INC. P. O. BOX 160398 ALTAMONTE SPRINGS FL 32716	CONTACT NAME: Certificate Department	
	PHONE (A/C, No. Ext): 407-869-5490	FAX (A/C, No): 407-389-3580
E-MAIL ADDRESS: Certificates@sihle.com		
INSURER(S) AFFORDING COVERAGE		NAIC #
INSURER A: Bridgefield Employers Ins. Co.		10701
INSURER B: Main Street America Protection Insurance		13026
INSURER C:		
INSURER D:		
INSURER E:		
INSURER F:		

INSURED ADVASPR-01
 Advanced Sprinkler Systems of Central Florida, Inc
 12804 Broleman Road
 Orlando FL 32832

COVERAGES **CERTIFICATE NUMBER:** 374011580 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
B	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input checked="" type="checkbox"/> LOC <input type="checkbox"/> OTHER:			MPG87199	4/25/2018	4/25/2019	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			83018991	7/7/2018	7/7/2019	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000
B	Unscheduled Contractors Equipment Employment Practices Liab			MPG87199	4/25/2018	4/25/2019	General Aggregate \$25,000 General Aggregate \$10,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

RE: 4400 Hoffner Road Bell Isle, Fl. 32812- Permit

CERTIFICATE HOLDER **CANCELLATION**

City of Belle Isle 1600 Nela Avenue Belle Isle FL 3280	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
--	---