

City of Belle Isle Job Site Card ROOFING PERMIT 2018-08-071

<u>PERMIT MUST BE POSTED ON SITE</u> - A permit expires in 6 months if approved inspections are not recorded /scheduled within that time frame. You are responsible for scheduling and keeping track of all your inspections -

| Permit Number: 2018-08—071 | Issue Date: 8/24/2018 |
|---|--------------------------------|
| Site Address: 4230 Cranmore Ct 32812 | Parcel # 20-23-30-1661-00-710 |
| Class: □ Residential | Subdivision: |
| Description of Work: Roof 4100 SQFT. Asphalt Shingles | |
| Issued To: Jasper Contractors Inc. | Business Phone: 407 278-7788 |
| Name: Bouchard, Donald | Contractor License: CCC1331153 |
| Payment Date & Method: 3 /24/2018 □ Picked up by Visa □ Master Card □ Amex □ Discover □ Check / Money Order # | |
| "WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN AT YOUR NOTICE OF COMMENCEMENT." | PROPERTY. IF YOU INTEND TO |

Schedule Inspections via Email at: BIDscheduling@universalengineering.com
SCHEDULE INSPECTIONS BY 3:00 PM CUT OFF TIME
Inspection Results Will Be Sent Out the Following Business Day

| ROOF | INSPECTOR | DATE | COMMENTS |
|-------------------------------|-----------|------|----------|
| New Roofs Only | | | |
| Code 700 Deck Nailing, Dry-In | | | |
| Flashing | | | |
| 710 In-progress | | | |
| 720 Final | | | |

Inspection requests are to be emailed to BIDscheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. Next-Day Inspection requests must be made by 3:00pm. Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed.

Universal Engineering Sciences - 3532 Maggie Blvd., Orlando, FL 32811Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com





City of Belle Isle by:

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811 Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

APPLICATION FOR ROOFING PERMIT

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

| | 3/2018 ed hereby applies for a permit to make in | ROOF PERMIT NUMBER 2018-05-0 |
|---|---|---|
| Project Address 4230 Cranmore | Topy | , Belle Isle, FL32809X_32812 |
| Property Owner Allen Gray | | Phone407-251-8998 |
| Property Owner's Mailing Address | s 4230 Cranmore Ct | City Belle Isle |
| State FI Zip Code 32 | 2812 Parcel Id Number: 20 |)-23-30-1661-00-710 |
| | | formation, please visit http://www.ocpafl.org/Searches/ParcelSearch.aspx |
| Class of Building: Old New Type of Work: New Roof | √ Type of Building: Residenti ReRoof [X] | ial 🗵 Commercial 🗌 Other 🔲 |
| REQUIREDI Florida Product Ap | pproval Form – NOTE: installation instruct | ions must be posted on-site before your first inspection!! |
| Please indicate the nature of work by c | completing the information below: | >15 |
| Roof Square Footage: 4100 | Number of Stories: | 1 Job Valuation: \$ 24,400.00 |
| Type: Asphalt Shingles | Metal Modified Bitumen | Re-Roofing, Owens Corning FI 10674-R13, Rhino FI 152 Other Echwrap FI 17194, 41 sq, 6/12 pitch, Oakridge, Estate C |
| 407-293-8000 to setup accounts for Cor | mmercial, Construction Roll Off, or other servi | ers and commercial businesses may contact Republic Services at ces needed. Rates are fixed by contract and are available at City cement office. Failure to comply will result in a stop work order. |
| LICENSE HOLDER SIGNATURE | 12-6-2 | LICENSE # CCC1331153 |
| LICENSE HOLDER SIGNATURE _ LICENSE HOLDER NAME Donal | 7117 | LICENSE #_CCC1331153 |
| LICENSE HOLDER SIGNATURE _ LICENSE HOLDER NAMEDonal Street Address _ 515 18th St | 7117 | LICENSE #_CCC1331153 MPANY NAMEJasper Contractors |
| LICENSE HOLDER NAME Donal | ld Bouchard CO | MPANY NAME Jasper Contractors |
| LICENSE HOLDER NAME Donal Street Address 515 18th St | ld Bouchard CO | MPANY NAME Jasper Contractors 32805 Phone Number 407-278-7788 |
| LICENSE HOLDER NAME Donal Street Address 515 18th St City Orlando | ld Bouchard CO | MPANY NAME Jasper Contractors |
| LICENSE HOLDER NAME Donal Street Address 515 18th St City Orlando | ld Bouchard CO | MPANY NAME Jasper Contractors 32805 Phone Number 407-278-7788 |
| LICENSE HOLDER NAMEDonal Street Address515 18th St City _Orlando Email Address | ld Bouchard CO | Jasper Contractors 32805 Phone Number 407-278-7788 Zoning Fee \$ 30.00 |
| LICENSE HOLDER NAME Donal Street Address 515 18th St City Orlando | ld Bouchard CO | Jasper Contractors |
| LICENSE HOLDER NAMEDonal Street Address515 18th St City _Orlando Email Address Building Official: | Slate FI Zip Code | Jasper Contractors |
| Street Address _ 515 18th St City _Orlando Email Address _ Building Official: Verified Contractor's Licenses & In | Slate FI Zip Code | Jasper Contractors |
| Street Address 515 18th St City Orlando Email Address Building Official: Verified Contractor's Licenses & In | Slate FI Zip Code Date Date | Jasper Contractors |

THIS INSTRUMENT PREPARED BY:
Name: JASPER COMPRACTORS
Address: 4185 S ORLANDO DR
SANFORD, FL 32773

2018-08-071

DOC # 20180425575
07/19/2018 07:59 AM Page 1 of 1
Rec Fee: \$10.00
Deed Doc Tax: \$0.00
Mortgage Doc Tax: \$0.00
Intangible Tax: \$0.00
Phil Diamond, Comptroller
Orange County, FL
Ret To: SIMPLIFILE LC

NOTICE OF COMMENCEMENT

| | 00 23 G 27 |
|--|---|
| ormit Number: 20 · 23 - 20 · 10(01 · (Y) · | 110 |
| he undersigned heroby gives notice that improvement will be made to certain a slowing information is provided in this Notice of Commencement. | eal property, and in accordance with Chapter 713, Florida Statutes, the |
| DESCRIPTION OF PROPERTY: (Legal description of the property and street | address if available) |
| | **** |
| GENERAL DESCRIPTION OF IMPROVEMENT: Re-Roof | U LOT 71 |
| OWNER INFORMATION OR LESSEE INFORMATION IF THE LESSEE CON Names and address: CLILEN Good, 4230 C Interest in property: OWNER | TRACTED FOR THE IMPROVEMENTS. BELL TRUE 342 |
| Fee Simple Title Holder (if other than owner listed above) Name: | |
| Address:IASPER CONTRACTORS | |
| CONTRACTOR: Name: JASPER CONTRACTORS Address: 4185 S Orlando Dr. Senford, FL 32773 | Phone Number: 407-278-7788 |
| SURETY (if applicable, a copy of the payment bond is attached): Name: | |
| Address: | Amount of Bond: |
| LENDER: Name: | |
| Address: | |
| In addition, Owner designates: to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Flo | |
| Expiration Date of Notice of Commencement (The expiration is 1 year from date | |
| ARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER T INSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I. SECT YING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF, B SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FI FORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMEN | TON 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR COMMENCEMENT MUST BE RECORDED AND POSTED ON THE NANGING, GONSULT WITH YOUR LENDER OR AN ATTORNEY |
| (Software of Owner or Lesson, as Ginnels sub-reason) Authorized Officer/Director/Python (Male (agen)) Let of FL Country of Oxfor Oxfor Country oxfor Country oxfor Country oxfor Oxfor Oxfor Country oxfor Oxfor Oxfor Country oxfor Oxfo | (1.44) (reads and 1.44404 2-2, mod. 7-1 (1970) (1970) |
| 0,2 | |
| foregoing instrument was acknowledged before muthls/ 3 | day of |
| Hace of particular distanting | Who is personally known to me II OR |
| has produced identification type of identification produced: | DL |
| | |
| | 1 // 1/2 |
| | Mille of the |
| RUDITH GOICO | Houry Signature (1) |
| State of Florida-Notary Public Commission # GG 178413 My Commission Expires | |
| January 24, 2022 | |

State of FLORIDA. County of ORANGE.

Per §668.50, F.S., which defines and permits electronic signatures, I certify that this is a true copy of the document as reflected in the Official Records.

PHIL DIAMOND, COUNTY COMPTROLLER

By Janellie Rivera at 9:38 am, Jul 19, 2018

D

SEAL

Scanned by CamScanner

t indicates the state of the contract



CITY OF BELLE ISLE, FLORIDA
Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

POWER OF ATTORNEY

| Date: 08/23/19 Perm | it #: 0018.08.071 |
|--|--|
| I hereby name and appoint Cone Cirp | linski of |
| | e my lawful attorney-in-fact to act for |
| me and apply to the City of Belle Isle Building Department for a | P-Poof permit |
| for work to be performed at the following location: | (type of permit) |
| 42.30 Channore Ct., Be | elle Isle, FL 32809 = 32812 and |
| to sign my name and do all things necessary to this appointment. | |
| Certified Contractor's Printed Name: Diviced B | parchord. |
| License Number: CCC 133115 | 3 |
| Certified Contractor's Signature: | 2 |
| | (5) |
| The foregoing instrument was acknowledged before me this | |
| by Danald Bruchard who is persona | ally known to me or who produced |
| as identification | n and who did not take an oath. |
| Sharp of Grange | SKYLAR B AMKRAUT State of Florida-Notary Public Commission # GG 220805 My Commission Expires June 01, 2022 |
| Notary Public, Orange County Florida | |
| | |

(seal)



City of Belle Isle
Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

Product Approval Form

| DATE: 08/23/18 | PERMIT # 0018-08-07 |
|---|---|
| PROJECT ADDRESS 4230 Cranmare Ct. | , Belle Isle, FL3280932812 |
| As required by Florida Statue 553.842 and Florida Administrative Code 9B-72m, ple components listed below if they will be utilized on the building or structure. FL Approve obtained from the local product supplier. The following information must be turned in v | d products are listed online at www.floridabuilding.org or can be |
| NOTE: The Installation instructions must be posted on-site before your first in the state of the state o | inspection!! |
| | |

| Product Type | Manufacturer | Model/Series | FL Product Approval # | Product Type | Manufacturer | Model/Series | FL Product Approval # |
|-------------------|----------------|--------------|--------------------------|---------------------------|--------------|--------------|--------------------------|
| | EXTERIOR I | DOORS | | | WALL PA | NELS | |
| Swinging | | | | Sliding | | | |
| Sliding | | | | Soffits | | | |
| Sectional/Rollup | | | _ | Storefront | | | |
| Other | | | | Glass Block | | | |
| | | | | Other | | | |
| EVS TARRES | WINDO | NS | | 然上 就但与 数据 了 | ROOFING PRO | DUCTS | |
| Single/Dbl Hung | | | | Asphalt Shingles | Querns co | VITICEL FI | 11202118 |
| Horizontal Slider | | | | Non Struct Metal | | | 7104 7-11 |
| Casement | | | | Roofing Tiles | | | |
| Fixed | | | | Single Ply Roof | | | |
| Mullion | | | | Underlayment | Rhho | FL 152 | 110 |
| Skylights | | | | Other | F7 164 CO | 134 | 14 |
| Other | | | | | | | |
| | STRUCTURAL COL | VIPONENTS | | | OTHER | | |
| Wood Connectors | | | | | | | |
| Wood Anchors | | | | | | | |
| Truss Plates | | | | | | | |
| Insulation Forms | | | | | | | |
| Lintels | | | | | | | |
| Other | | | | | | | |

It is the applicant's responsibility to verify that specific products have been installed in accordance with their limitations and with the minimum required design pressures for the structure. Specific compliance will be verified during field inspections.

Cenenda Cepsoii

FL#

Code Version



BCIS Site Map

Contact Us





Product Approval Menu > Product or Application Search > Application List > Application Detail

FL10674-R13 Application Type Revision 2017 Application Status Approved

Comments Archived

Product Manufacturer Owens Corning

Address/Phone/Email One Owens Corning Parkway Toledo, OH 43659

(740) 404-7829 greg.keeler@owenscorning.com

Authorized Signature Grea Keeler

greg.keeler@owenscorning.com

Technical Representative Mel Sancrant

Address/Phone/Email 1 Owens Corning PKWY Toledo, OH 43659

(419) 376-8360

mel.sancrant@owenscornig.com

Quality Assurance Representative

Address/Phone/Email

Category Roofing Subcategory Asphalt Shingles

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed

PE-59166

UL LLC

Florida Professional Engineer

☐ Evaluation Report - Hardcopy Received

Robert J.M. Nieminen

Florida Engineer or Architect Name who developed

the Evaluation Report

Florida License Quality Assurance Entity

Validated By

Quality Assurance Contract Expiration Date 05/16/2020

John W. Knezevich, PE

☑ Validation Checklist - Hardcopy Received

Certificate of Independence FL10674 R13 COI 2017 01 COI Nieminen.pdf

Referenced Standard and Year (of Standard) Standard **Year ASTM D3161** 2016

ASTM D3462 2010 **ASTM D7158** 2011

Equivalence of Product Standards

Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 10/10/2017 Date Validated

Date Pending FBC Approval

Date Approved

10/11/2017 10/15/2017 12/12/2017

Summary of Products

| FL # | Model, Number or Name | Description |
|---------|--|--|
| 10674.1 | Owens Corning Asphalt Roofing Shingles and Starters | 3-tab, 4-tab, 5-tab, laminated, starter and hip & ridge shingles |
| | re: N/A | Installation Instructions FL10674 R13 II 2017 10 FINAL ER OC ASPHALT SHINGLES FL10674-R13.pdf Verified By: Robert J. M. Nieminen PE - 59166 Created by Independent Third Party: Yes Evaluation Reports FL10674 R13 AF 2017 10 FINAL ER OC ASPHALT SHINGLES FL10674-R13.pdf Created by Independent Third Party: Yes |



Contact Us :: 2601 Blair Stone Road, Tallahassee Ft. 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refund Statement

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail, If you have any questions, please contact 850, 487,1395, *Pursuant to Section 455,275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click here:





EXTERIOR RESEARCH & DESIGN, LLC.

Certificate of Authorization #9503 353 CHRISTIAN STREET, UNIT #13 OXFORD, CT 06478 (203) 262-9245

EVALUATION REPORT

Owens Corning
One Owens Corning Parkway
Toledo, OH 43659
(740) 404-7829

Evaluation Report O37940.02.12-R8

FL10674-R13

Date of Issuance: 02/06/2012 Revision 8: 10/09/2017

SCOPE:

This Evaluation Report is issued under **Rule 61G20-3** and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code and Florida Building Code, Residential Volume. The products described herein have been evaluated for compliance with the **6**th **Edition (2017) Florida Building Code** sections noted herein.

DESCRIPTION: Owens Corning Asphalt Roof Shingles

LABELING: Labeling shall be in accordance with the requirements the Accredited Quality Assurance Agency noted herein and **FBC 1507.2.7.1 / R905.2.6.1**.

CONTINUED COMPLIANCE: This Evaluation Report is valid until such time as the named product(s) changes, the referenced Quality Assurance documentation changes, or provisions of the Code that relate to the product change. Acceptance of this Evaluation Report by the named client constitutes agreement to notify Robert Nieminen, P.E. if the product changes or the referenced Quality Assurance documentation changes. Trinity|ERD requires a complete review of this Evaluation Report relative to updated Code requirements with each Code Cycle.

ADVERTISEMENT: The Evaluation Report number preceded by the words "Trinity|ERD Evaluated" may be displayed in advertising literature. If any portion of the Evaluation Report is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire Evaluation Report shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This Evaluation Report consists of pages 1 through 8.

Prepared by:

Robert J.M. Nieminen, P.E.

Florida Registration No. 59166, Florida DCA ANE1983

SENS SNO. SPISS STATE OF WAR

The facsimile seal appearing was authorized by Robert Nieminen, P.E. on 10/09/2017. This does not serve as an electronically signed document.

CERTIFICATION OF INDEPENDENCE:

- 1. Trinity|ERD does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or distributing products it evaluates.
- Trinity | ERD is not owned, operated or controlled by any company manufacturing or distributing products it evaluates.
- 3. Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which the evaluation reports are being issued.
- 4. Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.
- This is a building code evaluation. Neither Trinity|ERD nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.



ROOFING SYSTEMS EVALUATION:

1. SCOPE:

Product Category:

Roofing

Sub-Category:

Asphalt Shingles

Compliance Statement: Owens Corning Asphalt Roof Shingles, as produced by **Owens Corning**, have demonstrated compliance with the following sections of the 6th **Edition (2017) Florida Building Code** and **Florida Building Code**, **Residential Volume** through testing in accordance with the following Standards. Compliance is subject to the Installation Requirements and Limitations / Conditions of Use set forth herein.

2. STANDARDS:

| <u>Section</u> | <u>Property</u> | <u>Standard</u> | Year |
|------------------------|---------------------|-----------------|------|
| 1507.2.5, R905.2.4 | Physical Properties | ASTM D3462 | 2010 |
| 1507.2.7.1, R905.2.6.1 | Wind Resistance | ASTM D3161 | 2016 |
| 1507.2.7.1, R905.2.6.1 | Wind Resistance | ASTM D7158 | 2011 |

3. REFERENCES:

| <u>Entity</u> | <u>Examination</u> | Reference | <u>Date</u> |
|----------------------|-----------------------------|-----------------------|-----------------|
| UL LLC (CER9626) | Physicals & Wind Resistance | File R2453, Vol. 3 | 02/15/2007 |
| UL LLC (CER9626) | Physicals & Wind Resistance | 20120516-R2453 | 05/16/2012 |
| UL LLC (TST9628) | Physical Properties | 06CA20263 | 04/18/2006 |
| UL LLC (TST9628) | Wind Resistance | 11CA34308 | 02/18/2012 |
| UL LLC (TST9628) | Physicals & Wind Resistance | 4786093137 | 02/01/2014 |
| UL LLC (TST9628) | Wind Resistance | 4786126532 | 02/10/2014 |
| UL LLC (TST9628) | Physical Properties | Classification letter | 02/13/2014 |
| UL LLC (TST9628) | Physical Properties | Classification letter | 10/02/2015 |
| Miami-Dade (CER1592) | FBC HVHZ Compliance | Various NOAs | Various |
| UL LLC (QUA9625) | Quality Control | Service Confirmation | Exp. 05/16/2020 |

4. PRODUCT DESCRIPTION:

4.1 Asphalt Shingles:

- 4.1.1 Classic and Supreme are fiberglass reinforced, 3-tab asphalt roof shingles.
- 4.1.2 Berkshire are fiberglass reinforced, 4-tab asphalt roof shingles.
- 4.1.3 Devonshire™ are fiberglass reinforced, 5-tab asphalt roof shingles.
- 4.1.4 Duration, TruDefinition Duration, Duration Premium Cool, TruDefinition Duration Designer Color Collection, TruDefinition Oakridge, Oakridge and WeatherGuard HP are fiberglass reinforced, laminated asphalt roof shingles.

4.2 Hip & Ridge Shingles:

4.2.1 Berkshire Hip & Ridge Shingles, High Ridge, WeatherGuard HP Hip & Ridge Shingles, ProEdge Hip & Ridge Shingles and DuraRidge Hip & Ridge Shingles are fiberglass reinforced, hip and ridge asphalt roof shingles.

4.3 Accessory Starter Strips:

4.3.1 Starter Strip Shingle, Starter Strip Plus and Starter Shingle Roll are starter strips for asphalt roof shingles.

5. LIMITATIONS:

- 5.1 This is a building code evaluation. Neither Trinity|ERD nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.
- 5.2 This Evaluation Report is not for use in FBC HVHZ jurisdictions.
- 5.3 Fire Classification is not part of this Evaluation Report; refer to current Approved Roofing Materials Directory for fire ratings of this product.

Page 2 of 8



5.4 Wind Classification:

- 5.4.1 All Owens Corning asphalt shingles noted herein are Classified in accordance with FBC Tables 1507.2.7.1 and R905.2.6.1 to ASTM D3161, Class F and/or ASTM D7158, Class H, indicating the shingles are acceptable for use in all wind zones up to $V_{asd} = 150$ mph ($V_{ult} = 194$ mph). Refer to Section 6 for installation requirements to meet this wind rating.
- 5.4.2 All **Owens Corning hip & ridge shingles**, **Starter Strip Shingle** and **Starter Strip Plus** noted herein are Classified in accordance with **FBC Tables 1507.2.7.1** and **R905.2.6.1** to **ASTM D3161**, **Class F**, indicating the shingles are acceptable for use in all wind zones up to V_{asd} = 150 mph (V_{ult} = 194 mph). Refer to Section 6 for installation requirements to meet this wind rating.
- 5.4.3 Classification by **ASTM D7158** applies to **exposure category B or C**, as defined in **FBC 1609.4.3**, and a **mean roof height of 60 feet or less**. Calculations by a qualified design professional are required for conditions outside these limitations. Contact the shingle manufacturer for data specific to each shingle.
- 5.4.4 Refer to **Owens Corning** published information on wind resistance and installation limitations.
- 5.5 All products in the roof assembly shall have quality assurance audit in accordance with F.A.C. Rule 61G20-3.

6. Installation:

6.1 Underlayment:


6.1.1 Underlayment shall be acceptable to **Owens Corning** and shall hold current Florida Statewide Product Approval, or be Locally Approved per **Rule 61G20-3**, per **FBC 1507.2.3**, **1507.2.4** or **R905.2.3**.


6.2 Asphalt Shingles:

- 6.2.1 Installation of asphalt shingles shall comply with the **Owens Corning** current published instructions, using minimum four (4) nails per shingle in accordance with **FBC 1507.2.7** or **R905.2.6**, with the following exceptions:
 - **Berkshire** shingles require minimum five (5) nails per shingle.
 - > WeatherGuard HP shingles require minimum six (6) nails per shingle.
 - **Devonshire™** shingles require minimum six (6) nails per shingle.
 - > Starter Strip Shingle and Starter Strip Plus require minimum five (5) nails per strip.

Refer to Owens Corning published information on wind resistance and installation limitations.

- 6.2.2 Fasteners shall be in accordance with the manufacturer's published requirements, but not less than FBC 1507.2.6 or R905.2.5. Staples are not permitted.
- 6.2.4 Where the roof slope exceeds 21 units vertical in 12 units horizontal, special methods of fastening are required. See figures below for details.
- 6.2.5 Minimum Nailing Starter Strip Shingle and Starter Strip Plus:







6TH EDITION (2017) FBC NON-HVHZ EVALUATION





6.2.6 Minimum Nailing – Classic® & Supreme:






6.2.7 Minimum Nailing - Berkshire*:





Standard Fastening Pattern


6-Nail Fastening Pattern




Mansard or Steep Slope Fastening Pattern



6.2.8 Minimum Nailing - Devonshire™:







Standard 6-Nail Fastening Pattern

Mansard or Steep Slope Fastening Pattern


6.2.9 Minimum Nailing – Duration®, TruDefinition® Duration, Duration® Premium Cool & TruDefinition® Duration® Duration® Designer Color Collection:





Standard Fastening Pattern

6-Nail Fastening Pattern




Mansard or Steep Slope Fastening Pattern


6TH EDITION (2017) FBC NON-HVHZ EVALUATION

Owens Corning Asphalt Roof Shingles




6.2.1 Minimum Nailing – TruDefinition Oakridge, Oakridge:






Standard Fastening Pattern

6-Nail Fastening Pattern



Mansard or Steep Slope Fastening Pattern

6.2.1 Minimum Nailing – WeatherGuard® HP:





Page 6 of 8




6.3 Hip & Ridge Shingles:


- 6.3.1 Installation of Berkshire Hip and Ridge Shingles, High Ridge, WeatherGuard HP Hip and Ridge Shingles and ProEdge Hip & Ridge Shingles shall comply with the Owens Corning current published instructions, using four (4) nails per shingle. Installation of DuraRidge™ Hip & Ridge Shingles shall comply with the Owens Corning current published instructions, using two (2) nails per shingle. Refer to Owens Corning published information on wind resistance and installation limitations, including the use of hand-sealing for wind warranties.
- 6.3.2 Fasteners shall be in accordance with the manufacturer's published requirements, but not less than **FBC 1507.2.6 or R905.2.5**. Staples are not permitted.
- 6.3.3 Minimum Nailing Berkshire® Hip & Ridge and High Ridge:






6.3.4 Minimum Nailing – WeatherGuard® HP Hip and Ridge:









6.3.5 Minimum Nailing - ProEdge Hip & Ridge Shingles:






6.3.6 Minimum Nailing – DuraRidge™ Hip & Ridge Shingles:

Note: The drawings below pertain to minimum, as-tested attachment requirements. Refer to Owens Corning published installation instructions for their minimum requirements.





7. LABELING:

- 7.1 Labeling shall be in accordance with the requirements the Accredited Quality Assurance Agency noted herein.
- 7.2 Asphalt shingle wrappers shall indicate compliance with one of the required classifications detailed in **FBC Table 1507.2.7.1 / R905.2.6.1**.

8. BUILDING PERMIT REQUIREMENTS:

As required by the Building Official or Authority Having Jurisdiction in order to properly evaluate the installation of this product.

9. MANUFACTURING PLANTS:

Contact the named QA entity for information on which plants produce products covered by Florida Rule 9N-3 QA requirements.

10. QUALITY ASSURANCE ENTITY:

UL LLC-QUA9625; (631) 546-2458; Kanchi.Agrawala-Dokania@ul.com

END OF EVALUATION REPORT -

Page 8 of 8



BCIS Site Map

Contact Us





Product Approval Menu > Product or Application Search > Application List > Application Detail

Hot Topics

FL15216-R4 Application Type Revision Code Version Application Status Approved

Comments

Archived

Owens Corning Roofing and Asphalt, LLC Product Manufacturer

One Owens Corning Parkway Address/Phone/Email

Toledo, OH 43645 (740) 321-6345

Greg Keeler

Submit Surcharge Stats & Facts Publications

Greg.Keeler@owenscorning.com

Authorized Signature Keeler Greg

Greg.Keeler@owenscorning.com

Address/Phone/Email 2790 Columbus Road Granville, OH 43023 (740) 321-6345

greg.keeler@owenscorning.com

Quality Assurance Representative

Address/Phone/Email

Technical Representative

Category Roofing Subcategory Underlayments

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed

Florida Professional Engineer

☐ Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed

the Evaluation Report

Florida License Quality Assurance Entity

Quality Assurance Contract Expiration Date

Validated By

Robert Nieminen

PF-59166

Intertek Testing Services NA, Inc. - QA Entity

12/31/2020

John W. Knezevich, PE

☑ Validation Checklist - Hardcopy Received

Certificate of Independence FL15216 R4 COI 2018 01 COI NIEMINEN.pdf

Referenced Standard and Year (of Standard) **Standard** <u> Үеаг</u> ASTM D1970 (tear) 2015

> ASTM D226 (physicals) 2009 TAS 117(B) 1995

Equivalence of Product Standards

Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 04/20/2018
 Date Validated
 04/20/2018

 Date Pending FBC Approval
 04/22/2018

 Date Approved
 06/12/2018

Summary of Products

| FL# | Model, Number or Name | Description |
|---|--------------------------------------|--|
| 15216.1 | RhinoRoof Underlayments | Synthetic roof underlayments |
| Limits of Use Approved for use in Approved for use of Impact Resistant: N Design Pressure: N, Other: See ER Section | utside HVHZ: Yes I/A 'A | Installation Instructions FL15216 R4 II 2018 04 FINAL ER OWENS CORNING RHINOROOF FL15216-R4.pdf Verified By: Robert Nieminen PE-59166 Created by Independent Third Party: Yes Evaluation Reports FL15216 R4 AE 2018 04 FINAL ER OWENS CORNING RHINOROOF FL15216-R4.pdf Created by Independent Third Party: Yes |



Contact Us :: 2601 Blair Stone Road, Tailahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida, :: Privacy Statement :: Accessibility Statement :: Refund Statement

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click here.





Nemo etc.

Certificate of Authorization #32455 353 Christian Street, Unit #13 Oxford, CT 06478 (203) 262-9245

ENGINEER EVALUATE TEST CONSULT CERTIFY

EVALUATION REPORT

Owens Corning Roofing and Asphalt, LLC One Owens Corning Parkway Toledo, OH 43659 (740) 321-6345 Evaluation Report I40510.02.12-R4

FL15216-R4
Date of Issuance: 02/17/2012

Revision 4: 04/19/2018

SCOPE:

This Evaluation Report is issued under **Rule 61G20-3** and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code and Florida Building Code, Residential Volume. The products described herein have been evaluated for compliance with the **6**th **Edition (2017) Florida Building Code** sections noted herein.

DESCRIPTION: RhinoRoof Underlayments

LABELING: Labeling shall be in accordance with the requirements of the Accredited Quality Assurance Agency noted herein.

CONTINUED COMPLIANCE: This Evaluation Report is valid until such time as the named product(s) changes, the referenced Quality Assurance documentation changes, or provisions of the Code that relate to the product change. Acceptance of this Evaluation Report by the named client constitutes agreement to notify Robert Nieminen, P.E. of any changes to the product(s), the Quality Assurance or the production facility location(s). NEMO|etc. requires a complete review of this Evaluation Report relative to updated Code requirements with each Code Cycle.

ADVERTISEMENT: The Evaluation Report number preceded by the words "NEMO|etc. Evaluated" may be displayed in advertising literature. If any portion of the Evaluation Report is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire Evaluation Report shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This Evaluation Report consists of pages 1 through 3.

Prepared by:

Robert J.M. Nieminen, P.E.

Florida Registration No. 59166, Florida DCA ANE1983

The facsimile seal appearing was authorized by Robert
Nieminen, P.E. on 04/19/2018. This does not serve as an
electronically signed document.

CERTIFICATION OF INDEPENDENCE:

- NEMO ETC, LLC does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or distributing products it evaluates.
- 2. NEMO ETC, LLC is not owned, operated or controlled by any company manufacturing or distributing products it evaluates.
- 3. Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which the evaluation reports are being issued.
- 4. Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.
- This is a building code evaluation. Neither NEMO|etc. nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.



ROOFING COMPONENT EVALUATION:

1. SCOPE:

Product Category: Roofing
Sub-Category: Underlayment

Compliance Statement: RhinoRoof Underlayments, as produced by **Owens Corning Roofing and Asphalt, LLC**, has demonstrated compliance with the following sections of the **6**th **Edition (2017) Florida Building Code** through testing in accordance with applicable sections of the following Standards. Compliance is subject to the Installation Requirements and Limitations / Conditions of Use set forth herein.

2. STANDARDS:

| Section | <u>Properties</u> | Standard | Year |
|------------------------------|--|------------|------|
| 1507.1.1, R905.1.1 Exception | Unrolling, Breaking Strength, Pliability | ASTM D226 | 2009 |
| 1507.1.1, R905.1.1 Exception | Tear Strength | ASTM D1970 | 2015 |
| TAS 110 | Pull-through resistance | TAS 117(B) | 1995 |

3. REFERENCES:

| Entity | Examination | Reference | Date |
|---------------|---------------------------|----------------------|------------|
| ITS (TST1509) | Physical Properties | 100539395COQ-006 | 10/27/2011 |
| ITS (TST1509) | Physical Properties | 100539395COQ-002 | 10/27/2011 |
| ITS (TST1509) | Physical Properties | 100539395COQ-006 | 03/14/2014 |
| PRI (TST5878) | ASTM D1970; Tear strength | OCF-330-02-02 | 10/03/2017 |
| PRI (TST5878) | TAS 117(B); Pull-through | OCF-422-02-01 | 04/03/2018 |
| ITS (QUA1673) | Quality Control | Service Confirmation | 09/30/2017 |

4. PRODUCT DESCRIPTION:

4.1 **RhinoRoof U20** is a multilayered polymer woven coated synthetic roof underlayment available in 42-inch wide rolls, and can be produced in various other sizes; meets FBC 1507.1.1 & R905.1.1 (Exception).

5. LIMITATIONS:

- 5.1 This is a building code evaluation. Neither NEMO ETC, LLC nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this Evaluation Report, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.
- 5.2 This Evaluation Report is not for use in FBC HVHZ jurisdictions.
- 5.3 Fire Classification is not part of this Evaluation Report; refer to current Approved Roofing Materials Directory or test report from accredited testing agency for fire ratings of this product.
- 5.4 **RhinoRoof Underlayments** may be used with any prepared roof cover where the product is specifically referenced within FBC approval documents. If not listed, a request may be made to the Authority Having Jurisdiction for approval based on this evaluation combined with supporting data for the prepared roof covering.

5.5 Allowable Roof Covers:

| TABLE 1: ROOF COVER OPTIONS | | | | | | | | |
|-------------------------------|-----|--------------|--------------|-------|---------------------------|-----------------------------|--|--|
| Underlayment Asphalt Shingles | | Nail-On Tile | Foam-On Tile | Metal | Wood Shakes & Shingles | Slate or Simulated Slate | | |
| RhinoRoof U20 | Yes | No | No | Yes | Yes | No | | |

5.6 Exposure Limitations:

RhinoRoof U20 shall not be left exposed for longer than 30-days after installation.



6. INSTALLATION:

- 6.1 RhinoRoof Underlayments shall be installed in accordance with Owens Corning Roofing and Asphalt, LLC published installation instructions subject to the Limitations set forth in Section 5 herein and the specifics noted below.
- Re-fasten any loose decking panels, and check for protruding nail heads. Sweep the substrate thoroughly to remove any dust and debris prior to application.

6.3 RhinoRoof U20:

6.3.1 Shall be installed in compliance with the requirements for **ASTM D226**, **Type I or II** underlayment in **FBC Table 1507.1.1 or R905.1.1** for the type of prepared roof covering to be installed, taking into account the wider sheet-width.

6.3.2 Fasteners:

For exposure \leq 24 hours, corrosion resistant fasteners may be 1-inch roofing nails with a 3/8-inch diameter head, minimum 1-inch diameter plastic or metal cap nails or FBC HVHZ nails & 1-5/8" diameter tin caps (with the rough edge facing up). The use of staples is prohibited.

For exposure > 24 hours up to maximum 30 days, corrosion resistant fasteners shall be minimum 1-inch diameter plastic or metal cap nails or FBC HVHZ nails & 1-5/8" diameter tin caps (with the rough edge facing up). The use of staples is prohibited.

6.3.2.1 Code Reference: The Exception statement in FBC 1507.1.1 and FBC R905.1.1 states: "...except metal cap nails shall be required where the ultimate design wind speed, V_{ult}, equals or exceeds 150 mph."

Owens Corning Roofing and Asphalt, LLC has furnished data to permit the use of 1-inch diameter plastic cap nails in lieu of metal cap nails for these applications, when the **RhinoRoof U20** underlayment is installed beneath mechanically fastened prepared roof covers referenced in FBC Table 1507.1.1 or R905.1.1.

6.3.3 Single Layer; Roof Slope > 4:12:

End (vertical) laps shall be minimum 6-inches and side (horizontal) laps shall be minimum 4-inches. Refer to Owens Corning Roofing and Asphalt, LLC recommendations for alternate lap configurations and/or the use of sealant under certain conditions.

For exposure ≤ 24 hours, use of every-other fastening location printed on the surface is acceptable. For exposure > 24 hours up to maximum 30-days, use of every fastening location printed on the surface is required.

When batten systems are to be installed atop the underlayment, the underlayment need only be preliminarily attached pending attachment of the battens on the same day. Battens shall not be positioned over cap nails. If this occurs, remove the cap nail and patch the hole in accordance with Owens Corning Roofing and Asphalt, LLC published instructions.

6.3.4 Double Layer; 2:12 < Roof Slope < 4:12:

End (vertical) laps shall be minimum 12-inches and side (horizontal) laps shall be minimum half-sheet-width plus 1-inch.

Double layer application; begin by fastening a half-width plus 1-inch starter strip along the eaves. Place a full-width sheet over the starter, completely overlapping the starter course. Continue as noted in 6.3.3, but maintaining minimum half-width plus 1-inch side (horizontal) laps, resulting in a double-layer application.

Evaluation Report I40510.02.12-R4 FL15216-R4 Revision 4: 04/19/2018 Page 3 of 4



BUILDING PERMIT REQUIREMENTS:

As required by the Building Official or Authority Having Jurisdiction in order to properly evaluate the installation of this product.

8. MANUFACTURING PLANTS:

Qingdao, China

9. QUALITY ASSURANCE ENTITY:

Intertek Testing Services NA Inc. - QUA1673; (608) 836-4400

- END OF EVALUATION REPORT -

CONWAY GROVES HOMEOWNERS ASSOCIATION, INC. c/o DON ASHER AND ASSOCIATES, INC. 1801 COOK AVENUE ORLANDO, FL 32806 2913

NOTICE OF APPROVAL

April 30, 2018

ALLAN & MARGARET F R GRAY 4230 CRANMORE COURT ORLANDO FL 32812

RE: 4230 CRANMORE COURT

Dear ALLAN & MARGARET F R GRAY:

Your request for architectural change has been approved. Specifically, you have approval to proceed with the following:

Architectural approval request/Roof replacement

Architectural Review Application for the replacement of the roof using shingle color Estate Gray has been approved.

We reserve the right to make a final inspection of the change to make sure it matches the request you submitted for approval. Please follow the plan you submitted or submit an additional request form if you cannot follow the original plan.

You must follow all local building codes and setback requirements when making this change. A building permit may be needed. This can be applied for at the county offices.

Our approval here is only based on the aesthetics of your proposed change. This approval should not be taken as any certification as to the construction worthiness or or structural integrity of the change you propose. Be aware that you are responsible for contacting the appropriate utility companies before digging.

We appreciate your cooperation in submitting this request. An attractive community helps all of us get the full value from our homes when we decide to sell.

Sincerely,

Jeff Davis, LCAM

Jeff@donasher.com

Community Association Manager

| ARCHITECTURAL R | EVIEW APPLICATION |
|---|--|
| CONWAY GROVES HOMEOWNERS ASSOC c/o Don Asher and Associates 1804 Cook Avenue Orlando, FL 32808 Phone: (407) 428-4581 Page (407) 843-5788 | (For Office uses entr) |
| Mailing Address: If different from property address Name: Alen Gray | Property Description: Street Address: 4230 Cranmore Ct Belle Isle FI 32812 Lot # 71 |
| Signature: | Owners Name: Allen Gray Property Address: 4230 Cranmore Ct Belle Idle Fl 32812 Phone: Day 407-251-8998 Night: |
| SUBMITTED, IN DUPLICATE, ALONG WITH THIS FORM: 1.) PI 2) DRAWING AND COLOR SAMPLES, 3.) ONCE ARC IS APPE MITHIN 9D DAYS OR A NEW APPLICATION MUST BE SUBMIT | ROVED AND DATED. WORK MUST BE COMPLETED |
| Please complete the following, if applicable: Contractor: _lasper Contractors Phone: | Architect: Phone: |
| Purpose of Application: Check appropriate Items X Exterior Color Selections (attach color samples; Denote bo Pool (Detail color of any screen encideure and detail how p Fence Plan (Detail style, material, size and color if the fence Landscaping Plan Construction project such as screen room or room addition Other | oool equipment will be acteaned from view.) sa will be painted) |
| NO THESE PLANS HAVE BEEN REVIEWED FOR THE LIMITED PO COMPATIBILITY OF THE DESIGN PLANS OF THE COMMUNITY LIMITED BASIS. NO REVIEW HAS BEEN MADE WITH RESPECT COMPLIANCE WITH GOVERNMENTAL REGULATIONS, OR ON APPROVAL SHOULD BE MADE BY ANY PARTY WITH RESPECT THE UNDERSIGNED EXPRESSLY DISCLAIMS LIABILITY OF A THE REVIEW HEREOF, OR ANY STRUCTURES BUILT PURSULABILITY FOR NEGLIGENCE OR BREACH OF EXPRESS OR II | Y. THESE PLANS ARE REVIEWED ON THAT CT TO THE FUNCTIONABILITY, SAFETY, THERWISE AND NO RELIANCE ON THIS CT TO ANY SUCH MATTERS. NY KIND WITH RESPECT TO THESE PLANS, ANT HERETO, INCLUDING BUT NOT LIMITED TO. |
| Architectural Re | Comments by ARC: |
| Approved: Null of Du Date | 10 |
| Disapproved: Signature Date | |
| Date received by D.A.: 710018 | Date Meiled to mailing address: |
| Date submitted to ARC: | Date mailed certified: (If applicable) |
| § | 2/13/2009 |



STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD 2601 BLAIR STONE ROAD TALLAHASSEE FL 32399-0783

(850) 487-1395

BOUCHARD, DONALD JOSEPH JASPER CONTRACTORS INC. 1690 ROBERTS BOULEVARD SUITE 112 KENNESAW GA 30144

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbeque restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!



DETACH HERE

RICK SCOTT, GOVERNOR

MATILDE MILLER, INTERIM SECRETARY

STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD

LICENSE NUMBER

CCC1331153

The ROOFING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2018

BOUCHARD, DONALD JOSEPH JASPER CONTRACTORS INC. 5380 E COLONIAL DRIVE ORLANDO FL 32807







STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD 2601 BLAIR STONE ROAD TAI LAHASSEE FL 32399-0783

(850) 487-1395

STEPHEN, MICHAEL H
JASPER CONTRACTORS INC
1690 ROBERTS BLVD SUITE 112
KENNESAW GA 30144

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbeque restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!



DETACH HERE

RICK SCOTT, GOVERNOR

KEN LAWSON, SECRETARY

STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD

LICENSE NUMBER

CCC1329651

The ROOFING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2018

STEPHEN, MICHAEL H
JASPER CONTRACTORS INC
12485 AIRLINE HIGHWAY
BATON ROUGE LA 70817







CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 2/12/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to

| | he terms and conditions of the policy ertificate holder in lieu of such endor | | | | ndorse | ment. A stat | ement on th | is certificate do | es not c | onfer r | ights to the | |
|---|---|-------------------------------|------------------------|--|--|--|-------------|----------------------------------|---------------------------|---------------------------|----------------|--|
| | DDUCER | | | | CONTA | Cariell McL | _eish | | | | | |
| Pritchard & Jerden, Inc. | | | | | | | | | FAX | X C, No): 404-261-5440 | | |
| 950 East Paces Ferry Road, NE Suite 2000 | | | | | | E-MAIL ADDRESS: cmcleish@piins.com | | | | | | |
| | lanta GA 30326 | | | | MUUKE | | | DING COVERAGE | | | NAIC# | |
| 1 | | INSURER(S) AFFORDING COVERAGE | | | | | | | | | | |
| INSI | IRED | JASP | CON-0 | 1 | INSURER A: UNITED SPECIALTY INS CO | | | | | | 12537 31895 | |
| JASPCON-01 Jasper Contractors, Inc. | | | | | | INSURER B : AMERICAN INTERSTATE INS CO | | | | | | |
| | enee Van Tassell | | | | INSURER C: | | | | | | | |
| | 90 Roberts Boulevard lite 112 | | | | INSURER D : | | | | | | | |
| | nne 112 nnesaw GA 30144 | | | | INSURER E : | | | | | | | |
| | | _ | | | INSURER F : | | | | | | | |
| | | | | E NUMBER: 934740570 | | | | REVISION NUN | | | | |
| C | HIS IS TO CERTIFY THAT THE POLICIES NDICATED. NOTWITHSTANDING ANY RI ERTIFICATE MAY BE ISSUED OR MAY XCLUSIONS AND CONDITIONS OF SUCH TYPE OF INSURANCE | PERT POLI | REME TAIN, CIES. | NT, TERM OR CONDITION THE INSURANCE AFFORD LIMITS SHOWN MAY HAVE | OF AN ED BY | Y CONTRACT THE POLICIES REDUCED BY F | OR OTHER I | DOCUMENT WITH D HEREIN IS SUI | RESPE | CT TO Y | WHICH THIS | |
| A | GENERAL LIABILITY | INSR | WVD | POLICY NUMBER ATN-ATL1720054 | | 1/1/2018 | 1/1/2019 | | | | | |
| () | W) | | | A114-A1C1720004 | | 17172010 | 1/1/2019 | EACH OCCURRENCE DAMAGE TO RENTE | ED. | \$ 1,000, | | |
| | COMMENCIAL GENERAL ELABIETT | | | | | | | PREMISES (Ea occu | | \$ 50,000 | | |
| | CLAIMS-MADE OCCUR | | | | | | | MED EXP (Any one) | EXP (Any one person) \$ 0 | | | |
| | | | | | | | | PERSONAL & ADV I | NJURY | \$ 1,000, | 300 | |
| | | | | | | | | GENERAL AGGREG | ATE | \$ 2,000,0 | 300 | |
| | GEN'L AGGREGATE LIMIT APPLIES PER: | | | | | | | PRODUCTS - COMP | P/OP AGG | \$ 2,000,0 | 000 | |
| | POLICY X PRO- JECT LOC | | | | | | | Employee Benefits | | \$ 1,000,0 | 300 | |
| | AUTOMOBILE LIABILITY | | | | | | | COMBINED SINGLE (Ea accident) | LIMIT | S | | |
| | ANY AUTO | | | | | | | BODILY INJURY (Pe | r person) | \$ | | |
| | ALL OWNED SCHEDULED AUTOS | 1 | | · | | | | BODILY INJURY (Pe | r accident) | \$ | | |
| | HIRED AUTOS NON-OWNED AUTOS | | | | | | | PROPERTY DAMAG (Per accident) | E | \$ | | |
| | AGTOG | | | | | | | () Ci accident) | | \$ | | |
| | UMBRELLA LIAB OCCUR | | | | | | | EACH OCCURRENC | E. | \$ | | |
| | EXCESS LIAB CLAIMS-MADE | 6 | | | | | | AGGREGATE | _ | \$ | | |
| | DED RETENTION \$ | | | | | | 1 | Addregate | | S | | |
| В | WORKERS COMPENSATION | | | AVWCFL2574242017 | | 2/12/2018 | 2/12/2019 | WC STATU- TORY LIMITS | OTH- | Φ | | |
| | AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE | | | | | | | | ER | | | |
| | OFFICER/MEMBER EXCLUDED? | N/A | | | | | 1 | E.L. EACH ACCIDEN | | \$ 500,00 | | |
| | (Mandatory in NH) If yes, describe under | | | | | | + | E.L. DISEASE - EA E | | | | |
| | DESCRIPTION OF OPERATIONS below | | - | | | | | E.L. DISEASE - POLI | ICYLIMIT | \$ 500,00 | 0 | |
| | | | | | | | | | | | | |
| DESC | CRIPTION OF OPERATIONS / LOCATIONS / VEHIC | LES (A | Attach / | ACORD 101, Additional Remarks \$ | Schedule | , if more space is | required) | | | | | |
| CEF | RTIFICATE HOLDER | | | | CANC | ELLATION | | | | | | |
| City of Belle Isle 1600 Nela Avenue | | | | | SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. | | | | | | | |
| | Belle Isle FL 32809 | | | | | AUTHORIZED REPRESENTATIVE | | | | | | |

JUJU IZAHUDIPH, TAX DUNGULUI

Clarige Coultry, I fortide

This local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other awful authorities. This receipt is valid from October 1 through September 30 of receipt year. Delinquent penalty is added October 1.

EXPIRES

9/30/2018

1806-1147430

ROOFING CONTRACTOR

\$30.00

EMPLOYEE : 5000

BUSINESS OFFICE

\$50.00 55

EMPLOYEE |

TOTAL TAX PREVIOUSLY PAID TOTAL DUE

\$80,00 \$80.00 \$0.00

WEDDING BRIAN STEPHEN MICHAEL H (QUALIFIER)

JASPER CONTRACTORS INC 1690 ROBERTS BLVD NW STE 112 KENNESAW GA 30144-7830

5380 E COLONIAL DR U - ORLANDO, 32807

PAID: \$80.00 0098-00782908 7/18/2017

Local Business Tax Receipt Scott Randolph, Tax Collector Orange County, Florida

This local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other awful authorities. This receipt is valid from October 1 through September 30 of receipt year. Delinquent penalty is added October 1.

2017

EXPIRES

9/30/2018

1806-1147430

ROOFING CONTRACTOR 1806

\$30.00

BUSINESS OFFICE

\$50.00

EMPLOYEE

TOTAL TAX \$80.00 PREVIOUSLY PAID \$80.00 \$0.00

TOTAL DUE

5380 E COLONIAL DR U - ORLANDO, 32807

PAID: \$80.00 0098-00782908 7/18/2017

 WEDDING BRIAN STEPHEN MICHAEL H (QUALIFIER) ASPER CONTRACTORS INC. 1690 ROBERTS BLVD NW STE 112 KENNESAW GA 30144-7830

This receipt is official when validated by the Tax Collector.

JUUL Natiouipii, Tax Guitectui

Forgi Propinces tay ivereibr

Clange County, Livings

his local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and othe awful authorities. This receipt is valid from October 1 through September 30 of receipt year. Delinquent penalty is added October 1.

2017

EXPIRES

9/30/2018

5000-1183041

5000 BUSINESS OFFICE

\$40.00

12

EMPLOYEE : 1806 CERT ROOFING CONTR

\$30.00

EMPLOYEE

TOTAL TAX PREVIOUSLY PAID **TOTAL DUE**

\$70.00 \$70.00 \$0.00

WEDDING BRIAN BOUCHARD DONALD JOSEPH-QUALIFIER

JASPER CONTRACTORS INC WEDDING BRIAN 1690 ROBERTS BLVD #112 **KENNESAW GA 30144**

3203 S CONWAY RD #201 U - ORLANDO, 32812

PAID: \$70.00 0098-00782906 7/18/2017

Local Business Tax Receipt Scott Randolph, Tax Collector Orange County, Florida

This local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other awful authorities. This receipt is valid from October 1 through September 30 of receipt year. Delinquent penalty is added October 1.

2017

EXPIRES

SCOT

9/30/2018

5000-1183041

5000 **BUSINESS OFFICE** \$40.00 12 CERT ROOFING CONTR

\$30.00

EMPLOYEE

TOTAL TAX PREVIOUSLY PAID **TOTAL DUE**

\$70.00 \$70.00 \$0.00

3203 S CONWAY RD #201 U - ORLANDO, 32812

PAID: \$70.00 0098-00782906 7/18/2017

 WEDDING BRIAN BOUCHARD DONALD JOSEPH-QUALIFIER

SASPER CONTRACTORS INC

WEDDING BRIAN 1690 ROBERTS BLVD #112 **KENNESAW GA 30144**

This receipt is official when validated by the Tax Collector.