

Scope of Work:

None

The person accepting this permit shall

application on file and construction shall conform to the requirements of

the Florida Building Code (FS 553).

conform to the terms of the

Comments:

REROOF: 48sq, asphalt shingles

City of Belle Isle

Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811 Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

PERMIT CARD - PLEASE POST AT JOB SITE

THIS DOCUMENT BECOMES YOUR PERMIT WHEN PROPERLY VALIDATED

Permit Number: 2014-06-034

Date of Application: 06/19/2014

Date Permit Issued: 06/19/2014

Per FBC 105.3.3: An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies." The issuance of this permit does not grant permission to violate any applicable City, Orange County, State of Florida and/or Federal codes and/or ordinances. Separate permits are required for Signs, Roofing, Electrical, Gas, Plumbing and Mechanical services. This permit becomes VOID if the work authorized is not commenced within 6 months, or is suspended or abandoned for a period of 6 months after commencement. WORK SHALL BE CONSIDERED SUSPENDED IF AN APPROVED INSPECTION HAS NOT BEEN MADE WITHIN A 6 MONTH PERIOD. PERMISSION IS GRANTED TO DO THE FOLLOWING WORK ACCORDING TO THE CONDITIONS HEREON AND THE APPROVED PLANS AND SPECIFICATIONS, SUBJECT TO COMPLIANCE WITH THE ORDINANCES OF THE CITY OF BELLE ISLE, FLORIDA.

	3913 Quando Drive, 20-23-30-1646-00-7 Greenway, Mary 407-701-7891 ************************************	**************************************	NOTICE OF COMPAYING TWICE PROPERTY. IF YOUR CONSULT WITH BEFORE RECOMMENCEMENT BE MADE BEFOR WORK, THIS CARI BE PROTECTED VISIBLE FROM INSPECTIONS HAV	WER: "YOUR FAILURE TO RECORD A MENCEMENT MAY RESULT IN YOU FOR IMPROVEMENTS TO YOUR OU INTEND TO OBTAIN FINANCING, YOUR LENDER OR AN ATTORNEY ORDING YOUR NOTICE OF "ON THE JOB INSPECTION(S) MUST BE PROCEEDING WITH SUBSEQUENT D MUST BE DISPLAYED OUTSIDE AND FROM THE WEATHER WHILE BEING THE STREET UNTIL THE FINAL VE BEEN APPROVED.
		BUILDING FEAT		
IMPACT FEES School	n	В	UILDING INSPECTOR	USE ONLY
12 12 12 12 1	5	IF APPLICABLE:		
	•	10 h and do those the forms thereof	Been Met? YES NO	Have Stormwater Approval Conditions
ZONING FEES Zoning Fee	\$30.00	Been Met? YES NO Silt fencin	g in place? YES NO	Turbidity Barrier in place? YES NO
UNIVERSAL ENG	- BUILDING FEES	□ BUILDING 1 st	(Footing	/Foundation)
Cert of Occ 5	B			re slab pour. Approved Plan on Site?
Demo S	5	2 nd		
Building S Fence S	5			
		3 rd	(Lintel)(V	Vall Reinforcing on Masonry Building)
Driveway Shed Window(s) Door(s) PrePower	5	4 th	(Exterior	Framing)(Roof/Wall Sheathing)
Door(s) PrePower	5	5 th	(Framing) (To be made after Plumbing/ Mechanical/
Electrical	5			I Rough-Ins & Windows/Doors Installed)
Temp Pole Plumbing Mechanical	5	6 th	(Insulatio	on to be Made After Roof Installed)
	5	7 th	(Drywall)	
Roofing	95.00	8 th		(/Drivowov)
Screen Encl	5 5			(Obliveway)
Swimming Pool Sign	5	9 th		
SURCHARGE FEE	=e	10 th	(Final – A	After MEP and Other Applicable Finals)
SUNCHANGE FEE		ROOFING		
Cit sees registration of that the action of	\$2.00 \$2.00	1 ST ROOFING Deck Nailing/Dry-in/F	ashing	
TOTAL	50,0400,00	2 nd ROOFING Covering In-Progress		
TOTAL FEI	ES \$129.00	3 rd ROOFING Covering Final		
Date Paid		☐ PLUMBING (Pool-Piping, Solar, Ir	rigation, Water Treatme	ent Equip, Etc)
CC or Check #	14à 0045		rground) 2 nd	(Sewer)
Amount Paid Y	300	3 rd (Roug	h-In/Tub Set) 4 th	(Final)

Inspection requests are to be emailed to BIDscheduling@UniversalEngineering.com; a confirmation email will be sent back to you upon scheduling. Next-Day Inspection requests must be made by 1pm. Please include the following in your request: Permit #, project address, type of inspection, date of the requested inspection, a contact name & a contact phone number. AM or PM may be requested but cannot be guaranteed.

□ MECHANICAL □ELECTRICAL

(Rough-In)

☐ LOW VOLTAGE

(Final)

CHECK APPROPRIATE BOX

GAS __Natural ___LP

06/19/2014 12:03:00 PM Page 1 of 1 Rec Fee: \$10.00 Martha O. Haynie, Comptroller Orange County, FL MB - Ret To: UNIVERSAL ROOF AND CONTRA Permit Number: Folio/Parcel Identification Number: 20-23 Prepared by: JAM 4ME Return to: NOTICE OF COMMENCEMENT State of Florida, County of Orange The undersigned hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement. 1. Description of property (legal description of the property, and street address if available) opulait & 2. General description of improvement 007 3. Owner information or Lessee information if the Lessee contracted for the improvement Name_ Mari Address Interest in Property Just Name and address of fee simple titleholder (if different from Owner listed above) Name Address 4. Contractor Name C 100 Telephone Number 4 Cardon 5. Surety (if applicable, a copy of the payment bond is attached) Telephone Number Name Amount of Bond \$ Address 6. Lender Name Telephone Number Address 7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by §713.13(1)(a)7, Florida Statutes. Telephone Number Name Address 8. In addition to himself or herself, Owner designates the following to receive a copy of the Lienor's Notice as provided in §713.13(1)(b), Florida Statutes. Telephone Number Name Address 9. Expiration date of notice of commencement (the expiration date may not be before the completion of construction and final payment to the contractor, but will be 1 year from the date of recording unless a different date is specified) WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT. Under penalty of perjury, I declare that I have read the foregoing notice of commencement and that the facts stated in it are true to the best of my knowledge and belief. Signature of Owner or Lessee, or Owner's or Lessee's Authorized Officer/Director/Partner/Manager Signatory's Title/Office The foregoing instrument was acknowledged before me this ${\Bbb Z}$ as Name of party on behalf of whom instrument was executed Type of ∕authority, e.g ∕, officer, trustee, attorney in fact Signature of Notary Public - State of Florida stamp commissioned name of Notary Public EXPIRES May 30, 2018 OR Produced ID X Personally Known Florida. lotary Service.com (407) 398-0153 Type of ID Produced Flourda

DOC# 20140304494 B: 10761 P: 6928



City of Belle Isle
Universal Engineering Sciences 3532 Maggie Blvd., Orlando, FL 32811
Tel 407-581-8161 * Fax 407-581-0313 * www.universalengineering.com

Product Approval Form

DATE: 6-19-14 PROJECT ADDRESS 39/3 DUANO	PERMIT #	-
components listed below if they will be utilized on the building or struc	Code 9B-72m, please provide the information and approval numbers of the bucture. FL Approved products are listed online at www.floridabuilding.org or must be turned in with permit application and available onsite for inspections:	uildir can t

Internet screen from FloridaBuilding.org showing PA#, approval and code edition stamped

Manufacturer's installation details from FloridaBuilding.org and requirements for each product stamped

Product Type	Manufacturer	Model/Series	FL Product Approval #	Product Type	Manufacturer	Model/Series	FL Product Approval #
	EXTERIOR	DOORS			WALL PA	NELS	1
Swinging				Sliding			
Sliding				Soffits			
Sectional/Rollup				Storefront			
Other				Glass Block			
				Other			
	WINDO	NS			RODFING PRO	DUCTS	CANCEL CONTRACTOR
Single/Dbf-Hung				Asphalt Shingles	Certainteed	Land MACK	* £ 1444.00
Horizontal Slider				Non Struct Metal			
Casement				Roofing Tiles			
Fixed				Single Ply Roof			
Mullion		-		Other			
Skylights 🖟	×						
Other							<i>y</i>
Continue of continue of	STRUCTURAL CO	MPONENTS			OTHER		
Wood Connectors							
Wood Anchors							
Truss Plates							
Insulation Forms					ė.		
Lintels							
Other 8							

in .	
It is the applicant's responsibility to verify that specific products have been installed in	n accordance with their limitations and
with the minimum required design pressures to the structure. Specific compliance w	vill be verified during field inspections
	F.
Applicant Signature / // ///////////////////////////////	Date 6-19-15
	9
h /	i i i i i i i i i i i i i i i i i i i





BCIS Home Log In User Registration Hot Topics Submit Surcharge Stats & Facts Publications FBC Staff BCIS Site Map Links







Product Approval Menu > Product or Application Search > Application List > Application Detail

Application Type Code Version

Application Status Comments Archived

FL5444-R4

Revision 2010 Approved

Product Manufacturer

Address/Phone/Email

CertainTeed Corporation-Roofing

PO Box 1100

1400 Union Meeting Rd Blue Bell, PA 19422 (215) 274-2350

Steven.T.Lawrey@saint-gobain.com

Authorized Signature

Steven Lawrey

Steven.T.Lawrey@saint-gobain.com

Technical Representative Address/Phone/Email

R. Allan Snyder PO Box 1100

1400 Union Meeting Road Blue Bell, PA 19422

Allan.R.Snyder@saint-gobain.com

Quality Assurance Representative Address/Phone/Email

Category Subcategory Roofing

Asphalt Shingles

Compliance Method

Evaluation Report from a Florida Registered Architect or a Licensec

Florida Professional Engineer

Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed

the Evaluation Report

Florida License

Quality Assurance Entity

Quality Assurance Contract Expiration Date

Validated By

Robert Nieminen

PE-59166

Underwriters Laboratories Inc.

06/09/2013

John W. Knezevich, PE

Validation Checklist - Hardcopy Received

Certificate of Independence

FL5444 R4 COI Trinity ERD CI - Nieminen pdf

Referenced Standard and Year (of Standard)

Year **Standard** 2006 ASTM D3161, Class F 2007 **ASTM D3462** 2007 ASTM D7158, Class H

Equivalence of Product Standards

Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted 12/14/2011 Date Validated 12/14/2011 Date Pending FBC Approval 12/21/2011 01/31/2012 Date Approved

Summary	of	Pr	od.	ucts
		_		

FL#	Model, Number or Name	Description
5444.1	CertainTeed Asphalt Roofing Shingles	3-tab, laminated, architectural and 4-tab asphalt roof shingles
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Refer to ER Section 5 for Limits of Use		Installation Instructions FL5444_R4_II_er120611FINAL_CERTAINTEED_Asphald Shingle_FL5444-R4.pdf Verified By: Robert Nieminen, PE PE-59166 Created by Independent Third Party: Yes Evaluation Reports FL5444_R4_AE_er120611FINAL_CERTAINTEED_Asphaldshingle_FL5444-R4.pdf Created by Independent Third Party: Yes

Back

Next

Contact Us:: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2010 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refu

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.48 *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Dep with an email address if they have one. The emails provided may be used for official communication with the licensee. However email address public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made avail the public. To determine if you are a licensee under Chapter 455, F.S., please click here.

Product Approval Accepts:





TRINITY ERD

EXTERIOR RESEARCH & DESIGN, LLC. Certificate of Authorization #9503 353 CHRISTIAN STREET, UNIT #13 OXFORD, CT 06478

PHONE: (203) 262-9245 FAX: (203) 262-9243

EVALUATION REPORT

CertainTeed Corporation 1400 Union Meeting Road Blue Bell, PA 19422

Evaluation Report 3532.09.05-R4

FL5444-R4

Date of Issuance: 09/22/2005

Revision 4: 12/06/2011

SCOPE:

This Evaluation Report is issued under Rule 9N-3 and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code and Florida Building Code, Residential Volume. The products described herein have been designed to comply with the 2010 Florida Building Code.

DESCRIPTION: CertainTeed Asphalt Roofing Shingles.

LABELING: Each unit shall bear labeling in accordance with the requirements of the Accredited Quality Assurance Agency noted herein.

CONTINUED COMPLIANCE: This Evaluation Report is valid until such time as the named product(s) changes, the referenced Quality Assurance documentation changes, or provisions of the Code that relate to the product change. Acceptance of this Evaluation Report by the named client constitutes agreement to notify Robert Nieminen, P.E. if the product changes or the referenced Quality Assurance documentation changes. Trinity|ERD requires a complete review of this Evaluation Report relative to updated Code requirements with each Code Cycle.

ADVERTISEMENT: The Evaluation Report number preceded by the words "Trinity|ERD Evaluated" may be displayed in advertising literature. If any portion of the Evaluation Report is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire Evaluation Report shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This Evaluation Report consists of pages 1 through 10.

Prepared by:

product.

Robert J.M. Nieminen, P.E.

Florida Registration No. 59166, Florida DCA ANE1983

The facsimile seal appearing was authorized by Robert Nieminen, P.E. on 12/06/2011 This does not serve as an electronically signed document. Signed, sealed hardcopies have been transmitted to the Product Approval Administrator and to the named client

CERTIFICATION OF INDEPENDENCE:

Trinity|ERD does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or

Trinity[ERD is not owned, operated or controlled by any company manufacturing or distributing products it evaluates. Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which


Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the

6. INSTALLATION:

- 6.1 Roof deck, slope, underlayment and fasteners shall comply with FBC 1507.2 / R905.2 and the shingle manufacturer's minimum requirements.
- 6.1.1 Underlayment shall be acceptable to CertainTeed Corporation and shall hold current Florida Statewide Product Approval, or be Locally Approved per Rule 9N-3, per FBC Sections 1507.2.3, 1507.2.4 or R905.2.3.
- Installation of asphalt shingles shall comply with the manufacturer's current published instructions, using minimum four (4) nails per shingle in accordance with FBC 1507.2.7 or Section R905.2.6 and the minimum requirements herein.
- 6.2.1 Fasteners shall be in accordance with manufacturer's published requirements, but not less than FBC 1507.2.6 or R905.2.5. Staples are not permitted.
- 6.2.2 Where the roof slope exceeds 21 units vertical in 12 units horizontal, use the "Steep Slope" directions.
- 6.3 CertainTeed asphalt shingles are acceptable for use in reroof (tear-off) or recover applications, subject to the limitations set forth in FBC Section 1510 and CertainTeed published installation instructions.

6.3.1 CT20™, XT™ 25, and XT™ 30:

LOW AND STANDARD SLOPE



METRIC




Figure 11-3: Use four nails for every full shingle.

STEEP SLOPE

Use **four** mails and six spots of asphalt rooting cements for every milshingle (Figure 11-1). Asphalt rooting cement meeting ASTM D 586. Type II is suggested.





Figure (1-4: Use four mails and six spots of asphalt cruteri on sleep shapes *CALTION: Excessive use of cooling cement can cause shingles to blister.

6.3.1.1 Hip & Ridge: Cut Shingles



(English dimensions shown).




Figure 11-25. Installation of caps along the tops and ridges.

Note: For ASTM D3161 - Class F, use BASF Sonolastic NP 1 adhesive or Henkel PL® Polyurethane Roof & Flashing Sealant, in accordance with manufacturer's instructions.